Please check the examination details b	elow before ente	ering your candidate information			
Candidate surname	Other names				
Centre Number Candidate I					
Pearson Edexcel International GCSE					
Time 2 hours	Paper reference	4MA1/2HR			
Mathematics A		0 0			
DADED SUD					
PAPER 2HR					
Higher Tier					
You must have: Ruler graduated in protractor, pair of compasses, pen, I Tracing paper may be used.					
31.1.					

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer all questions.
- Without sufficient working, correct answers may be awarded no marks.
- Answer the questions in the spaces provided
 - there may be more space than you need.
- Calculators may be used.
- You must NOT write anything on the formulae page.
 Anything you write on the formulae page will gain NO credit.

Information

- The total mark for this paper is 100.
- The marks for **each** question are shown in brackets
 - use this as a guide as to how much time to spend on each question.

Advice

- Read each question carefully before you start to answer it.
- Check your answers if you have time at the end.

Turn over ▶







International GCSE Mathematics

Formulae sheet - Higher Tier

Arithmetic series


Sum to *n* terms, $S_n = \frac{n}{2} [2a + (n-1)d]$

The quadratic equation


The solutions of $ax^2 + bx + c = 0$ where $a \ne 0$ are given by:

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

Area of trapezium = $\frac{1}{2}(a+b)h$



Trigonometry



In any triangle ABC


Sine Rule
$$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$$

Cosine Rule
$$a^2 = b^2 + c^2 - 2bc \cos A$$

Area of triangle =
$$\frac{1}{2}ab\sin C$$


Volume of cone = $\frac{1}{3}\pi r^2 h$

Curved surface area of cone = πrl




Volume of prism

= area of cross section \times length




Volume of cylinder = $\pi r^2 h$ Curved surface area of cylinder = $2\pi rh$



Volume of sphere =
$$\frac{4}{3}\pi r^3$$

Surface area of sphere = $4\pi r^2$




Answer ALL TWENTY SIX questions.

Write your answers in the spaces provided.

You must write down all the stages in your working.

1 Show that
$$4\frac{2}{3} \div 1\frac{5}{6} = 2\frac{6}{11}$$

(Total for Question 1 is 3 marks)



- (a) On the grid, rotate triangle **A** 180° about (1, -1) Label the new triangle **B**
- (b) On the grid, translate triangle **A** by the vector $\begin{pmatrix} -7 \\ 3 \end{pmatrix}$

Label the new triangle C

(1)

(2)

(Total for Question 2 is 3 marks)


3 $-8 < 2y \le 2$

y is an integer.

(a) Find all the possible values of y

()


(b) Write down the inequality shown on the number line.



(1)


(Total for Question 3 is 3 marks)

4 Using ruler and compasses only, construct the bisector of angle *BAC* You must show all your construction lines.



(Total for Question 4 is 2 marks)

5 On the grid, draw the graph of 5x + 2y = 10 for values of x from -2 to 4



(Total for Question 5 is 3 marks)

6 In a bag, there are only red counters, blue counters, green counters and yellow counters.

The total number of counters in the bag is 80

In the bag

the number of red counters is x + 7 the number of blue counters is x - 11 the number of green counters is 3x

Jude takes at random a counter from the bag.

The probability that he takes a red counter is $\frac{1}{4}$

Work out the probability that Jude takes a yellow counter.

(Total for Question 6 is 4 marks)



7 (a) Find the highest common factor (HCF) of 200 and 420

(2)

$$A = 23 \times 3 \times 5 \times 72$$

$$B = 2 \times 32 \times 7$$

$$C = 3 \times 52 \times 11$$

(b) Find the lowest common multiple (LCM) of A, B and C Write your answer as a product of powers of prime factors.

('

(Total for Question 7 is 4 marks)

8 60 students sat a Mathematics exam.

The mean mark for the 32 students in Class A was 55 The mean mark for the 28 students in Class B was 52

Find the mean mark for all 60 students.

(Total for Question 8 is 3 marks)



- 9 Teresa invests \$2000 for 3 years in a savings account. She gets 4% each year compound interest.
 - (a) How much money will Teresa have in her savings account at the end of 3 years? Give your answer correct to the nearest dollar.

(3)

Sam invested T

The value of his investment decreased by 9% each year.

At the end of the first year, the value of Sam's investment was \$1365

(b) Work out the value of T

(3)

(Total for Question 9 is 6 marks)



10 The diagram shows two solids, A and B, made from two different metals.




Diagram **NOT** accurately drawn

Solid $\bf A$ is in the shape of a cylinder with radius 3 cm and height 7 cm Solid $\bf A$ has a mass of 2000 g

Solid **B** has a mass of 3375 g Solid **B** has a volume of 450 cm³

All of the metal from Solid A and Solid B is melted down to make a uniform Solid C

Given that there is no change to mass or volume during this process

work out the density of Solid C Give your answer correct to one decimal place.

..... g/cm

(Total for Question 10 is 3 marks)



Diagram NOT accurately drawn

S

128°

Diagram NOT

T

F

AB, BC, CD, DE and EF are five sides of a regular polygon.

U

RST, SCU and BCV are straight lines.

RST is parallel to CD

Angle $RSC = 128^{\circ}$

Angle $UCV = 32^{\circ}$

Work out how many sides the polygon has.

Show your working clearly.

(Total for Question 11 is 4 marks)

12 (a) Simplify $\frac{2}{y^0}$

(1)

(b) Simplify fully $(16a^4)^{\frac{3}{4}}$

(2)

(c) Expand and simplify 5x(3x + 4)(2x - 1)

(3)

(Total for Question 12 is 6 marks)

13 A rectangle has length L and width W

L is increased by 20% W is decreased by 35%

Calculate the percentage reduction in the area of the rectangle.

....9/

(Total for Question 13 is 3 marks)

14 A, B and C are points on a circle, centre O




Diagram **NOT** accurately drawn

The radius of the circle is 8.5 cmAngle $ABC = 132^{\circ}$

Work out the perimeter of the shaded sector *AOC* Give your answer correct to 3 significant figures.

..... cr

(Total for Question 14 is 3 marks)



	are the r				8					2200	
	1	1	2	4	6	8	8	9	11	12	15
	ind the inhow you				ne num	bers of	aces.				
											(2)
Kim	also play	s in 11	tennis n	natches							
For K	the		an numb Juartile r				of aces i	s 5			
(b) S	tate, givi	ng a re	ason, wł	nether I	Rutger	or Kim					
(i) served	l more	aces on a	average	2,						
											(1)
(ii) was m	nore con	nsistent v	with the	e numb	er of ac	es serve	ed.			(1)
(ii) was m	nore coi	nsistent	with the	e numb	er of ac	es serve	ed.			(1)



16 Here are two vectors.

$$\overrightarrow{BA} = \begin{pmatrix} -5\\4 \end{pmatrix} \qquad \overrightarrow{BC} = \begin{pmatrix} 9\\1 \end{pmatrix}$$

Find \overrightarrow{AC} as a column vector.


$$\overrightarrow{AC} = \begin{bmatrix} & & & \\ & & & \\ & & & \end{bmatrix}$$

(Total for Question 16 is 2 marks)

17 The table gives information about the time taken by each student in Year 11 to complete a homework task.

Time taken (t minutes)	Frequency
$10 < t \leqslant 25$	15
$25 < t \leqslant 30$	18
$30 < t \leqslant 50$	32
$50 < t \leqslant 60$	4

(a) On the grid, draw a histogram for this information.



One of these students who took 50 minutes or less and more than 25 minutes to complete this homework task is chosen at random.

(b) Find an estimate for the probability that this student took 45 minutes or less to complete this homework task.

2)

(Total for Question 17 is 5 marks)



18 A statue and a model of the statue are mathematically similar.

The statue has a total surface area of 3600 cm² The model has a total surface area of 625 cm²

The volume of the model is 750 cm³

Work out the volume of the statue.

..... cm

(Total for Question 18 is 3 marks)

19 Prove algebraically that, for any three consecutive even numbers,

the sum of the squares of the smallest even number and the largest even number is 8 more than twice the square of the middle even number.

(Total for Question 19 is 3 marks)





20 A, B and C are three sets.

$$n(A \cap B \cap C) = 5$$

$$n(A \cap B \cap C') = 2$$

$$n(A \cap C) = 5$$

$$n(A) = 17$$


$$n([A \cup B \cup C]') = 3$$

$$n(A' \cap B \cap C') = 6$$

$$n(B \cap C) = 7$$


$$n(C) = 14$$

Complete the Venn diagram to show the number of elements in each region.



(Total for Question 20 is 4 marks)

21 The diagram shows the graph of y = f(x)



The point P has x coordinate -2

Use the graph to find an estimate for the gradient of the curve at P

(Total for Question 21 is 3 marks)

22 Solve the simultaneous equations

$$2y^2 + x^2 = -6x + 42$$
$$2x + y = -3$$

Show clear algebraic working.

(Total for Question 22 is 5 marks)



23 AEC and BED are chords of a circle.




Diagram **NOT** accurately drawn

$$AE = (x + 5) \text{ cm}$$

$$BE = x \, \mathrm{cm}$$

$$CE = (5x - 12) \text{ cm}$$

$$DE = (x + 12) \text{ cm}$$

Angle $DAE = 48^{\circ}$


Work out the size of angle ADE

Give your answer correct to one decimal place.

(Total for Question 23 is 5 marks)

Turn over for Question 24

24 The diagram shows a solid cone and a solid sphere.






Diagram **NOT** accurately drawn

The cone has base radius r, slant height l and perpendicular height h The sphere has radius r

The base radius of the cone is equal to the radius of the sphere.

Given that

 $k \times \text{volume of the cone} = \text{volume of the sphere}$

show that the total surface area of the cone can be written in the form

$$\pi r^2 \left(\frac{k + \sqrt{k^2 + a}}{k} \right)$$

where a is a constant to be found.

(Total for Question 24 is 6 marks)

Turn over for Question 25

25 ABCD is a trapezium with AB parallel to DC

A is the point with coordinates (-4, 6)

B is the point with coordinates (2, 3)

D is the point with coordinates (-1, 8)

The trapezium has one line of symmetry.

The line of symmetry intersects CD at the point E

Work out the coordinates of the point E

(.....,

(Total for Question 25 is 6 marks)

Turn over for Question 26



26 Write

$$\frac{4x^2 - 17x - 15}{2x - 1} \times \frac{2x^2 - 7x + 3}{x^2 - 25} + (29 - 4x)$$

as a single fraction in its simplest form.

(Total for Question 26 is 4 marks)

TOTAL FOR PAPER IS 100 MARKS

BLANK PAGE



BLANK PAGE

