



Pearson
Edexcel

Mark Scheme (Results)

Summer 2024

Pearson Edexcel International GCSE
In Mathematics A (4MA1) Paper 1HR

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

Summer 2024

Question Paper Log Number P73466A

Publications Code 4MA1_1HR_2406_MS

All the material in this publication is copyright

© Pearson Education Ltd 2024

General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

- **Types of mark**
 - M marks: method marks
 - A marks: accuracy marks
 - B marks: unconditional accuracy marks (independent of M marks)
- **Abbreviations**
 - cao – correct answer only
 - ft – follow through
 - isw – ignore subsequent working
 - SC - special case
 - oe – or equivalent (and appropriate)
 - dep – dependent
 - indep – independent
 - awrt – answer which rounds to
 - eeoo – each error or omission

- **No working**

If no working is shown then correct answers normally score full marks

If no working is shown then incorrect (even though nearly correct) answers score no marks.

- **With working**

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

If it is clear from the working that the “correct” answer has been obtained from incorrect working, award 0 marks.

If a candidate misreads a number from the question. Eg. Uses 252 instead of 255; method marks may be awarded provided the question has not been simplified. Examiners should send any instance of a suspected misread to review. If there is a choice of methods shown, mark the method that leads to the answer on the answer line; where no answer is given on the answer line, award the lowest mark from the methods shown.

If there is no answer on the answer line then check the working for an obvious answer.

- **Ignoring subsequent work**

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: eg. Incorrect cancelling of a fraction that would otherwise be correct.

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect eg algebra.

Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.

- **Parts of questions**

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded to another.

International GCSE Maths

Apart from questions 4, 12, 17b, 19, 21, 23 the correct answer, unless clearly obtained by an incorrect method, should be taken to imply a correct method

Values in quotation marks must come from a correct method previously seen unless clearly stated otherwise.

Q	Working	Answer	Mark	Notes
1	$11 \times 6 (= 66)$ or $\frac{16+15+3+2+9+x}{6} = 11$		3	M1 for a correct calculation for the total or a correct equation for the last card eg using 'x'
	$16 + 15 + 3 + 2 + 9 + x = "66"$ oe eg $45 + x = "66"$ or $"66" - (16 + 15 + 3 + 2 + 9)$			M1 for a correct equation for 'x' with no fraction or a correct calculation for the number on the last card
	<i>Correct answer scores full marks (unless from obvious incorrect working)</i>	21		A1 if the answer line is blank, check the card
				Total 3 marks

2	$1 - (0.27 + 0.04 + 0.12) (= 0.57)$ oe or $2x + 0.27 + 0.04 + x + 0.12 = 1$ oe or $0.27 \times 400 (= 108)$ and $0.04 \times 400 (= 16)$ and $0.12 \times 400 (= 48)$		4	M1 for showing a clear understanding that the total of probabilities is 1 or for finding estimates for the number of times the spinner will land on 2 and 3 and 5
	$(x =) \text{“}0.57\text{”} \div 3 (= 0.19)$ or $(2x =) \text{“}0.57\text{”} \div 3 \times 2 (= 0.38)$ or $\frac{400 - \text{“}108\text{”} - \text{“}16\text{”} - 48}{3} (= 76)$ oe or $\frac{400 - \text{“}108\text{”} - \text{“}16\text{”} - 48}{3} \times 2 (= 152)$ oe			M1 for a method to find the value of x or $2x$ or an estimate for the number of times the spinner will land on 4 or 1
	$(2 \times \text{“}0.19\text{”} + 0.04 + 0.12) \times 400$ or $2 \times \text{“}76\text{”} + \text{“}16\text{”} + \text{“}48\text{”}$			M1 for a complete method
	<i>Correct answer scores full marks (unless from obvious incorrect working)</i>	216		A1 for an answer of 216 answer of $\frac{216}{400}$ oe scores M3A0
				Total 4 marks

3	eg $200 \div (3 + 2) (= 40)$		5	M1	for a method to find one 'share' of the ratio
	eg $3 \times "40" (= 120)$ and $2 \times "40" (= 80)$			M1	for a method to find the number of white loaves and the number of brown loaves
	eg $"120" \times 1.50 (= 180)$ oe and $"80" \times 1.75 (= 140)$ oe or $"120" \times 0.4 (= 48)$ oe and $"80" \times 0.6 (= 48)$ oe or $0.4 \times 1.50 (= 0.6)$ oe and $0.6 \times 1.75 (= 1.05)$ oe			M1	for a method to find income from white loaves and brown loaves or number of white loaves and brown loaves that are entirely profit or profit from a single white loaf or a single brown loaf
	eg $0.4 \times "180" (= 72)$ oe and $0.6 \times "140" (= 84)$ oe or $"48" \times 1.50 (= 72)$ oe and $"48" \times 1.75 (= 84)$ oe or $"0.6" \times "120" (= 72)$ oe and $"1.05" \times "80" (= 84)$ oe			M1	for a complete method to find the total profit for the white loaves and the total profit for the brown loaves
	<i>Correct answer scores full marks (unless from obvious incorrect working)</i>	156		A1	cao award SCB4 for an answer of 164 or 174
				Total 5 marks	

4	$\frac{7}{3}$ and $\frac{21}{4}$		3	M1 may have $\frac{4}{21}$ rather than $\frac{21}{4}$
	$\frac{7}{3} \times \frac{4}{21}$ oe eg $\frac{49}{21} \times \frac{4}{21}$ or $\frac{28}{12} \div \frac{63}{12}$ oe			M1 for intention to multiply correct improper fraction and inverted fraction or writing the 2 fractions over the same common denominator
	eg $\frac{7}{3} \times \frac{4}{21} = \frac{28}{63} = \frac{4}{9}$ oe eg $\frac{49}{21} \times \frac{4}{21} = \frac{196}{441} = \frac{4}{9}$ or $\frac{7}{3} \times \frac{4}{\cancel{21}^3} = \frac{4}{9}$ oe or $\frac{28}{12} \div \frac{63}{12} = \frac{28}{63} = \frac{4}{9}$ <i>Working required</i>	Correctly shown		A1 for correctly completing to reach the required answer Ignore any decimals used as checking.
				Total 3 marks

5	$5200 \times 1.025 (= 5330)$ oe or $5200 \times 0.025 (= 130)$ oe		3	M1 for a method to find 2.5% or 102.5% of 5200	M2 for 5200×1.025^4 oe or for $5200 \times 1.025^5 (= 5883\dots)$ oe
	for “5330” $\times 1.025 (= 5463\dots)$ oe and “5463.25” $\times 1.025 (= 5599\dots)$ oe and “5599.83...” $\times 1.025 (= 5739\dots)$ oe			M1 for a complete method	
	<i>Correct answer scores full marks (unless from obvious incorrect working)</i>	5740		A1 5739 – 5740 SC: If no other marks awarded, award B1 for $5200 \times 0.1 (= 520)$ oe $5200 \times 1.1 (= 5720)$ oe $5200 \times 0.9 (= 4680)$ oe $5200 \times 0.975 (= 5070)$ oe $5200 \times 0.975^4 (= 4699\dots)$ oe (accept $(1 + 0.025)$ as equivalent to 1.025 throughout but not $(1 + 2.5\%)$)	
Total 3 marks					


6	(a)	$\pi \times 8^2 \times h = 1208$ oe or $\frac{1208}{\pi \times 8^2}$ oe		2	M1 for setting up an equation in h using the volume of the cylinder or a correct calculation for h (may be seen in stages)
		<i>Correct answer scores full marks (unless from obvious incorrect working)</i>	6		A1 accept 6 – 6.02
	(b)	$\frac{m}{1208} = 1.25$ oe or ($m =$) $1208 \times 1.25 (= 1510)$		2	M1 for setting up an equation using $D = M / V$ or for a calculation to find the mass (may convert mass to kg first)
		<i>Correct answer scores full marks (unless from obvious incorrect working)</i>	1.51		A1
					Total 4 marks

7	(a)		g^7	1	B1
	(b)		$5k^5 + 20k^2$	2	B2 for $5k^5 + 20k^2$ (B1 for $5k^5$ or $20k^2$)
	(c) (i)	$(x \pm 7)(x \pm 9)$		2	M1 for $(x \pm 7)(x \pm 9)$ or for $(x + a)(x + b)$ where $ab = -63$ or $a + b = -2$ where a and b are integers
		<i>Correct answer scores full marks (unless from obvious incorrect working)</i>	$(x + 7)(x - 9)$		A1 for correct factors
	(ii)		-7, 9	1	B1 must fit from (c)(i) dep on factorising in the form $(x + p)(x + q)$ where p and q are integers
	(d)	$-2y - 3y < -12 - 7$ or $7 + 12 < 3y + 2y$ or $7 < 5y - 12$ or $7 - 5y < -12$ or $-2y < 3y - 19$ or $19 - 2y < 3y$		3	M1 for rearrangement with y terms on one side and numerical terms on the other in a correct inequality or the correct simplification of y terms or numbers on one side in a correct inequality sign can be = or the incorrect inequality sign
		$-5y < -19$ or $19 < 5y$ or $-y < \frac{-19}{5}$ or $y < \frac{19}{5}$ or $y = \frac{19}{5}$ oe			M1 for the correct simplification of y terms on one side and numbers on the other side in a correct inequality or a correct inequality with the wrong sign sign can be = or the incorrect inequality sign
		<i>Correct answer scores full marks (unless from obvious incorrect working)</i>	$y > \frac{19}{5}$		A1 oe eg $y > 3.8$ or $3.8 < y$ Must be given as the correct inequality on the answer line
					Total 9 marks

8	$\frac{14 + AB}{2} \times 15 = 360$ oe or $360 - 14 \times 15 (=150)$ oe		6	M1 for setting up an equation using the area of the trapezium or method to find the area of the triangle
	$AB = 34$ or $MB = 20$ (where M is point on AB such that MC is perpendicular to AB)			A1 could be seen on diagram
	$(CB^2 =) 15^2 + 20^2 (= 625)$ or $(CB^2 =) 15^2 + MB^2$			M1 allow use of their MB
	$(CB =) \sqrt{15^2 + 20^2} (= 25)$ or $(CB =) \sqrt{15^2 + MB^2}$			M1 allow use of their MB
	$14 + 15 + "34" + "25"$ oe or $14 + 15 + 14 + MB + CB$ oe			M1ft (dep on previous two M marks) for a method to find the perimeter of the trapezium, allow use of their MB and CB
	<i>Correct answer scores full marks (unless from obvious incorrect working)</i>	88		A1 cao
				Total 6 marks

9		$y = -\frac{1}{2}x + 1$	3	<p>B3 for $y = -\frac{1}{2}x + 1$ oe but must be in form $y = mx + c$ eg $y = -0.5x + 1$</p> <p>(B2 for $(L =) -\frac{1}{2}x + 1$ or for $y = -\frac{1}{2}x + c$ or for $y = mx + 1$ where $m \neq 0$ or for a correct equation in the incorrect form eg $2y + x = 2$)</p> <p>(B1 for $(L =) -\frac{1}{2}x + c$ or $(L =) mx + 1$ where $m \neq 0$ or $m = -\frac{1}{2}$ or gradient = $-\frac{1}{2}$ oe eg $\frac{3 - (-1)}{-4 - 4}$)</p>
Total 3 marks				

10	2 and 7 correctly identified		2	M1 may also identify median (4)
	<i>Correct answer scores full marks (unless from obvious incorrect working)</i>	5		A1
Total 2 marks				

11 (a)		$2^4 \times 5^2 \times 7^2$	2	<p>B2 for $2^4 \times 5^2 \times 7^2$ oe eg $2 \times 2 \times 2 \times 2 \times 5 \times 5 \times 7 \times 7$</p> <p>(B1) for $2^m \times 5^n \times 7^p$ with 2 of $m = 4, n = 2, p = 2$ or for 19600 without sight of the correct factorisation or a fully correct Venn diagram for 5A and 2B or an answer of $2^3 \times 5 \times 7^2$ oe)</p>
(b)	$(AB =) 2^8 \times 5^4 \times 7^6$ or $(A^2 =) 2^{10} \times 5^2 \times 7^4$ or $(B^2) = 2^6 \times 5^6 \times 7^8$ or $((AB)^2 =) 3.5 \dots \times 10^{20}$ oe		2	<p>M1 for a correct product of prime factors for AB or A^2 or B^2 or for $(AB)^2$ evaluated</p>
	<i>Correct answer scores full marks (unless from obvious incorrect working)</i>	$2^{16} \times 5^8 \times 7^{12}$		<p>A1 for $2^{16} \times 5^8 \times 7^{12}$ oe</p> <p>if no other marks are awarded, award SCB1 for $2^c \times 5^d \times 7^f$ with 2 of $c = 16, d = 8, f = 12$)</p>
Total 4 marks				

12	eg $\begin{array}{l} -12x + 9y = 28.8 \\ 12x + 10y = 33.6 \end{array}$ or $\begin{array}{l} -20x + 15y = 48 \\ 18x + 15y = 50.4 \end{array}$ or eg $4x + 3\left(\frac{16.8 - 6x}{5}\right) = 9.6$ or $6\left(\frac{9.6 - 3y}{4}\right) + 5y = 16.8$		4	M1 for multiplication of one or both equation(s) with correct operation selected (allow one arithmetic error) (if + or – is not shown then assume it is the operation that at least 2 of the 3 terms have been calculated for) or correct rearrangement of one equation with substitution into the second
		$x = -1.2$ oe or $y = 4.8$ oe		A1 dep on M1
				M1 (dep on M1) for substitution of found variable or repeating the steps in first M1 for the second variable
	<i>Working required</i>	$x = -1.2$ oe and $y = 4.8$ oe		A1 dep on M1
				Total 4 marks

13	$BAD = 180 - 128 (= 52)$ or (reflex) $BOD = 2 \times 128 (= 256)$		5	M1 angles to be identified either by notation or correctly positioned on the diagram.
	(obtuse) $BOD = 2 \times "52" (= 104)$ or (obtuse) $BOD = 360 - "256" (= 104)$			M1 (dep on M1) angles to be identified either by notation or correctly positioned on the diagram.
	<i>Correct answer of 38 scores 3 marks (unless from obvious incorrect working)</i>	38		A1
				<p>B2 dep on a fully correct method to find OBD for correct reasons for method used.</p> <p>(B1 dep on M1 for a correct circle theorem for their method)</p> <p><u>Opposite angles of a cyclic quadrilateral sum to 180°</u> <u>Angle at the centre is $2 \times$ (double) angle at circumference /</u> <u>angle at circumference is $\frac{1}{2}$ angle at centre</u></p> <p><u>Angles around a point add up to 360°</u> <u>Isosceles triangle</u> <u>Angles in a triangle add to 180°</u> <u>Angles in a triangle add to 180°</u></p>
				Total 5 marks

14 (a)	$(3x + 1)(2 - x) = 6x - 3x^2 + 2 - x (= -3x^2 + 5x + 2)$ or $(2 - x)(4 + x) = 8 + 2x - 4x - x^2 (= -x^2 - 2x + 8)$ or $(3x + 1)(4 + x) = 12x + 3x^2 + 4 + x (= 3x^2 + 13x + 4)$		3 M1 for a correct method to expand two brackets with at least 3 terms correct out of 4 terms (or 2 terms correct out of 3 terms). Do not award this mark for eg $6x - 3x^2 + 2 - x + 8 + 2x - 4x - x^2$ or $6x - 3x^2 + 2 - x + 4 + x$
	$(-3x^2 + 5x + 2)(4 + x) = -12x^2 - 3x^3 + 20x + 5x^2 + 8 + 2x$ or $(-x^2 - 2x + 8)(3x + 1) = -3x^3 - x^2 - 6x^2 - 2x + 24x + 8$ or $(3x^2 + 13x + 4)(2 - x) = 6x^2 - 3x^3 + 26x - 13x^2 + 8 - 4x$		M1 ft dep on M1 and a quadratic for a correct method to multiply by the 3 rd bracket – allow one further error
	<i>Correct answer scores full marks (unless from obvious incorrect working)</i>	$-3x^3 - 7x^2 + 22x + 8$	A1 oe but must be simplified eg $22x - 3x^3 - 7x^2 + 8$ if no working shown then award B2 for 3 out of a maximum of 4 terms correct
	ALTERNATIVE		
ALT (a)	$24x + 6x^2 - 12x^2 - 3x^3 + 8 + 2x - 4x - x^2$ oe		3 M2 for a complete expansion with 8 terms present of which at least 4 are correct (M1 for at least 4 correct terms from any number of terms)
		$-3x^3 - 7x^2 + 22x + 8$	A1 oe but must be simplified eg $22x - 3x^3 - 7x^2 + 8$ if no working shown then award B2 for 3 out of a maximum of 4 terms correct

(b)	$\left(\frac{1}{a^6 b^4}\right)^{-\frac{1}{2}} \text{ or } (a^{-6} b^{-4})^{-\frac{1}{2}} \text{ or } \left(\frac{a^{1.5} b^{0.5}}{a^{4.5} b^{2.5}}\right)^{-1}$ $\text{or } \left(\frac{a^9 b^5}{a^3 b}\right)^{\frac{1}{2}} \text{ or } \left(\frac{a^{-3} b^{-1}}{a^{-9} b^{-5}}\right)^{\frac{1}{2}} \text{ oe}$		3 M1 for simplifying the a and the b term in the fraction or for applying the power $\frac{1}{2}$ to at least 3 out of 4 of a^3, b, a^9, b^5 or for applying the negative power to at least 3 out of 4 of a^3, b, a^9, b^5
	$\left(\frac{1}{a^3 b^2}\right)^{-1} \text{ or } (a^{-3} b^{-2})^{-1} \text{ or } \frac{a^{4.5} b^{2.5}}{a^{1.5} b^{0.5}}$ $\text{or } (a^6 b^4)^{\frac{1}{2}} \text{ or } \left(\frac{a^{-1.5} b^{-0.5}}{a^{-4.5} b^{-2.5}}\right) \text{ oe}$		M1 for two of simplifying the a and the b term in the fraction or for applying the power $\frac{1}{2}$ to at least 3 out of 4 of a^3, b, a^9, b^5 or for applying the negative power to at least 3 out of 4 of a^3, b, a^9, b^5
	<i>Correct answer scores full marks (unless from obvious incorrect working)</i>	$a^3 b^2$	A1 accept $\frac{1}{a^{-3} b^{-2}}$
			Total 6 marks

15	eg $0.5 \times EF \times FG \times \sin 130 = 74$ oe or eg $EF \times FG \times \sin 130 = 2 \times 74$ oe		3	M1 for setting up an equation using the area of a triangle formula
	$(EF^2 =) \frac{2 \times 74}{\sin 130}$ (= 193.2...) oe or $(EF =) \sqrt{\frac{2 \times 74}{\sin 130}}$ (= $\sqrt{193.2\dots}$) oe			M1 for a complete method to find EF^2 or EF
	<i>Correct answer scores full marks (unless from obvious incorrect working)</i>	13.9		A1 awrt 13.9
				Total 3 marks

16	$5 \div 2 (= 2.5)$ oe $12 \div 3 (= 4)$ $18 \div 5 (= 3.6)$ oe $14 \div 10 (= 1.4)$ oe $9 \div 15 (= 0.6)$ oe		3	M1 for 3 correct frequency densities or 3 correct bars
				M1 for 4 correct frequency densities or 4 correct bars
	<i>Correct answer scores full marks (unless from obvious incorrect working)</i>	completely correct histogram		A1 completely correct histogram use overlay SC: award B2 for all 5 bars of correct width with heights in the correct ratio (eg drawn at 1.25, 2, 1.8, 0.7, 0.3)
				Total 3 marks

17	(a)		15	1	B1 accept k^{15}
	(b)	eg $\frac{7(2+\sqrt{3})}{(2-\sqrt{3})(2+\sqrt{3})}$ or $\frac{7(-2-\sqrt{3})}{(2-\sqrt{3})(-2-\sqrt{3})}$		3	M1 for multiplying the numerator and denominator of the fraction by $2+\sqrt{3}$ or $-2-\sqrt{3}$
		eg $\frac{14+7\sqrt{3}}{4+2\sqrt{3}-2\sqrt{3}-3}$ or $\frac{14+7\sqrt{3}}{4-3}$ or $\frac{14+7\sqrt{3}}{1}$ or $\frac{-14-7\sqrt{3}}{-4-2\sqrt{3}+2\sqrt{3}+3}$ or $\frac{-14-7\sqrt{3}}{-4+3}$ or $\frac{-14-7\sqrt{3}}{-1}$			M1 dep on previous M1
		<i>Working required</i>	$\sqrt{147} + 14$		A1 dep on M2 SCB1 for $\sqrt{147} + 14$ gained with no method marks awarded SCB2 for $\sqrt{147} + 14$ gained with 1 st M1 awarded
					Total 4 marks

18	$30 : 12 (= 5 : 2)$ or $30 \div 12 (= 2.5)$ oe or $12 : 30 (= 2 : 5)$ or $12 \div 30 (= 0.4)$ oe)		4	M1 for a method to find ratio for the lengths or linear scale factor
	eg $5^2 x - 2^2 x = 178.5$ or $"2.5"{}^2 y - y = 178.5$ or $k - "0.4"{}^2 k = 178.5$ oe			M1 for setting up an equation using the surface areas
	$\frac{178.5}{5^2 - 2^2} \times 5^2 (= 8.5 \times 25)$ oe or $\frac{178.5}{"2.5"{}^2 - 1} \times "2.5"{}^2 (= 34 \times 6.25)$ oe or $\frac{178.5}{1 - "0.4"{}^2} \left(= 178.5 \div \frac{21}{25} \right)$ oe			M1 for a complete method
	<i>Correct answer scores full marks (unless from obvious incorrect working)</i>	212.5		A1 oe
				Total 4 marks

19	$\left(\frac{dy}{dx} = \right) 3x^2 - 16x - 12$		5	M1 for differentiation with at least 2 terms correct
	$"3x^2 - 16x - 12" = 0$			M1ft (dep on previous M1) for their $\frac{dy}{dx} = 0$
	eg $(3x+2)(x-6) (= 0)$ or $(x =) \frac{-(-16) \pm \sqrt{(-16)^2 - 4 \times 3 \times (-12)}}{2 \times 3}$ or $3 \left[\left(x - \frac{8}{3} \right)^2 - \frac{64}{9} \right] - 12 (= 0)$			M1ft (dep on 1 st M1) for the correct x value (of 6) – ignore other x value OR for solving <i>their</i> 3 term quadratic equation using any correct method (if factorising, allow brackets which expanded give 2 out of 3 terms correct) (if using formula allow one sign error and some simplification – allow as far as $\frac{16 \pm \sqrt{256+144}}{6}$) (if completing the square then as far as shown on LHS) The award of this mark implies the previous M mark
	eg $6^3 - 8 \times 6^2 - 12 \times 6 + 5 (= -139)$			M1ft (dep on 1 st M1) for $x = 6$ substituted into correct equation for curve C OR (dep on 1 st M1 and 2 values for x) for <i>their</i> greatest x value substituted into correct equation for curve C (ignore any attempt to substitute their least x value)
	<i>Working required</i>	(6, -139)		A1 (dep on M2) cao
				Total 5 marks

20	(a)	$2\left(x^2 - \frac{11}{2}x\right) + \dots$ or $2\left(x^2 - \frac{11}{2}x + \dots\right)$ oe		3	M1	for taking out a factor of 2
		$2\left[\left(x - \frac{11}{4}\right)^2 - \frac{11^2}{4^2}\right] + \dots$ or $2\left[\left(x - \frac{11}{4}\right)^2 - \frac{11^2}{4^2} + \dots\right]$ oe			M1	for correctly completing square
		<i>Correct answer scores full marks (unless from obvious incorrect working)</i>	$2\left(x - \frac{11}{4}\right)^2 - \frac{49}{8}$		A1	oe, eg $2(x - 2.75)^2 - 6.125$ allow $a = 2, b = \frac{11}{4}$ oe, $c = \frac{49}{8}$ oe if no other marks awarded, award SCB1 for $2\left(x - \frac{11}{4}\right)^2 + \dots$
		ALTERNATIVE				
ALT	(a)	$ax^2 - 2bax + b^2a - c$		3	M1	for correctly expanding $a(x - b)^2 - c$ to give $ax^2 - 2bax + b^2a - c$
		$-2ba = -11$ or $2ba = 11$ and $b^2a - c = 9$			M1	for setting up 2 equations using the coefficient of x and the numerical term
		<i>Correct answer scores full marks (unless from obvious incorrect working)</i>	$2\left(x - \frac{11}{4}\right)^2 - \frac{49}{8}$		A1	oe, eg $2(x - 2.75)^2 - 6.125$ allow $a = 2, b = \frac{11}{4}$ oe, $c = \frac{49}{8}$ oe if no other marks awarded, award SCB1 for $2\left(x - \frac{11}{4}\right)^2 + \dots$
	(b)		$\left(\frac{23}{4}, -\frac{49}{8}\right)$	2	B2ft	oe, eg $(5.75, -6.125)$
					(B1ft	for one correct coordinate)
Total 5 marks						

21	eg $\frac{x}{25} \times \frac{25-(x+6)}{24}$ or $\frac{x}{25} \times \frac{19-x}{24}$ oe		5	M1 for a correct product for P(orange , pink)
	eg $2 \times \left(\frac{x}{25} \times \frac{19-x}{24} \right) = \frac{22}{75}$ oe			M1 for setting up a correct equation in x
	eg $2x^2 - 38x + 176 (= 0)$ oe eg $x^2 - 19x + 88 (= 0)$			M1 for dealing with the fractions to set up a correct quadratic equation
	$x = 11$ or pink = $25 - 6 - 11 (= 8)$			M1 (dep on M1) for $x = 11$ or pink = $25 - 6 - 11 (= 8)$
	<i>Working required</i>	$\frac{7}{75}$		A1 (dep on M2) oe eg 0.093... or 9.3...%
				Total 5 marks

22	eg $MP = \sqrt{8^2 + 6^2} (= 10)$		6	M1 for a method to find MP may be seen in subsequent working eg in the correct place in the cosine rule 10 seen without a correct method or without being identified as MP scores M0
	eg $BM = \sqrt{(\sqrt{10^2 + 6^2})^2 + 8^2} (= \sqrt{200} = 10\sqrt{2} = 14.1\dots)$			M1 for a method to find BM
	eg $BP = \sqrt{12^2 + 10^2} (= \sqrt{244} = 2\sqrt{61} = 15.6\dots)$			M1 for a method to find BP
	eg $"244" = "10"{}^2 + "200" - 2 \times "10" \times "\sqrt{200}" \cos BMP$ or $\cos BMP = \frac{"10"{}^2 + "200" - "244"}{2 \times "10" \times "\sqrt{200}"}$ oe			M1 for correct substitution into the cosine rule
	angle $BMP = \cos^{-1} \left(\frac{"10"{}^2 + "200" - "244"}{2 \times "10" \times "\sqrt{200}"} \right)$ oe			M1 for a complete correct method to find angle BMP
	<i>Correct answer scores full marks (unless from obvious incorrect working)</i>	78.6		A1 accept 78.5 – 78.7
				Total 6 marks

23	$(7x - 9) - (x + 2) = (x + 2) - (4x - 14)$ oe eg $6x - 11 = 16 - 3x$ OR $x + 2 = 4x - 14 + d$ and $7x - 9 = 4x - 14 + 2d$ oe eg $-3x + 16 = d$ and $3x + 5 = 2d$		4	M1 for setting up an equation in x OR two simultaneous equations in x and d
	$x = 3$ and $a = -2$ and $d = 7$ OR $x = 3$ and eg $(S_{40} =) \frac{40}{2} [2(4x - 14) + 39(-3x + 16)]$ or $x = 3$ and eg $(S_{40} =) \frac{40}{2} [2(4x - 14) + 39(6x - 11)]$			M1 correct values or values from correct substitution OR $x = 3$ and S_{40} expressed in terms of x allow $(40 - 1)$ for 39
	$(S_{40} =) \frac{40}{2} (2 \times " - 2" + 39 \times " 7")$ or eg $(S_{40} =) \frac{40}{2} [2(4 \times " 3" - 14) + 39(-3 \times " 3" + 16)]$ or $(S_{40} =) \frac{40}{2} [2(4 \times " 3" - 14) + 39(6 \times " 3" - 11)]$			M1 allow use of their a and their d or their x as long as clearly stated allow $(40 - 1)$ for 39
	<i>Working required</i>	5380		A1 (dep on M1)
				Total 4 marks

