



GCSE
COMBINED SCIENCE: TRILOGY
8464/P/2F

Physics Paper 2F

Mark scheme

June 2024

Version: 1.0 Final



Mark schemes are prepared by the Lead Assessment Writer and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation events which all associates participate in and is the scheme which was used by them in this examination. The standardisation process ensures that the mark scheme covers the students' responses to questions and that every associate understands and applies it in the same correct way. As preparation for standardisation each associate analyses a number of students' scripts. Alternative answers not already covered by the mark scheme are discussed and legislated for. If, after the standardisation process, associates encounter unusual answers which have not been raised they are required to refer these to the Lead Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

No student should be disadvantaged on the basis of their gender identity and/or how they refer to the gender identity of others in their exam responses.

A consistent use of 'they/them' as a singular and pronouns beyond 'she/her' or 'he/him' will be credited in exam responses in line with existing mark scheme criteria.

Further copies of this mark scheme are available from aqa.org.uk

Copyright information

AQA retains the copyright on all its publications. However, registered schools/colleges for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to schools/colleges to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Copyright © 2024 AQA and its licensors. All rights reserved.

Information to Examiners

1. General

The mark scheme for each question shows:

- the marks available for each part of the question
- the total marks available for the question
- the typical answer or answers which are expected
- extra information to help the examiner make their judgement
- the Assessment Objectives and specification content that each question is intended to cover.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example: where consequential marking needs to be considered in a calculation; or the answer may be on the diagram or at a different place on the script.

In general the right-hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent (for example, a scientifically correct answer that could not reasonably be expected from a student's knowledge of the specification).

2. Emboldening and underlining

- 2.1** In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following bullet points is a potential mark.
- 2.2** A bold **and** is used to indicate that both parts of the answer are required to award the mark.
- 2.3** Alternative answers acceptable for a mark are indicated by the use of **or**.
Alternative words in the mark scheme are shown by a solidus eg allow smooth / free movement.
- 2.4** Any wording that is underlined is essential for the marking point to be awarded.

3. Marking points

3.1 Marking of lists

This applies to questions requiring a set number of responses, but for which students have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error / contradiction negates each correct response. So, if the number of errors / contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution?

[1 mark]

Student	Response	Marks awarded
1	green, 5	0
2	red*, 5	1
3	red*, 8	0

Example 2: Name **two** magnetic materials.

[2 marks]

Student	Response	Marks awarded
1	iron, steel, tin	1
2	cobalt, nickel, nail*	2

3.2 Use of symbols / formulae

If a student writes a chemical symbol / formula instead of a required chemical name, or uses symbols to denote quantities in a physics equation, full credit can be given if the symbol / formula is correct and if, in the context of the question, such action is appropriate.

3.3 Marking procedure for calculations

Marks should be awarded for each stage of the calculation completed correctly, as students are instructed to show their working. At any point in a calculation students may omit steps from their working. If a subsequent step is given correctly, the relevant marks may be awarded.

Full marks should be awarded for a correct numerical answer, without any working shown. Full marks are **not** awarded for a correct final answer from incorrect working.

3.4 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

3.5 Errors carried forward

An error can be carried forward from one question part to the next and is shown by the abbreviation 'ecf'.

Within an individual question part, an incorrect value in one step of a calculation does not prevent all of the subsequent marks being awarded.

3.6 Phonetic spelling

Marks should be awarded if spelling is not correct but the intention is clear, **unless** there is a possible confusion with another technical term.

3.7 Brackets

(.....) are used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

3.8 Allow

In the mark scheme additional information, 'allow' is used to indicate creditworthy alternative answers.

3.9 Ignore

Ignore is used when the information given is irrelevant to the question or not enough to gain the marking point. Any further correct amplification could gain the marking point.

3.10 Do **not** accept

Do **not** accept means that this is a wrong answer which, even if the correct answer is given as well, will still mean that the mark is not awarded.

3.11 Numbered answer lines

Numbered lines on the question paper are intended to support the student to give the correct number of responses. The answer should still be marked as a whole.

4. Level of response marking instructions

Extended response questions are marked on level of response mark schemes.

- Level of response mark schemes are broken down into levels, each of which has a descriptor.
- The descriptor for the level shows the average performance for the level.
- There are two marks in each level.

Before you apply the mark scheme to a student's answer, read through the answer and, if necessary, annotate it (as instructed) to show the qualities that are being looked for. You can then apply the mark scheme.

Step 1: Determine a level

Start at the lowest level of the mark scheme and use it as a ladder to see whether the answer meets the descriptor for that level.

The descriptor for the level indicates the different qualities that might be seen in the student's answer for that level. If it meets the lowest level then go to the next one and decide if it meets this level, and so on, until you have a match between the level descriptor and the answer. With practice and familiarity you will find that for better answers you will be able to quickly skip through the lower levels of the mark scheme.

When assigning a level you should look at the overall quality of the answer. Do **not** look to penalise small and specific parts of the answer where the student has not performed quite as well as the rest. If the answer covers different aspects of different levels of the mark scheme you should use a best fit approach for defining the level.

Use the variability of the response to help decide the mark within the level, ie if the response is predominantly level 2 with a small amount of level 3 material it would be placed in level 2 but be awarded a mark near the top of the level because of the level 3 content.

Step 2: Determine a mark

Once you have assigned a level you need to decide on the mark. The descriptors on how to allocate marks can help with this. The exemplar materials used during standardisation will help. There will be an answer in the standardising materials which will correspond with each level of the mark scheme. This answer will have been awarded a mark by the Lead Examiner. You can compare the student's answer with the example to determine if it is the same standard, better or worse than the example. You can then use this to allocate a mark for the answer based on the Lead Examiner's mark on the example.

You may well need to read back through the answer as you apply the mark scheme to clarify points and assure yourself that the level and the mark are appropriate.

Indicative content in the mark scheme is provided as a guide for examiners. It is not intended to be exhaustive and you must credit other valid points. Students do not have to cover all of the points mentioned in the indicative content to reach the highest level of the mark scheme.

You should ignore any irrelevant points made. However, full marks can be awarded only if there are no incorrect statements that contradict a correct response.

An answer which contains nothing of relevance to the question must be awarded no marks.

Question 1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.1	gravitational force		1	AO1 6.5.4.1.5

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.2	air resistance		1	AO1 6.5.4.1.5

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.3	450 (N)		1	AO2 6.5.1.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.4	0 N		1	AO1 6.5.4.2.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.5	terminal velocity		1	AO1 6.5.4.1.5

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.6	20 (s)	allow an answer in the range 18 to 21 (s)	1	AO2 6.5.4.1.5

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.7	46 (m/s)		1	AO2 6.5.4.1.5

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.8	$s = 3.6 \times 25$		1	AO2 6.5.4.1.2
	90 (m)		1	

Total Question 1	9
-------------------------	----------

Question 2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.1	the forces are the same size		1	AO1 6.5.4.2.3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.2	they act in opposite directions		1	AO1 6.5.4.2.3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.3	196 (N)		1	AO2 6.5.1.3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.4	$m = \frac{196}{9.8}$	allow ecf from question 02.3	1	AO2 6.5.1.3
	20 (kg)		1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.5	the weight will decrease (as the gravitational field strength decreases)		1	AO3 6.5.1.3
	the weight will then become constant		1	
	at 15 mins	dependent on MP1 or MP2 allow a value in the range 14 to 16 mins allow for the last 10 minutes allow at the maximum height	1	

Total Question 2	8
-------------------------	----------

Question 3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.1	energy		1	AO1 6.6.1.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.2	330 m/s		1	AO1 6.5.4.1.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.3	frequency		1	AO1 6.6.1.2
	amplitude		1	


Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.4	4000 Hz		1	AO1 6.6.1.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.5	$T = \frac{1}{4000}$	allow ecf from question 03.4	1	AO1 6.6.1.2
	0.00025 (s)		1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.6	compression	either order	1	AO1 6.6.1.1
	rarefaction		1	
Total Question 3			9	

Question 4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.1	X = south	allow S for south	1	AO2 6.7.1.1
	Y = north	allow N for north	1	
		allow 1 mark if they are the wrong way round		

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.2			1	AO1 6.7.1.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.3	iron		1	AO1 6.7.1.2
	nickel		1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.4	the force is always attractive		1	AO3 6.7.1.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.5	$F = 0.030 \times 9.8$		1	AO1 6.5.4.2.2
	0.294 (N)	allow 0.29 (N)	1	

Total Question 4	8
-------------------------	----------

Question 5

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.1	reaction time of the driver		1	AO1 6.5.4.3.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.2	(initial) speed	allow section of road used ignore condition of road without further qualification	1	AO3 6.5.4.3.3

Question	Answers	Mark	AO / Spec. Ref.
05.3	Level 3: A judgement, strongly linked and logically supported by a sufficient range of correct reasons, is given.	5–6	AO3
	Level 2: Some logically linked reasons are given. There may also be a simple judgement.	3–4	AO3
	Level 1: Relevant points are made. They are not logically linked.	1–2	AO2
	No relevant content	0	
	<p>Indicative content</p> <ul style="list-style-type: none"> • tyre A braking distance is 30 m on dry road and 31 m on wet road • tyre A has the shortest braking distance on wet road • tyre B braking distance is 42 m on dry road and 43 m on wet road • tyre B has the longest braking distance on both wet and dry road • tyre C braking distance is 29 m on dry road and 40 m on wet road • tyre C has the shortest braking distance on dry road • the difference between braking distance on wet and dry roads for tyre A and tyre B is 1m • the difference between braking distance on wet and dry roads for tyre C is 11m <p><u>Judgements</u></p> <ul style="list-style-type: none"> • the shorter the braking distance the safer the tyre • tyre A is 1 m longer on dry road, but is 9 m shorter on wet road than tyre C • tyre A has the shortest combined / average braking distance • overall tyre A is the safest • tyre C is safest on a dry road • tyre B is the least safe tyre • the manufacturer should not choose tyre B <p>allow use of stopping distance for braking distance throughout</p>		6.5.4.3.3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.4	work done = force × distance or $W = Fs$		1	AO1 6.5.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.5	300 000 = 6000 × s $s = \frac{300\,000}{6000}$ $s = 50$ (m)		1	AO2 6.5.2
			1	
			1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.6	the greater the force the shorter the braking distance (because) deceleration will be greater or (because) the work done to stop the car will be the same		1	AO2 6.5.4.3.4 6.5.4.2.2
			1	

Total Question 5	14
-------------------------	-----------

Question 6

Question	Answers	Mark	AO / Spec. Ref.
06.1	Level 2: The method would lead to the production of a valid outcome. The key steps are identified and logically sequenced.	3–4	AO1 6.6.1.2 RPA20
	Level 1: The method would not lead to a valid outcome. Some relevant steps are identified, but links are not made clear.	1–2	
	No relevant content	0	
	Indicative content <ul style="list-style-type: none"> • use the signal generator to adjust the frequency • keep the number of masses the same • move the wooden bridge • observe a steady / stationary wave pattern • use the metre rule to measure the wavelength • repeat using different values of frequency • repeat for different stationary wave patterns 		

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.2	$v = f \times \lambda$		1	AO1 6.6.1.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.3	$35.1 = 45.0 \times \lambda$		1	AO2 6.6.1.2
	$\lambda = \frac{35.1}{45.0}$		1	
	$\lambda = 0.78$	allow 0.780	1	

Total Question 6	8
-------------------------	----------

Question 7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.1	(as a spring decompresses) the elastic potential energy of the spring decreases		1	AO1 6.5.3
	(as the gymnast leaves the floor) the kinetic energy of the gymnast increases or the gravitational potential energy of the gymnast increases OR (as a spring decompresses) the spring exerts a force on the gymnast (1) (so) work is done on the gymnast (1)		1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.2	$e = 0.012 \text{ m}$		1	AO2
	$E_e = 0.5 \times 8500 \times 0.012^2$	allow a correct substitution using an incorrectly / not converted value of e	1	AO2
	$E_e = 0.612$	allow 0.61 allow a correct calculation using an incorrectly / not converted value of e	1	AO2
	J or joule		1	AO1 6.5.3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.3	measure the original length of the spring and the compressed length of the spring (using a metre rule)		1	AO3 6.5.3 RPA18
	compression = original length – compressed length OR calculate / measure the weight of the mass on the spring (1) use the equation $e = \frac{F}{k} \quad (1)$		1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.4	masses could fall (off the spring)		1	AO1 6.5.3 RPA18
	(so) less likely to cause injury / damage (if done on the floor)	allow less hazardous allow lower risk (of injury) allow specific cause of injury eg landing on foot	1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.5	$\Delta y = (330 - 80 =) 250 \text{ (N)}$		1	AO3 6.5.3 RPA18

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.6	$\Delta x = (0.052 - 0.010 =)$ 0.042 (m)		1	AO3 6.5.3 RPA18

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.7	$k = \frac{250}{0.042}$ 5950 (N/m)	allow ecf from question 07.5 and question 07.6	1	AO3 6.5.3 RPA18
		allow $k = 5952.38$		
		allow their calculated gradient to 3 significant figures	1	

Total Question 7	14
-------------------------	-----------