

**Edexcel**

**A Level**

# **A Level Physics**

**Electromagnetism 2**

Name:

**M M E**

Mathsmadeeasy.co.uk

Total Marks: /30

1. This question explores the implications of Faraday's law.

Total for Question 1: 18

(a) State the requirement for an emf to be induced in a circuit that lacks a power supply. [2]

(b) A coil with 500 turns as a core with a radius of 2 cm. It is placed in a field of 0.6 T such that there is an angle of  $30^\circ$  between the field and the normal to the cross-sectional area. Calculate the magnetic flux and the magnetic flux linkage. [4]

(c) State Faraday's law, both in words and mathematically. [2]


(d) A search coil has 4000 turns and a cross-sectional area of  $1 \text{ cm}^2$ . Given that it induces an emf of 2 V when removed from the field in 1 ms, calculate the flux density. [4]

(e) State Lenz's law and explain why it is a statement of energy conservation. [3]

(f) Explain, using Faraday's law, why large current-carrying coils can be dangerous if the current is suddenly switched off. [3]

2. AC generators can be understood using Faraday's law. The graph below shows how the voltage varies sinusoidally as a square coil is rotated in a uniform magnetic field.

Total for Question 2: 12



- (a) In the UK, the peak voltage of mains electricity is about 325 V. Why, then, is mains electricity frequently referred to as having a voltage of 230 V? Support your answer using simple calculations. [3]

- (b) The AC supply above is used to power a circuit with a resistance of  $40.0 \Omega$ . Calculate the following:  
i. The frequency of the supply. [2]

ii. The peak current in the circuit.

[2]

iii. The time taken to dissipate 800 J of energy in the circuit.

[2]

To minimise energy losses, power in the national grid is transmitted at very high voltages. Transformers are used to reduce the transport voltages to safer domestic voltages. In a typical transformer, a current is supplied to the primary coil, which is linked to a secondary coil by an iron core. The ratio of the input voltage to the output voltage depends on that of the coils.

(c) If the secondary coil is to continually have a non-zero current, why must the primary coil's supply have an alternating current?

[3]