



Friday 9 June 2017 - Morning

GCSE GATEWAY SCIENCE CHEMISTRY B

B741/02 Chemistry modules C1, C2, C3 (Higher Tier)

Candidates answer on the Question Paper. A calculator may be used for this paper.

OCR supplied materials:

None

Other materials required:

- Pencil
- Ruler (cm/mm)

Duration: 1 hour 15 minutes



Candidate forename				Candidate surname				
Centre numb	per				Candidate nu	ımber		

INSTRUCTIONS TO CANDIDATES

- Write your name, centre number and candidate number in the boxes above. Please write clearly and in capital letters.
- Use black ink. HB pencil may be used for graphs and diagrams only.
- Answer all the questions.
- Read each question carefully. Make sure you know what you have to do before starting your answer.
- Write your answer to each question in the space provided. If additional space is required, you should use the lined page(s) at the end of this booklet. The question number(s) must be clearly shown.
- Do not write in the barcodes.

INFORMATION FOR CANDIDATES

- The quality of written communication is assessed in questions marked with a pencil ().
- The Periodic Table can be found on the back page.
- The number of marks is given in brackets [] at the end of each question or part question.
- The total number of marks for this paper is 75.
- This document consists of 28 pages. Any blank pages are indicated.



Answer **all** the questions.

SECTION A - Module C1

1 This question is about pigments in paints.

Pigments give paints their colour.

Look at the table. It shows information about some pigments used in paints.


Pigment	Colour	Effect of increasing the temperature	Effect of light	
A	green	no change	no change	
В	purple	colour fades	colour fades	
С	pink	changes to yellow	colour fades	
D	blue	no change	absorbs light and later gives off light	


(a)	(i)	Which pigment is phosphorescent ?	
		Explain how you can tell.	
			[2]
	(ii)	A special spoon can be used to test the temperature of a baby's food.	
		Which pigment must the spoon contain?	
		Explain your answer.	
			[2]
(b)	Oil	based paints are used to paint doors and window frames.	
	Exp	plain how oil based paints dry.	
			[2]


		LO.
	Explain why.	
	Testing cosmetics on animals has been banned in the EU.	
	New cosmetics must be tested before they can be used.	
(c)	Some pigments are used to make cosmetics such as nail varnish.	

This	s question is about esters.	
(a)	Esters are made by reacting an acid with another type of compound.	
	Complete the word equation.	
	acid + → ester + water	[1]
(b)	Esters can be used as solvents.	
	They will remove nail varnish.	
	Water will not remove nail varnish.	
	Which two of these statements explain why water will not remove nail varnish?	
	Put ticks (✓) in two boxes.	
	Water molecules repel nail varnish particles.	
	The force of attraction between water molecules is stronger than the force of attraction between water molecules and nail varnish particles.	
	There is a strong force of attraction between water molecules and nail varnish particles.	
	The force of attraction between nail varnish particles is stronger than the force of attraction between water molecules and nail varnish particles.	
	Water will not evaporate as much as nail varnish remover at room temperature.	
		[2]
(c)	Esters are used to make perfumes.	
	Perfumes need to be volatile (evaporate easily) and insoluble in water .	
	Explain why both these properties are important.	
		[2]

3 Look at the displayed formulas of some carbon compounds.







(a) Which compound is unsaturated?

	[1	1]
--	----	---	---

(b) Which compound is a saturated hydrocarbon?

11
 I I
 L-

(c) Which compound will decolourise bromine water?

(d) Which compound is a polymer?

[1
 L.

(e) Gore-tex[®] is a polymer used to make raincoats.

Gore-tex® is both waterproof and breathable.

Gore-tex[®] is made with nylon laminated with a PTFE/polyurethane membrane.

The PTFE has holes in it.

Explain why Gore-tex® is **waterproof** and **breathable**.

......[2] Turn over

© OCR 2017

4 Look at the table. It shows information about some fuels.

Fuel	Energy value per kg in megajoules	Availability	Cost per kg in £	State	How long the supply will last in years	Pollution
Α	45	limited	0.80	liquid	20	makes carbon dioxide
В	30	good	0.33	solid	50	makes carbon dioxide and large amounts of sulfur dioxide
С	38	good	1.30	gas	8	makes carbon dioxide

An energy company is choosing a fuel to be used in a power station.

A power station has a working life of about 25 years.

Evaluate the advantages and disadvantages of **all three** fuels.

Which fuel is the best choice? Explain your answer.

The quality of written co	mmunication will be a	ssessed in your answe	r to this question.


7 BLANK PAGE

Question 5 begins on page 8

PLEASE DO NOT WRITE ON THIS PAGE

SECTION B – Module C2

5 This question is about the structure of the Earth.



	not to scale	
(a)	The lithosphere is part of the structure of the Earth.	
	What is meant by the lithosphere?	
		[1]
(b)	In April 2015 the Calbuco volcano in Chile erupted.	
	Many scientists travelled to Chile to study the volcano.	
	Explain why.	

	(c)	Many teams of scientists have published theories about the structure of the Earth.	
		Suggest why scientists work in teams and why they then publish their work.	
			[2]
6	Hele	en reacts ammonia, NH ₃ , with sulfuric acid, H ₂ SO ₄ .	
	Amı	monium sulfate, $(NH_4)_2SO_4$, is made.	
	(a)	Write a balanced symbol equation for this reaction.	
			[2]
	(b)	In another reaction Helen reacts potassium hydroxide with nitric acid.	
		Write down the name of the salt made.	
			[1]
	(c)	In solution all acids contain ions.	
		Which ion is in all acids?	
		Choose from the list.	
		C1-	
		H+	
		NH ₄ +	
		SO ₄ ²⁻	
		answer	[1]

7	A 100 100 0 10 10	:-		fu ~ ~~	mitua a a a	~~~	h, , d , a	~~~ :~		waszawaihla	" a a a ti a m
/	Ammonia	ıs	made	HOH	nitroaen	anu	rivaro	aen ir	ıа	reversible	reaction.

(a) Write the **balanced symbol** equation for this reaction.

[2]

(b) Look at the table.

It gives some information about the percentage yield of ammonia at different temperatures and pressures.

Pressure in	Percentage yield (%) of ammonia at:							
atmospheres	100°C	200°C	300°C	400°C	500°C			
25	92	64	27	9	3			
50	95	74	40	15	6			
100	97	82	53	25	11			
200	98	89	67	39	30			
400	99	95	80	55	32			

(i)	What happens to the percentage yield of ammonia when the pressure increases?
	[1]
(ii)	What happens to the percentage yield of ammonia when the temperature increases?
	[1]

(iii)	At 100 °C and 400	atmospheres th	ne percentage	vield of	ammonia is 99%	ó.
٠,		, , , , , , , , , , , , , , , , , , , ,			,		

The actual conditions used in the production of ammonia are

- 450°C
- 200 atmospheres pressure

Suggest why these conditions are used.

· iron catalyst.

Use ideas about rate of reaction and percentage yield.	


8 Brass is an alloy made of copper and zinc.

Look at the table.

It gives information about different types of brass.

Type of brass	Relative strength	Relative ductility	Relative electrical conductivity
Α	18	55	45
В	20	65	35
С	21	70	28
D	27	45	25
E	28	20	24

(a) Brass is often used to make the wire contacts for music speakers.



Phil thinks that brass ${\bf B}$ would be the best type of brass to use.

Is he right?	
Use information from the table to explain your answer.	
	[2]

(b)	Copper	is	used	for	electrical	wirina.
٠,	~,	, coppo.				0.000.000	***************************************

The copper is purified by electrolysis before it is used.

Look at the equations.

They show the reactions at the electrodes.

Cathode: $Cu^{2+} + 2e^{-} \rightarrow Cu$

Anode: $Cu - 2e^- \rightarrow Cu^{2+}$

Alloue.	Cu – 2 e	/ Ou			
Explain why the	purification of	of copper by el	ectrolysis involv	es both oxidation	n and reduction

(c) The body of a helicopter can be made from either aluminium or steel.



Look at the table.

It shows some of the properties of aluminium and steel.

Property	Aluminium	Steel
Corrosion in moist conditions	does not corrode	rusts slowly
Density (1 = low, 10 = high)	3	8
Magnetic attraction	not attracted	attracted
Hardness (1 = soft, 10 = hard)	5	8
Strength (1 = weak, 10 = strong)	4	9
Electrical conductivity (1 = poor, 10 = good)	8	7
Other properties	malleable and a good conductor of heat	malleable and a good conductor of heat

Which metal is the best choice? Explain your answer.

Evaluate the advantages and disadvantages of using aluminium **and** of using steel to make the body of a helicopter.

Th	e quality of written	communication w	vill be assessed i	n your answer to	this question.
					[6]

SECTION C - Module C3

9 Titanium can be extracted from its ore by two different methods.

Method 1 uses a more reactive metal to displace the titanium:

$$TiO_2 + 2Mg \rightarrow Ti + 2MgO$$

Magnesium oxide, MgO, is a waste product.

Method 2 is electrolysis of titanium oxide. The overall reaction for this method is:

$$\mathrm{TiO_2} \rightarrow \mathrm{Ti} \, + \, \mathrm{O_2}$$

Oxygen, O_2 , is a waste product.

Look at the table of relative formula masses.

Substance	Relative formula mass, <i>M</i> _r
TiO ₂	80
Mg	24
Ti	48
MgO	40
O ₂	32

(a) The atom economy for method 1 is 37.5%.

Calculate the atom economy for method 2.


atom economy =%

(b)	Alex is a scientist working for a company that extracts and sells titanium.
	She predicts that she should make 96 tonnes of titanium using method 1.
	She actually makes 81 tonnes.
	Calculate her percentage yield of titanium.
	Give your answer to 2 significant figures.
	percentage yield of titanium = [2]
(c)	It is important for the company to have a high atom economy and a high percentage yield.
	Explain why.
	High atom economy because
	High percentage yield because
	[2]

10 Trevor needs to find a fuel to use in a camping stove.

He decides to investigate the energy given out by four different fuels.

Look at the diagram. It shows the apparatus Trevor uses.



Look at the table. It shows Trevor's results.

Fuel	Temperature of water at start in °C	Temperature of water at end in °C	Mass of fuel burned in grams
Α	18	40	1.2
В	22	42	0.8
С	18	28	0.6
D	25	45	0.7

(a) Look at the results for fuel B.

Trevor calculates that fuel **B** transfers **6300 J** of energy to the water.

Use the equation

energy = mass × specific heat capacity × temperature change

to calculate the **mass of water** that Trevor used in his experiment.

The specific heat capacity of water is 4.2 J/g °C.

mass of water =g

(b)	Trevor decides that fuel A is the best fuel to use in his camping stove.
	Is this a sensible choice?
	Use the information in the table to explain your answer.
	[2]
(c)	Burning fuels is an exothermic reaction.
	Explain, in terms of bond breaking and bond making, why burning fuels is an exothermic reaction.
	[3]
(d)	Fuel D is propanol, C ₃ H ₈ O.
	Propanol burns in oxygen, O ₂ .
	Carbon dioxide and water are made.
	Write a balanced symbol equation for this reaction.
	[2]

11 Harry and Ann investigate the reaction between marble chips (calcium carbonate) and hydrochloric acid.

Carbon dioxide is given off during the reaction.


(a) Write a word equation for the reaction.



(b) Harry and Ann use 20.0 g of marble chips and 50 cm³ of dilute hydrochloric acid.

The temperature of the acid is 25 °C.

Look at the diagram. It shows the apparatus they use.




Harry and Ann measure the mass every minute until the reaction stops.

They calculate the total mass of carbon dioxide made.

They do the experiment again. They use the same volume of dilute acid and the same mass of marble.

This time they use **smaller** marble chips.

Look at the graph. It shows their results.



(i) Look at the curve for the small marble chip

How long does it take for the reaction to finish?

minutes	[1]
Illitutes	נין

(ii) The reaction using small marble chips is faster than the reaction using large marble chips.

How can you tell from the two curves?

F41

(C)	marble chips.
	The amount of carbon dioxide gas formed will double if double the amount of hydrochloric acid is used.
	Explain why in terms of reacting particles.
	[1]
(d)	
	 increasing the concentration of the hydrochloric acid increasing the temperature of the hydrochloric acid.
	Explain, in terms of the reacting particle model, why both these methods increase the rate of this reaction.
	The quality of written communication will be assessed in your answer to this question.

ADDITIONAL ANSWER SPACE

If additional space is required, you should use the following lined page(s). The question number(s) must be clearly shown in the margin(s).				
		•••••	•••••	
		•••••		
		•••••		

•••••	
•••••	
•••••	
	l

•••••	
•••••	
•••••	
	l



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of the Elements

					1		,
0	4 He heltum 2	20 Ne neon 10	40 Ar argon 18	84 Kr krypton 36	131 Xe xenon 54	[222] Rn radon 86	t fully
_		19 F fluorine 9	35.5 Cl chlorine 17	80 Br bromine 35	127 I iodine 53	[210] At astatine 85	rted but no
9		16 0 oxygen 8	32 S sulfur 16	79 Se selenium 34	128 Te tellurium 52	[209] Po potonium 84	e been repo
2		14 N nitrogen 7	31 P phosphorus 15	75 As arsenic 33	122 Sb antimony 51	209 Bi bismuth 83	rs 112-116 haw authenticated
4		12 C carbon 6	28 Si siliton 14	73 Ge germanium 32	119 Sn tin 50	207 Pb Lead 82	Elements with atomic numbers 112-116 have been reported but not fully authenticated
m		11 B boron 5	27 A1 atuminium	70 Ga gallium 31	115 In indium 49	204 Tt thallium 81	nts with ator
	'			65 Zn zinc 30	Cd Cd cadmium 48	201 Hg mercury 80	Elemer
				63.5 Cu copper 29	108 Ag silver 47	197 Au gold 79	Rg roentgenium
				59 Ni nickel 28	106 Pd palladium 46	195 Pt platinum 78	Ds darmstadtium 110
				59 Co cobalt 27	103 Rh rhodium 45	192 Ir iridium 77	[268] Mt meitnerium 109
	1 H hydrogen 1			56 Fe iron 26	101 Ru ruthenium 44	190 Os osmium 76	[277] Hs hassium 108
ı				55 Mn manganese 25	[98] Tc technetium 43	186 Re rhenium 75	[264] Bh bohrium 107
	·	mass ol number		52 Cr	96 Mo motybdenum 42	184 W tungsten 74	Sg seaborgium 106
	Key	relative atomic mass atomic symbol atomic (proton) number		51 V vanadium 23	93 Nb niobium 41	181 Ta tantalum 73	[262] Db dubnium 105
		relati) atomic		48 Ti titanium 22	91 Zr zirconium 40	178 Hf hafinium 72	Rf rutherfordium 104
	,			45 Sc scandium 21	89 Y yttrium 39	139 La* lanthanum 57	[227] Ac* actinium 89
7		9 Be beryllium 4	24 Mg magnesium 12	40 Ca calcium 20	88 Sr strontium 38	137 Ba barium 56	[226] Ra radium 88
_		7 Li Lithium 3	23 Na sodium 11	39 K potassium 19	85 Rb rubidium 37	133 Cs caesium 55	[223] Fr francium 87

* The lanthanoids (atomic numbers 58-71) and the actinoids (atomic numbers 90-103) have been omitted.

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.