

Mark schemes

- 1** (a) moment = 280×0.9 1
- moment = 252 1
- allow 252 with no working shown for 2 marks*
- allow 25200 with no working shown for 1 mark*
- (b) the clockwise moment (of child B) decreases 1
- making it is less than the anticlockwise moment (of child A)
- accept so moments are no longer balanced* 1
- so child A moves downwards
- or**
- so child B moves upwards 1
- [5]
- 2** (a) motor effect 1
- (b) increase the strength of the magnet
- or**
- increase the current 1
- (c) $4.8 \times 10^{-4} = F \times 8 \times 10^{-2}$ 1
- $F = 6 \times 10^{-3}$ (N) 1
- $6 \times 10^{-3} = B \times 1.5 \times 5 \times 10^{-2}$ 1
- $B = \frac{6 \times 10^{-3}}{7.5 \times 10^{-2}}$ 1
- $B = 8 \times 10^{-2}$ or 0.08 1

allow 8×10^{-2} or 0.08 with no working shown for 5 marks
a correct method with correct calculation using an incorrect value of F gains 3 marks

Tesla

accept T

do not accept t

1

[8]

3

(a) (force on the chain is) smaller (than the force of the toe)

1

(b) Tick in middle box

The moments are equal and opposite

1

(c) move the toe (up the pedal) away from the pivot

1

[3]

4

(a) (i) turning effect

accept force multiplied by perpendicular distance from the line of action of the force to the pivot

1

(ii) moments are equal (in size) and opposite (in direction)

both parts are required

allow clockwise moment = anticlockwise moment

1

(iii) 0.9 (N)

allow 2 marks for $F = 0.18 \div 0.2$ provided no subsequent steps

allow 1 mark for (anticlockwise moment) = 0.18 (Nm)

allow 1 mark for correct substitution i.e. $1.5 \times 0.12 = F \times 0.20$

3

(b) a longer drumstick lever gives a quieter sound

1

a longer drumstick lever allows a greater range of volumes

1

a greater force gives a louder sound is insufficient

[7]

5

(a) (i) the point where the mass is (thought to be) concentrated

1

(ii) the centre of mass is higher

1

the base (area) is smaller / narrower

1

(b) (the blocks at A and B) create equal and opposite moments

1

the resultant moment is zero

accept (moments are in) equilibrium / balanced

or

the block at A creates an anti-clockwise moment (1)

so this must be balanced by an equal clockwise moment from the block at B (1)

1

[5]

6

(a) turning

1

(b) 420

allow 1 mark for correct substitution, ie 1400×0.30 provided no subsequent step shown

2

(c) **A**

reason only scores if A is chosen

1

any **one** correct reason:

the force is furthest away (from the pivot)

accept distance (from the pivot) is the greatest

accept it is further away (from the pivot)

accept furthest away from the rock

1

[5]

7

(a) make the rod longer

1

push down on the rod with a greater force

1

(b) particles are close together

1

so no room for more movement

dependent on 1st marking point

1

(c) (i) downward force produces pressure in liquid

reference to compression of liquid negates this mark

1

*this pressure is the same at all points in a liquid
or
this pressure is transmitted equally through the liquid*

and $P = F/A$ or $F = P \times A$

1

area (at load) bigger (so force bigger)

1

(ii) the force acting on the car moves less distance than the effort force

1

[9]

8

(a) 3000

allow 1 mark for correct substitution, ie 600×5 provided no subsequent step

2

(b) anticlockwise moment

must be both words

1

(c) (i) 3400

allow 3.4 kilo (newtons)

1

(ii) as the distance (of the girl from point A) increases, force F increases

allow gets bigger for increases

force is (directly) proportional to distance will negate any correct response

1

[5]

9

(a) 3800

allow 1 mark for 2000

allow 1 mark for 1800

if neither of above scored, allow correct substitution for 1 mark (800×2.5) + (600×3)

if moments have been calculated incorrectly, allow 1 mark for adding their two moment values correctly

3

newton metres **or** Nm

*do not allow nm **or** NM*

1

(b) as the girl increases her distance (from the pivot) the clockwise moment increases

1

(F must increase) as the anticlockwise moment must increase

1

so (the anticlockwise moment) is equalled / balanced by the clockwise moment

or

so resultant / overall moment (on the board) is zero

accept to balance / equal the moments

to balance the board is insufficient

1

[7]

10

(a) (i) turning

accept turning ringed in the box

1

(ii) point at which mass (or weight) may be thought to be concentrated

accept the point from which the weight appears to act

allow focused for concentrated

do not accept most / some of the mass

do not accept region / area for point

1

(b) 600 (Nm)

400 × 1.5 gains 1 mark provided no subsequent steps shown

2

(c) (i) plank rotates clockwise

accept girl moves downwards

do not accept rotates to the right

1

(total) CM > (total) ACM

accept moment is larger on the girl's side

1

weight of see-saw provides CM

answer must be in terms of moment

maximum of 2 marks if there is no reference to the weight of the see-saw

1

(ii) $W = 445 \text{ (N)}$

$W \times 1.5 = (270 \times 0.25) + (300 \times 2.0)$ *gains 2 marks*

allow for 1 mark:

total CM = total ACM either stated or implied

or

$(270 \times 0.25) + (300 \times 2.0)$

if no other marks given

3

[10]

11

(a) centre of X drawn at centre of pendulum bob

judged by eye

accept dot drawn at centre of circle

1

(b) (i) 2

allow 1 mark for correct substitution, ie $\frac{1}{0.5}$ provided no

subsequent step shown

2

(ii) 30

or

$60 \div$ their (b)(i) correctly calculated

allow 1 mark for $\frac{60}{2}$

or $\frac{60}{\text{their (b)(i)}}$

or 0.5×60

provided no subsequent step shown

2

(c) 51.2

allow 1 mark for correct substitution, ie 64×0.8 provided no subsequent step shown

2

(d) it increases (the moment)

must be comparative

accept 1 mark for calculation of the moment = 64 (Nm)

1

[8]

- 12** (a) 60
*allow 1 mark for correct substitution (with d in metres),
 ie $36 = F \times 0.6$
 an answer of 0.6 or 6 gains 1 mark* 2
- (b) the line of action of the weight lies outside the base / bottom (of the bag)
*accept line of action of the weight acts through the side
 accept the weight (of the bag) acts outside the base / bottom
 (of the bag)* 1
- a resultant / overall / unbalanced moment acts (on the bag)
*accept the bag is not in equilibrium
 do **not** accept the bag is unbalanced* 1
- [4]
- 13** (a) 360
*allow 1 mark for correct substitution ie 300×1.2 provided no
 subsequent step shown* 2
- (b) the force is applied further from the axis of rotation
accept pivot / (tree) stump for 'axis of rotation' 1
- or**
- this increases the moment of the force
 increases the force on the (tree) stump 1
- [4]
- 14** (a) 38 400
allow 6.4×6000 for 1 mark 2
- Nm **or** newton metres
*do **not** credit 'nm', 'mN' or 'metre newtons'* 1
- (b) 16 000 (N) **or** 16 kN
*allow 1 mark for $38\,400 \div 2.4$
 accept their (a) $\div 2.4$ correctly calculated for 2 marks
 accept their (a) $\div 2.4$ for 1 mark* 2
- [5]

15	(a) (i) 75	2	
	<i>allow 1 mark for correct substitution ie 250×0.3</i>		
	<i>do not credit if subsequent step shown</i>		
	<i>allow 1 mark for an answer 7500</i>		
	(ii) Nm	1	
	(b) force is (applied) further from the nut / pivot / axis of rotation		
	<i>handle is longer is insufficient</i>		
	<i>do not accept less force needed</i>	1	
	moment (on wrench) is larger	1	
			[5]
16	(a) 960 (Nm)	1	
	see-saw is in equilibrium		
	<i>accept see-saw is balanced</i>		
	<i>see-saw is stationary is insufficient</i>	1	
	(total) clockwise moments = anticlockwise moment		
	<i>accept no resultant moment</i>		
	<i>forces are balanced is insufficient</i>		
	<i>an answer clockwise moments balance the anticlockwise moments</i>		
	<i>gains 2 marks</i>	1	
	(b) (i) 600 (Nm)	1	
	(ii) 375 (N) or their (b)(i) $\div 1.6$ correctly calculated		
	<i>do not credit if (b)(i) is larger than 960</i>		
	<i>allow 1 mark for correct substitution and transformation ie</i>		
	$\frac{600}{1.6}$ <i>or</i> $\frac{\text{their (b)(i)}}{1.6}$	2	
			[6]
17	(a) 1250	2	
	<i>allow 1 mark for correct substitution</i>		
	<i>ie 500×2.5 provided there is no subsequent calculation</i>		
	(b) (i) smaller than	1	

(ii) force (exerted) further from axis of rotation (than the weight)
accept pivot for axis of rotation 1

(c) increase the force (exerted)
do not accept increase distance of force from axis of rotation 1

[5]

18

(a) (i) current produces a magnetic field (around XY)
accept current (in XY) is perpendicular to the (permanent) magnetic field 1

(creating) a force (acting) on XY / wire / upwards
reference to Fleming's left hand rule is insufficient 1

(ii) motor (effect) 1

(iii) vibrate / move up and down 1

5 times a second
only scores if first mark point scores
allow for 1 mark only an answer 'changes direction 5 times a second' 1

(b) 0.005
allow 1 mark for calculating moment of the weight as 0.04 (Ncm) and
allow 1 mark for correctly stating principle of moments
or
allow 2 marks for correct substitution
ie $F \times 8 = 2 \times 0.02$ or $F \times 8 = 0.04$ 3

[8]

19

(a) C 1

(b) moment
accept any unambiguous correct indication 1

(c) bigger than
accept any unambiguous correct indication 1

(d) 120 (Ncm)

allow 1 mark for correct substitution

ie 12×10

2

[5]

20

(a) 1.2

allow 1 mark for conversion of 2.4 kN to 2400 N

or for correct transformation without conversion

ie $d = 2880 \div 2.4$

2

metre(s)/m

1

(b) any **two** from:

- as the load increases the (total) clockwise moment increases
- danger is that the fork lift truck / the load will topple / tip forward
- (this will happen) when the total clockwise moment is equal to (or greater than) the anticlockwise moment
accept moments will not be balanced
- (load above 10.0 kN) moves line of action (from C of M) outside base (area)

2

[5]

21

(a) (i) turning effect

accept turning force

accept force \times distance

(accept symbols only if correctly defined)

*do **not** accept newtons \times metres*

1

(ii) stop apparatus falling over

accept holds the stand in place

accept make it safer / stable

references to balanced / equilibrium are insufficient

1

(iii) as x increases y increases 1

in same proportion / ratios

allow both marks for they are directly proportional

or

a specific example eg doubling y , doubles x

allow both marks for a correct answer giving figures

eg they increase in the ratio of 1 to 7

allow for 1 mark positive correlation

1

(iv) the centre of mass of the ruler is at the axis of rotation

1

(b) 108

allow 1 mark for correct substitution ie 240×0.45

2

newton metres / Nm

symbols must be correct

for full credit the unit must be consistent with the numerical answer

1

[8]

22

(a) (i) will not fall over (1)

accept will not easily fall over (2)

or

centre of mass will remain above the base (1)

(line of action of the) weight will remain above within the base

accept centre of gravity / c of g / c of m / $c m$

if the monitor is given a small push (1)

depends on mark above

2

(ii) (total) clockwise moment = (total) anticlockwise moment

or *they are equal / balanced*

1

(b) the position of the centre of mass has changed (1)

the line of action of the weight is outside the base (1)

producing a (resultant) moment (1)

points may be expressed in any order

3

[6]

23

(a) (i) moment

1

- (ii) rotation 1
- (iii) the girl moves nearer to point **P** 1
- (b) (i) **X** drawn in the centre of the space enclosed by the tyre
judge by eye 1
- (ii) below 1

[5]

24

- (a) the point at which the (total) mass seems to act / appears to be concentrated
accept 'weight' for 'mass'
accept the point at which gravity seems to act
*do **not** accept a definitive statement eg where (all) the mass is* 1
- (b) wider / larger base
marks are for a correct comparison 1
- lower centre of mass
accept lower centre of gravity / c of g 1
- (c) line of action (of the weight) lies / falls inside the base
in each case the underlined term must be used correctly to gain the mark 1
- the resultant moment returns mixer to its original position
accept there is no resultant moment / resultant moment is zero
accept resulting moment for resultant moment
*do **not** accept converse argument* 1

[5]

25

- (a) 38 400
allow 6.4×6000 for 1 mark 2
- Nm **or** newton metres
*do **not** credit 'nm', 'mN' or 'metre newtons'* 1

- (b) 16 000 (N) **or** 16 kN
 allow 1 mark for $38\,400 \div 2.4$
 accept their (a) $\div 2.4$ correctly calculated for 2 marks
 accept their (a) $\div 2.4$ for 1 mark

2

[5]

26

- (a) any **two** from:

- inversely proportional
- as the load gets bigger the (maximum safe) distance gets less
 allow 'as the mass increases the distance decreases'
 accept an unspecified response e.g. 'big load at a short distance'
 for (1)
- load \times distance = 60 (kNm)

2

- (b) yes, because $30 \times 2 = 60$ (2)

accept for (1) a correct but insufficiently explained response
 e.g. 'yes because it's safe'
 accept for (2) a correct response which is sufficiently explained
 e.g. 'yes, because 60 (kNm) at 1 metre is safe and 30 (kNm) is half
 the load at twice the distance'
 do **not** accept 'no' and do not accept just 'yes'
 do **not** accept 'yes, because 30 is between 24 and 40 and 2 is
 between 2.5 and 1.5'
 do **not** accept 'the crane/ cable may break' or other dangers

2

- (c) the crane may/will topple over/fall over/forward

1

- (d) results of experiments on this mobile crane
 accept any unambiguous indication

1

[6]

27

- (a) centre of **X** at the centre of the concentric circles
 judge by eye that the intention is correct

1

- (b) drawn from any corner to the diagonally opposite corner
 judge by eye that the intention is correct

or from the mid-point of any side to the mid-point of the opposite side
 if more than one axis of symmetry has been drawn,
 accept only if both / all are correct

1

(c) a turning
accept any unambiguous indication 1

[3]

28

(a) moment
or torque do not credit 'leverage' 1

(b) 4 (2)
either 0.20×20 (1) or allow '400' (1) 2

(c) use a longer spanner
or increases the perpendicular distance / length

or 'fit a pipe over the (end of the) spanner (to lengthen it)'
note 'lever' refers to 'spanner'
note change the . . . (0)
ignore references to wider / larger nut 1

use a greater force / pull
either order 1

[5]

29

(a) (line of action of) its weight 1

falls inside its wheel base
accept 'falls between the wheels'
*the first **two** points may be credited by adding a vertical line from the centre of the X on the diagram (1)*
and labelling it weight / force / with a downwards arrow (1)
provided there is no contradiction between what is added to the diagram and anything which may be written 1

(so there is) no (resultant / clockwise) moment / turning effect 1

(b) centre of mass should be lower

*accept '... centre of gravity'
accept 'weight / mass low down'
not just 'lower the roof'*

1

wheel base should be wider

*accept 'long axle(s)' for 'wide wheel base'
allow bigger / larger wheel base
do **not** credit 'long wheel base'
responses in either order*

1

[5]

30

(a) 810 000

allow 45 000 × 18 for 1 mark

2

newton-metres / Nm

1

(b) any **three** from:

ignore references to force throughout

- their weight / mass can be altered / adjusted
- so that the crane remains stable
allow does not topple
- so that the (total) clockwise moment equals the (total) anticlockwise moment
*do **not** allow just 'moments are equal'*
- because not all containers are the same weight / mass
*do **not** allow 'not all containers are the same size / volume'*
- because not all containers will be / need to move the same distance (from the crane)
- to keep the centre of mass (of the upper crane and container) in/ above the base of the tower
- so that the crane remains in equilibrium/balanced

3

[6]

31

- (a) point at which its mass (seems to) act **or** point at which gravity (seems to) act
accept ... its weight acts
accept correct statements if the intent is clear e.g. ... if suspended, the centre of gravity will be directly under the point of suspension
*e.g.... (if the object is symmetrical), the centre of gravity is on the **or** an axis (of symmetry)*
*do **not** credit just 'it is a point'*

1

- (b) *The answer to this question requires good English in a sensible order with correct use of scientific terms. Quality of written communication should be considered in crediting points in the mark scheme*

maximum of 4 marks if ideas not well expressed

any **five** from:

clamp (steel) rod (horizontally)

***no** marks if method quite unworkable*

hang plastic / sheet by rod through (one) hole

hang plumb line from rod

mark ends of plumb line on the sheet and
use the ruler to draw a straight line

repeat with other hole

centre of mass is where the lines cross

check by balancing at this point

maximum of 3 marks if no 'repeat with other hole'

5

- (c) (i) (turning) effect **or** moment
force
distance

all three correct

accept weight

accept length

1

- (ii) 17.6

*allow 44×0.4 **or** 0.4×44 for 1 mark*

2

Nm **or** newton metre(s)

*do **not** accept N/m **or** N/cm*

1760 Ncm gains all 3 marks

1

[10]

32

- (a) (i) **X** at the centre of the lifebelt
*measuring from the centre of X, allow 2 mm tolerance
in any direction*

1

- (ii) any **two** from:
*if X is on vertical line below the hanger (but not at
centre) can gain the first point only*

below the point of suspension

accept '(vertically) below Y'

at the centre (of the lifebelt)

accept 'in the middle'

(because) the lifebelt / it is symmetrical

or (because) the mass / weight is evenly distributed

2

- (b) Nm **or** newton metre(s)

accept Newton metre(s)

*do **not** accept any ambiguity in the symbol ie NM, nM or nm*

1

750

*(moment) = force × (perpendicular) distance (between line of
action and pivot)*

or *(moment) = 500 × 1.5 gains 1 mark*

2

(c) Quality of written communication:

for 2 of the underlined terms used in the correct context

1

any **three** connected points from:

low(er) centre of mass / gravity

***or** centre of mass / gravity will be close(r) to the wheels
/ axle / ground*

(more) stable

***or** less unstable*

less likely to fall over

*accept 'less likely to overturn'
do **not** accept 'will not fall over'*

the turning effect / moment (of the weight of case) is less

***or** so less effort is needed to hold the case
ignore references to pulling the case*

so the pull on her arm is less

3

[10]

33

(a) A

must be correct for reason to score

moment (due to weight) of sail is the largest

1

or

(perpendicular) distance from pivot to rope the smallest

*do **not** accept sail is low **or** sail is too heavy*

1

(b) (i) no resultant turning moment **or** in a state of balance **or** balanced

allow clockwise moments =

anticlockwise moments

allow no resultant force

allow (forces are) balanced

allow no acceleration

*do **not** allow forces are equal*

1

(ii) moment = 420

allow 1 mark for moment = 700×0.6

or

$700 \times$ a distance from diagram (1.5, 2.1, 0.9)

2

(iii) force = 280

$$420 = F \times 1.5$$

or

$$F = \frac{\text{their (b)(ii)}}{1.5} \quad \text{1 mark only}$$

if (b)(ii) obtained by a correct method (1470, 630, 1050)

2

(c) (as wind speed increases) the force on the sail increases

accept pressure

1

anticlockwise moment increases **or** moment on sail increases

1

so clockwise moment (**or** opposite moment) needs to increase (by increasing the distance from the pivot)

1

[10]

34 300

*allow 1 mark for rearranging equation **or** correct substitution*

[2]

35 (i) C

1

(ii) 48

an answer of 4 800 gains 1 mark

if answer (b)(i) is given as A then 42 scores 1 mark

4200 scores 0 marks substitution of correct figures = 1 mark

2

[3]

36 (a) Z

1

weight **or** mass acts through pivot

*accept rod **or** base for pivot*

accept centre of gravity in line with pivot

1

no (resultant) (turning) moment

accept clockwise moment equals anticlockwise moment

*do **not** accept same weight on each side of rod*

1

(b) (i) 30
allow 1 mark for 2×15
or 2×0.15 2

N cm

or

for full credit the unit must be consistent with the numerical answer

0.3

Nm

*do **not** accept joules*

1

(ii) 1.5 (N)
allow 1 mark for correct transformation
allow 2 marks ecf their part (b)(i)/20 (ecf only if correct physics) 2

(c) 5 (cm)
allow 1 mark for 6.0 (cm)
allow 1 mark for a subtraction of 1 from a value clearly obtained from the graph
allow 2 marks for correct ecf using an incorrect value for (b)(i) $\pm 0.2\text{cm}$
allow 1 mark for clearly showing correct use of graph using an incorrect value for (b)(ii) 2

[10]

37 (a) moment/torque increases as moves away
gains 2 marks

leverage/force increases as moves away
gains 1 mark

2

(b) (i) 20
gains 2 marks

else working
gains 1 mark 2

(ii) 100 000 ecf
gains 2 marks

else working
gains 1 mark

2

[6]

38

(a) *evidence of moment = force × distance*
or 200×1.5

gains 1 mark

but 300

gains 2 marks

2

(b) *ideas that smaller than load*
gains 1 mark

but 100 N **or** half the load

gains 2 marks

because applied further from pivot

gains 1 mark

but applied 2 × distance from pivot **or** evidence of balancing moments

gains 2 marks

(working for (b) shown in (a) gains credit – transfer mark)

4

[6]

39

lever

turning effect

pivot

for 1 mark each

[3]