

Mark Scheme (Results)

January 2021

Pearson Edexcel International GCSE Mathematics A (4MA1) Paper 2F

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

January 2021
Publications Code 4MA1_2F_2101_MS
All the material in this publication is copyright
© Pearson Education Ltd 2021

General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded.
 Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme.
 - Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Types of mark

M marks: method marks

A marks: accuracy marks

B marks: unconditional accuracy marks (independent of M marks)

Abbreviations

- cao correct answer only
- o ft follow through
- o isw ignore subsequent working
- SC special case
- o oe or equivalent (and appropriate)

- o dep dependent
- o indep independent
- o awrt answer which rounds to
- eeoo each error or omission

No working

If no working is shown then correct answers normally score full marks

If no working is shown then incorrect (even though nearly correct) answers score no marks.

With working

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks.

If a candidate misreads a number from the question. Eg. Uses 252 instead of 255; method marks may be awarded provided the question has not been simplified. Examiners should send any instance of a suspected misread to review. If there is a choice of methods shown, mark the method that leads to the answer on the answer line; where no answer is given on the answer line, award the lowest mark from the methods shown.

If there is no answer on the answer line then check the working for an obvious answer.

Ignoring subsequent work

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: eg. Incorrect cancelling of a fraction that would otherwise be correct.

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect eg algebra.

Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.

Parts of questions

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded to another.

International GCSE Maths

The correct answer, unless obtained from an incorrect method, should be taken to imply a correct method.

Que	estion	Working	Answer	Mark	Notes
1	(a)		44	1	B1
	(b)		6	1	B1
	(c)		36	1	B1
	(d)		17	1	B1
	(e)		8, 76	1	B1 Must have both and no others
					Total 5 marks

2	(a)	wall bus	s 4	Tally	7 6 4 3	2	B2	for all correct frequencies (B1 for 2 or 3 correct frequencies or 2, 3 or 4 correct tallies with no frequencies (or incorrect frequencies) or frequencies written as probabilities with 2, 3 or 4 correct numerators)
	(b)	8 - 7 - 7 - 5 - 5 - 4 - 13 - 2 - 1 - 0 - 0 - 1	Malk	(bus bicycle o	car	3	B2 ft	For 4 correct bars ft from table (B1ft for 2 or 3 correct bars ft from table) For clear labels for bars and linear scale starting at 0 oe Condone bars of different widths
								Total 5 marks

3	(a)		14	1	B1	
	(b)		-19	1	B1	
						Total 2 marks
					•	
4	(a)	$0.3 \times 30 (= 9)$ or $\frac{1}{3} \times 30 (= 10)$ or $\frac{1}{3} + \frac{30}{100} \left(= \frac{19}{30} \right)$ oe or $0.333+0.3 (= 0.63)$ or $33.3(\%) + 30(\%)$ oe $(= 63.3)(\%)$ "9" and "10" or 19 shaded squares on diagram		3	M1	Allow 9 squares clearly indicated for 30% or 10 squares clearly indicated for $\frac{1}{3}$ Allow squares with crosses or
		or $\left(1 - \frac{19}{30}\right) \times 30$ or $(1 - 0.63) \times 30$	11		A1	other indication of 'shading' such as 'y' or 'b'
	(b)	eg 76% (25%) 7.66% (8%) 2.6% or (0.76) 0.25 (0.0766) 0.08 (0.026)	0.026, 0.0766, 8%,	2	M1	All values written as % or all written as decimals or 4 values in correct order or all values in correct reverse order Any form
			25%, 0.76			
						Total 5 marks

5	(a)		13	1	B1	
	(b)	$160 \times 2 (=320)$ or " 160×2 " – 5 or		2	M1	One correct inverse operation used
		" $160 \times 2 - 5$ " ÷ 3	105			
					A1	
	(c)		$P = \frac{3n+5}{2}$	2	B2	oe (B1 for $\frac{3n+5}{2}$ oe or $P = 3n + 5 \div 2$
			2			~
						or for $P = a$ formula including n with
						2 operations correct eg $P = 3n + 5$ or
						for $n = \frac{2P-5}{3}$ or $P = \frac{2n-5}{3}$)
						3 3
						Total 5 marks

6	(a)		12	1	B1	
	(b)		8	1	B1	
	(c)	Two intersecting arcs with equal radius		2	M1	For arcs that intersect within guidelines or
						correct equilateral triangle drawn without
						arcs
			Correct equilateral		A 1	
			triangle with arcs			
						Total 4 marks

7	(a)		6 <i>p</i>	1	B1	
	(b)		8y²	1	B1	
	(c)		e^5	1	B1	
	(d)		20 <i>cd</i>	1	B1	
	(e)		26	1	B1	
	(f)	424 = 4n		2	M1	For 424 or $324 + 225 - 125$ with at most one error
					A1	SCB1 for 524 or 674
			106			
	(g)		3(3t-2)	1	B1	
						Total 8 marks

8	3 kg = 3000 g or 150 g = 0.15 kg or		3	B1	may be seen used as part of a calculation
	180 g = 0.18 kg or 1350 g = 1.35(0) kg				
	$3 \times 150 + 5 \times 180 \ (= 1350)$			M1	Could use their converted values
	$3 \times 0.15 + 5 \times 0.18 \ (=1.35(0))$				
		1650		A1	
					Total 3 marks

9	(a)		1	2	3	4	5	6		2	B2	B2 for all scores completed
		6	5	4	3	2	1	0				correctly. B1 for 6, 7, 8 or 9 scores
		7	6	5	4	3	2	1				completed correctly
		8	7	6 -	5	4	3	2				•
	(b)								15 18	1	B1ft	oe $(\frac{5}{6}$ or $0.83(33)$ or $83.(33)\%)$
												ft from complete table
	(c)								9	1	B1ft	oe Penalise incorrect notation once
									18			only
												ft from complete table
												Total 4 marks

10	4x + 6x + 11 + 9x - 18 = 126 oe eg 19x - 7 = 126 or eg $(126 + 18 - 11) \div 19$			4	M1	A correct equation or a correct calculation for <i>x</i>
	x = 7			=	A1	
	$0.5 \times (9 \times \text{"7"} - 18) \times (4 \times \text{"7"})$ $(0.5 \times 45 \times 28)$				M1	Dep on M1
	Ź	63	30		A1	cao
						Total 4 marks
				1		
11	ABD = 180 - 143 (= 37) or $AEJ = 76$ or $CED = 76$ or $ECD = 180 - 143 (= 37)$			3	M1	may be marked on diagram
	180 – 76 – "37"				M1	A correct calculation for <i>EDC</i>
		6	7		A1	
						Total 3 marks
12	$438 \times 0.12 = 52.56$ or $44.39 \div 0.92 = 48.25$			4	M1	
12	130 × 0.12 (= 32.30) 01 +1.37 : 0.52 (= 10.23)			'	1111	
	438 × 0.12 (= 52.56) and 44.39 ÷ 0.92 (= 48.25) or		-	M1	
	438×0.12 (= 52.56) and "52.56" × 0.92 (=48.3	355) or				
	$44.39 \div 0.92 = 48.25$ and "48.25" $\div 0.12 = 40$	02.083)				
	"52.56" – "48.25" or	-	M1	Dep on M2		
	" 48.355 " $-44.39 = 3.965$ and " 3.965 " $\div 0.92$ or					
	438 – "402.083" (= 35.916) and "35.916" ×	0.12				
			4.31		A1	
						Total 4 marks

13	(a)	209	1	B1	
	(b)		2	M1	For showing or stating NTR = $180 - 125 = 55^{\circ}$ (where N is North at T) or $SRT = 180 - 125 = 55^{\circ}$ (where S is South at R) or $RTS = 125^{\circ}$ (where S is south of T)
					or N T (SE) = 125°(where N is north of T and SE is South-East of T) or for 360 – (180 – 125) or 180 + 125
		305		A 1	
					Total 3 marks

14	(a)	$0.5 \times (13.5 + 17) \times 10.4$		2	M1 for a complete method eg rectangle ±2 triangles
			158.6		A1 allow 159
	(b)	$15.5 \times 8 \ (=124) \text{ or } 15.5 \times 8 \times x$		3	M1
		$15.5 \times 8 \times x = 806$			
		806 ÷ "124"	6.5		M1 dep
					A1
					Total 5 marks

15	6 hrs 39 mins = 6.65 (hrs) or $6\frac{39}{60}$ or $6\frac{13}{20}$ or $\frac{133}{20}$ or 399 (mins)		3	B1
	Average speed = $\frac{429}{6.65}$ oe eg $\frac{429}{399} \times 60$			M1 Use of $S = D \div T$ (use of their time in hours) [Allow $\frac{429}{6.39}$ if B0 awarded]
		64.5		A1 awrt 64.5
				Total 3 marks

16	3, 7, 8, 8 and one o	;	В3	For a list of 5 correct numbers
	4 or 5 or 6			(B2 for a list of 5 numbers with 2 of: median of 7, mode of 8, range of 5
				B1 for a list of 5 or 6 numbers with 1 of: median of 7, mode of 8, range of 5)
				Total 3 marks

17	(a)	$520 - 465 = 55$ or $\frac{520}{465} = 1.118$		3	M1	
		$\frac{"55"}{465} \times 100 \text{ or } 100 \times ("1.118" - 1) \text{ oe}$			M1	
		100	11.8		A1 11.8 or bette	r (11.827956)
	(b)	$0.12 \times 550 (= 66)$		3	M1 oe	M2 for
		550 – "66"			M1	0.88×550
			484		A1	
						Total 6 marks

18	(a)(i)	3	Correct line	1	B1	For $x = 1.5$ drawn
	(ii)		Correct line	1	B1	For $y = x$ drawn
	(iii)	5 4 3 2 1 0 1 2 3 4 5 6 75c	Correct line	1	B1	For $x + y = 6$ drawn
	(b)		Correct region	1	B1	dep on B3 for correctly shading the region R accept unlabelled or unshaded if clear. Shading can be 'in' or 'out'.
						Total 4 marks

19	(a)	$8x^2 + 20x - 6x^2 + 9x$		2	M1	3 correct terms or all 4 terms condoning incorrect signs
			$2x^2 + 29x$		A1	
	(b)	$y^5 \times y^n = y^{19} \text{ or } y^{-1} \times y^n = y^{13} \text{ or } 5 + n - 6 = 13$		2	M1	Use of 1 rule of indices or a correct equation in <i>n</i>
			14		A1	Accept y ¹⁴
	(c)(i)	7t - 2t < 7 + 8 oe eg $5t < 15$ oe		2	M1	Terms in t on one side and number terms the other side – may be in an equation or the incorrect inequality sign or an answer of $t = 3$ or eg $t \ge 3$
			t < 3		A1	Must be a correct inequality given as answer
	(ii)		open circle at $t = 3$ and a line with an arrow to the left	1	B1ft	Allow a line without an arrow if it reaches to at least –5, with an arrow it can be any length
						Total 7 marks

20	(a)		1	1	B1	
	(b)	$3 \times 10^{125} + 2 \times 10^{124}$ or digits 1024×10^n oe		3	M1	
		32×10^{124} or $3 \times 10^{125} + 0.2 \times 10^{125}$ or $30 \times 10^{124} + 2 \times 10^{124}$			M1	oe 'correct' answer in incorrect form.
			3.2×10^{125}		A1	
						Total 4 marks

21	5 × 398 (= 1990) or 6 × 401 (= 2406)		3	M1	Correct total for 5 or for 6 cocoa pods
	"2406" – "1990"			M1	$(M2 \text{ for } 398 + 6 \times 3 \text{ or } 401 + 5 \times 3)$
		416		A1	
					Total 3 marks

22	$8^2 + 15^2 (= 289)$		5	M1
	$\sqrt{8^2 + 15^2} \ (=17)$			M1
	$\pi \times "8.5"^2(226.98)$ or $0.5 \times 15 \times 8 (= 60)$			M1
	$\pi \times "8.5"^2 - 0.5 \times 15 \times 8$ ("226.98" - "60")			M1
		167		A1 Accept answers which round to 167
				Total 5 marks
23			2	B2 (B1 for 12 870 000 or correct
23		$2^4 \times 3^2 \times 5^4 \times 11 \times 13$	2	B2 (B1 for 12 870 000 or correct unsimplified product or $2^m \times 3^n \times 5^p \times 11 \times 13$ with at least 1 of m , n or p correct or for $2^4 \times 3^2 \times 5^4$)
				Total 2 marks

24	$eg \frac{4}{5} \times \frac{3}{7} (= \frac{12}{35}) oe \text{ or } 0.24 \times \frac{4}{7} (= \frac{96}{700}) oe \text{ or}$ $eg \frac{4}{5} \times 3 (= \frac{12}{5} = 2.4) \text{ and } 0.24 \times 4 (= \frac{24}{25} = 0.96) (or 3.36) \text{ or}$ $eg \frac{4}{5} \times 300 (= 240) \text{ and } 0.24 \times 400 (= 96) (or 336)$		3	M1
	$eg''\frac{12}{35}'' + ''\frac{96}{700}'' \left(=\frac{336}{700}\right) \text{ oe or}$ $\frac{"2.4" + "0.96"}{3+4} \left(=\frac{3.36}{7}\right) \text{ oe or}$			M1 or 0.48 or 48% or correct unsimplified fraction eg $\frac{84}{175}$
	$\operatorname{eg} \frac{"240" + "96"}{300 + 400} \left(= \frac{336}{700} \right) \text{ oe}$	$\frac{12}{25}$		A1 cao
				Total 3 marks

