GCSE CHEMISTRY

AQA

Foundation Tier Chemistry 2F

Specimen 2018

Time allowed: 1 hour 45 Minutes

Materials

For this paper you must have:

- a ruler
- a calculator
- the periodic table (enclosed).

Instructions

- Answer **all** questions in the spaces provided.
- Do all rough work in this book. Cross through any work you do not want to be marked.

Information

- There are 100 marks available on this paper.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.
- When answering questions 11.3 and 12.2 you need to make sure that your answer:
 - is clear, logical, sensibly structured
 - fully meets the requirements of the question
- shows that each separate point or step supports the overall answer.

Advice

In all calculations, show clearly how you work out your answer.

Please write clearly, in block capitals.	
Centre number	
Surname	
Forename(s)	
Candidate signature	

0 1	This question is about mixture	es and analysis.	
01.1	Which two substances are m	ixtures?	
	Tick two boxes.		[2 marks]
	Air		
	Carbon dioxide		
	Graphite		
	Sodium Chloride		
	Steel		


0 1 . 2 Draw **one** line from each context to the correct meaning.

[2 marks]

Context	Meaning
	A substance that has had nothing added to it
Pure substance in chemistry	A single element or a single compound
	A substance containing only atoms which have different numbers of protons
Pure substance in everyday life	A substance that can be separated by filtration
	A useful product made by mixing substances

01.3	What is the test for chlorine gas? Tick one box.	[1 mark]
	A glowing splint relights A lighted splint gives a pop Damp litmus paper turns white Limewater turns milky	
01.4	A student tested a metal chloride solution A brown precipitate formed. What was the metal ion in the metal chlori Tick one box.	[1 mark]

Calcium	
Copper(II)	
lron(II)	
Iron(III)	



[1 mark]

02. **3** A student measured the temperature rise when anhydrous cobalt chloride was added to water.

The student's results are shown in Table 1.

Table 1

	Trial 1	Trial 2	Trial 3
Temperature rise in °C	8.5	8.2	8.2

Calculate the mean temperature rise.

[1 mark]

Temperature =	 °C


02. **4** When water was added to anhydrous cobalt chloride an exothermic reaction took place.

Name the type of reaction when hydrated cobalt chloride reacts to form anhydrous cobalt chloride and water.

[1 mark]

0 3 Gold is mixed with other metals to make jewellery.

Figure 2 shows the composition of different carat values of gold.






03.2	Give the percentage of silver in 18 carat gold. [1 mark]	
	Use Figure 2 to answer this question.	
	Percentage =%	
03.3	Suggest two reasons why 9 carat gold is often used instead of pure gold to make jewellery.	
	[2 marks]	1
	1	
	2	

This is the method used.

- 1. Put a spot of food colouring **X** on the start line.
- 2. Put spots of three separate dyes, A, B and C, on the start line.
- 3. Place the bottom of the paper in water and leave it for several minutes.

0 4 . **1 Figure 3** shows the apparatus the student used.



Give two mistakes the student made in setting up the experiment.


[2 marks]

Tick two boxes.

The lid was on the beaker.	
The paper did not touch the bottom of the beaker.	
The spots were too small.	
The start line was drawn in ink.	
The water level was above the spots.	

Another student set the experiment up correctly.

Figure 4 shows the student's results.





0 4 . 2 How many dyes were in X?



0 4 . 3 Which dye, A , B or C , is not in X ?	[1		
Write your answer in the box.		[1 mark]	

0 4 . 4 Use Figure 4 to complete Table 1.

Calculate the value for R_f for dye **A**.

[5 marks]

Table 1


	Distance in mm
Distance moved by dye A	
Distance from start line to solvent front	

Use the equation:

 $R_{f} = \frac{distance moved by dye \mathbf{A}}{distance moved by solvent}$

Give your answer to two significant figures.

R_f value =



0 5 . 2 An increase in global temperature will cause climate change.

What is one possible effect of climate change?

Tick **one** box.

Deforestation

Sea levels rising

Global dimming

Volcanic activity

SPECIMEN MATERIAL

[1 mark]

Carbon dioxide is also a greenhouse gas.

Figure 5 shows how the concentration of carbon dioxide in the atmosphere has changed since 1850.




Figure 5

0 5 . 3 Which process is the reason for the change in carbon dioxide concentration shown on **Figure 5**?

Tick one box.

רן	markj	
----	-------	--

Burning of fossil fuels	
Carbon capture	
Formation of sedimentary rocks	
Photosynthesis	

Question 5 continues on the next page

0 5 . 4 Give three conclusions that can be made from **Figure 5**.

[3 marks]

1			-	-
2				
3				

06

 Table 2 gives information about four alcohols.

Table 2

Alcohol	Formula	Melting point in °C	Boiling point in °C
Methanol	CH₃OH	-94	65
Ethanol	CH₃CH₂OH	-118	78
Propanol	CH ₃ CH ₂ CH ₂ OH	-129	97
Butanol	CH ₃ CH ₂ CH ₂ CH ₂ OH	-89	118

06. **1** Which alcohol in **Table 2** is liquid over the greatest temperature range?

[1 mark]

[1 mark]

. 2 Which statement is correct?

Tick one box.

A molecule of ethanol has 5 hydrogen atoms	
Butanol has the highest boiling point	
Methanol has the largest molecules	
Propanol has the highest melting point	

Question 6 continues on the next page



Draw the missing bonds in **Figure 6** to complete the displayed formula for methanol.





Figure 7 shows a flow diagram of the process to produce ethanol.



0 6 . 4 Complete the word equation for the reaction to produce ethanol.

[1 mark]

[1 mark]

+ _____ \rightarrow ethanol

06. **5** What happens to the unreacted ethene? [1 mark] **06**. **6** Wine contains ethanol. A bottle of wine was left open in air. After a few days, the wine tasted of vinegar. Vinegar is a solution of ethanoic acid in water. Explain how oxidation causes the wine to taste of vinegar after a few days. [3 marks]

Balance the equation for the reaction.

 N_2 + H_2 \rightarrow

0 7 . 2 What is iron used for in the Haber process?

Tick one box.

catalyst	
fuel	
monomer	
reactant	

18


 NH_3

[1 mark]

[1 mark]



Figure 8 shows how the percentage yield of ammonia changes with pressure.



0 8

This question is about hydrocarbons.

0 8 . 1

1 The names and formulae of three hydrocarbons in the same homologous series are:

Ethane	C_2H_6
Propane	C₃H ₈
Butane	C_4H_{10}

The next member in the series is pentane.

What is the formula of pentane?

[1 mark]

08.2	Which homologous se	eries contains ethane, p	propane and butane?	[4
	Tick one box.			[1 mark]
	Alcohols			
	Alkanes			
	Alkenes			
	Carboxylic acids			
08.3	Propane (C_3H_8) is use	ed as a fuel.		
	Complete the equation	on for the complete com	bustion of propane.	[2 marks]
	C ₃ H ₈ + 5O ₂ -	→ 3	+ 4	

0 8 . 4 Octane (C_8H_{18}) is a hydrocarbon found in petrol.

Explain why octane is a hydrocarbon.

[2 marks]

0 8 . **5 Table 3** gives information about the pollutants produced by cars using diesel or petrol as a fuel.

Table 3

Fuel	Relative amounts of pollutants		
	Oxides of Nitrogen	Particulate matter	Carbon dioxide
Diesel	31	100	85
Petrol	23	0	100


Compare the pollutants from cars using diesel with those from cars using petrol. [3 marks]

Question 8 continues on the next page

08. **6** Pollutants cause environmental impacts.

Draw **one** line from each pollutant to the environmental impact caused by the pollutant.

[2 marks]



0 9 A student investigated the rate of reaction between marble chips and hydrochloric acid.

Figure 9 shows the apparatus the student used.






Figure 9



What is **A**?

Tick one box.



Question 9 continues on the next page

[1 mark]


0 9 . 2 Table 4 shows the student's results for one investigation.

Table 4		
Time	Mass lost	
in s	in g	
0	0.0	
20	1.6	
40	2.6	
60	2.9	
80	3.7	
100	4.0	
120	4.0	

- On Figure 10:Plot these results on the grid.Draw a line of best fit.







SPECIMEN MATERIAL

0 9 . **3** Use Figure 10 to complete Table 5.

[2 marks]

Table 5

Mass lost after 0.5 minutes	g
Time taken to complete the reaction	S

0 9 . 4 The equation for the reaction is:

 $2HCI(aq) + CaCO_3(s) \rightarrow CaCI_2(aq) + H_2O(I) + CO_2(g)$

Explain why there is a loss in mass in this investigation.

[2 marks]

Question 9 continues on the next page

0 9 . 5 Another student investigated the rate of a different reaction.

 Table 6 shows the results from the different reaction.

Table 6

Mass lost when the reaction was complete	9.85 g
Time taken to complete the reaction	2 minutes 30 seconds

Calculate the mean rate of the reaction using Table 6 and the equation:

[2 marks]

mean rate of reaction = $\frac{\text{mass lost in g}}{\text{time taken in s}}$

Give your answer to two decimal places.

Mean rate of reaction = g/s

0 9 . 6 The student measured the change in mass of the reactants.

Describe another method, other than measuring the change in mass of the reactions, that the student could have used to find the rate of the reaction between marble chips and hydrochloric acid.

[2 marks]

0 9 . 7 Another student planned to investigate the effect of temperature on the rate of reaction. The student predicted that the rate of reaction would increase as the temperature was increased.

Give two reasons why the student's prediction is correct.

[2 marks]

Tick two boxes.

The particles are more concentrated.	
The particles have a greater mass.	
The particles have a larger surface area.	
The particles have more energy.	
The particles move faster.	

10	Water from a lake in the UK is used to produce drinking water.	
10.1	What are the two main steps used to treat water from lakes? Give a reason for each step.	[2 marks]
	Step 1ReasonStep 2Reason	

10. 2 Explain why it is more difficult to produce drinking water from waste water than from water in lakes.

[3 marks]

10.3

Some countries make drinking water from sea water.


Complete **Figure 11** to show how you can distil salt solution to produce and collect pure water.

Label the following:

- pure water
- salt solution

[3 marks]





Question 10 continues on the next page

1 0 . 4	How could the water be tested to show it is pure?	
	Give the expected result of the test for pure water.	[2 marks]
1 0 . 5	Why is producing drinking water from sea water expensive?	
		[1 mark]

1 1 Figure 12 shows six test tubes a student set up to investigate the rusting of iron.

This is the method used for each test tube.

- 1. Measure the mass of the nail using a balance.
- 2. Leave the nail in the test tube for 6 days.
- 3. Measure the mass of the nail after 6 days.




Figure 12

Question 11 continues on the next page

Table 7 shows the student's measurements.

Table 7

Test tube	Mass of nail in g	Mass of nail after 6 days in g
1	8.45	8.91
2	8.46	8.46
3	8.51	8.51
4	9.65	9.65
5	9.37	9.45
6	9.79	9.79

1 1 . **1** What is the resolution of the balance the student used?

Tick **one** box.

1	×	10 ⁻³ g	
1	×	10 ⁻² g	
1	×	10 ⁻¹ g	
1	×	10 ² g	


[1 mark]


11. **2** Calculate the difference in percentage increase in mass after 6 days of the nail in test tube **1** and the nail in test tube **5**.


Give your answer to three significant figures.	[4 marks]


Difference in percentage increase in mass = _____%

Question 11 continues on the next page









1 2 . 1 Plot the points and draw a line on **Figure 13** to show the percentage of milk bottles made from materials **other** than glass between 1975 and 2010.

[3 marks]

Question 12 continues on the next page

	Glass milk bottle	Plastic milk bottle
Raw materials	Sand, limestone, salt	Crude oil
Bottle material	Soda-lime glass	HD poly(ethene)
Initial stage in production of bottle material	Limestone and salt used to produce sodium carbonate.	Production of naphtha fraction.
Maximum temperature in production process	1600 °C	850 °C
Number of times bottle can be used for milk	25	1
Size(s) of bottle	0.5 dm ³	0.5 dm ³ , 1 dm ³ , 2 dm ³ , 3 dm ³
Percentage (%) of recycled material used in new bottles	50 %	10 %

Evaluate the production and use of bottles made from soda-lime glass and those made from HD poly(ethene).

Use the information given and your knowledge and understanding to justify your choice of material for milk bottles.

[6 marks]

END OF QUESTIONS



There are no questions printed on this page

Copyright information

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements in future papers if notified. If you have any queries please contact the Copyright Team, AQA, Stag Hill House, Guildford, GU2 7XJ.

Copyright © 2016 AQA and its licensors. All rights reserved.