# 

Please write clearly in block capitals.	
Centre number	Candidate number
Surname	
Forename(s)	
Candidate signature	

# GCSE BIOLOGY

Foundation Tier Paper 2F

Monday 11 June 2018

Morning

Time allowed: 1 hour 45 minutes

### Materials

For this paper you must have:

- a ruler
- a scientific calculator.

### Instructions


- Use black ink or black ball-point pen.
- Fill in the boxes at the top of this page.
- Answer all questions in the spaces provided.
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

#### Information

- There are 100 marks available on this paper.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

For Examiner's Use				
Question	Mark			
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
TOTAL				







**0 1**. **2 Table 1** shows the biomass of the organisms at each stage in the food chain. Table 1 Organism **Biomass in arbitrary units** 840 Algae Invertebrate animals 200 Small fish 40 10 Large fish Calculate the percentage of the biomass of the invertebrate animals that is transferred to the large fish. [2 marks] Use the equation: biomass of large fish Percentage = Question 1 continues on the next page


3




Do not write

0 1.3	A large amount of biomass is lo	ost from the food chain.		Do not write outside the box
	Complete the sentences.		[2 marka]	
	Choose answers from the box.		[3 marks]	
	coordination	digestion	excretion	
	filtration	ingestion	respiration	
	When the small fish eat the inverse broken down during		of this material is	
	Materials absorbed from the gu	It may enter the body cells	of the small fish.	
	These materials are broken dow	wn into carbon dioxide and	1	
	water by	·		
	The carbon dioxide and other w	vaste materials from the bo	ody cells are removed	
	from the small fish by	·		
0 1.4	A disease kills many of the sma	all fish.		
	Why does the number of invert	ebrate animals increase?	[1 mark]	
				9











0 2.3	On which day is fertilisation most likely to oc	cur?
	Use information from <b>Figure 2</b> .	[1 mark]
	Contraception can be used to lower the char	nce of pregnancy.
0 2.4	Draw <b>one</b> line from each method of contrace	eption to how the method works. [3 marks]
	Method of contraception	How the method works
		Barrier to prevent sperm reaching the egg
	Contraceptive pill	
		Contains hormones to stop eggs maturing
	Diaphragm	
		Kills sperm
	Spermicidal cream	
		Slows down sperm production
	Question 2 continues on th	e next page



9

Table 2 gives information about some different methods of contraception.

Number of pregnancies per

Table 2


**Possible Side effects** 

0 2.5


Method

0 8

Method		100 women in one year	Possible Side effects
Diaphragm and spermicidal cre		8	Usually none, but can cause bladder infection in some women
Condom		2	None
Contraceptive pill		1	Mood swings, headaches, high blood pressure, blood clots, breast cancer
A	man and	a woman decide to use the conc	dom as their method of contraception.
S	uggest <b>thr</b>	ee reasons for this decision.	
U	se informa	ation from <b>Table 2</b> and your own	
			[3 marks]
1			
2			
_			
3			









03.3	The species of fish shown in <b>Figure 3</b> is now extinct.		Do not write outside the box
	Give <b>two</b> possible causes of extinction.	[2 marks]	
	1		
	2		
	Modern fish species have evolved from fish that lived a long time ago.		
	Evolution is caused by mutation and natural selection.		
03.4	What is a mutation?	[1 mark]	
	Tick <b>one</b> box.		
	A change in a gene		
	Accidental damage to an organism		
	An organism with a new characteristic		
	The loss of a species		
03.5	Describe the process of natural selection.	[3 marks]	
			9



0 4	In the mid-19th century, a scientist studied inheritance in pea plants.	Do not write outside the box
	The scientist's work was the beginning of our modern understanding of genetics.	
04.1	What is the name of this scientist?   Tick one box.   Alfred Russel Wallace   Charles Darwin   Gregor Mendel   Jean-Baptiste Lamarck	
04.2	In the mid-20th century, other scientists identified the chemical substance that makes up genetic material? What is the name of the chemical substance that makes up genetic material? Itick one box.  Carbohydrate DNA DNA Drotein Dr	



## **0 4 . 3** A gene often has two alleles.

One allele is dominant and the other allele is recessive. When is a recessive allele expressed as a characteristic? Tick **one** box.

When the dominant allele is not present

When the recessive allele is inherited from the female parent

When the recessive allele is inherited from the male parent


When the recessive allele is present on only one of the chromosomes

#### Question 4 continues on the next page

Do not write outside the

box


[1 mark]





	In Questions 04.4 and 04.5, use the following symbols to represent alleles:					Do not wri outside th box	
	<b>T</b> = the dominant allele for tall.						
	t = the recessive allele for short	t.					
04.4	In Figure 4, the genotype of pla	ant <b>1</b> is <b>T</b>	Т.				
	Give the genotype of plant <b>2</b> .					[1 mark]	
0 4.5	The scientist crossed plant <b>3</b> w	ith plant	4.				
	Complete Figure 5 to show the	offspring	g produce	d from th	is cross.	[2 marks]	
		F	igure 5				
			Ma gamo		1		
			т	t			
		т	тт				
	Female gametes				-		
		t					
04.6	Draw a circle around <b>one</b> of the	e homozy	/gous offs	pring in <b>F</b>	igure 5.	[1 mark]	
04.7	What is the ratio of tall plants :	short pla	nts in the	offspring	in <b>Figure 5</b> ?	[1 mark]	
	Ratio of tall plants : short plants	6 =		_:		_	
							8







0 5	A person with Type 1 diabe	tes cannot make enough insu	lin.	Do not writ outside the box
0 5.1	Which organ makes insulin	?	[1 mark]	
	Tick <b>one</b> box.		ני וומאן	
	Adrenal gland			
	Pancreas			
	Pituitary gland			
	Thyroid			
0 5.2	A person with Type 1 diaber by injecting insulin.	tes can control the concentrat	ion of glucose in the blood	
	Complete the sentences.		[0 merkel	
	Choose answers from the b	ox.	[2 marks]	
	DNA	glycogen	kidney	
	liver	protein	skin	
	Insulin acts on an organ cal	led the		
	This organ then takes in exc	cess glucose from the blood a	nd changes	
	the glucose into			
0 5.3	Insulin cannot be taken as a	a tablet. This is because insul	in is a type of protein.	
	What would happen to the i	nsulin in the tablet if it reache	d the stomach? [1 mark]	



Turn over ►

Do not write outside the box

Two people each drank the same volume of a glucose drink.

Person A has Type 1 diabetes.

Person **B** does **not** have diabetes.

Figure 6 shows how the concentration of glucose in their blood changed.





Figure 6




0 5.4	How much higher was the <b>highest</b> concentration of glucose in the blood of person <b>A</b> than the <b>highest</b> concentration in person <b>B</b> ?	Do not write outside the box
	Use information from Figure 6.	<b>-</b>
	Answer = mmol/dm	 3
0 5.5	Describe <b>one</b> other way that the results for person <b>A</b> were different from the results for person <b>B</b> .	
	Use information from Figure 6.	<b>[]</b> 
	Question 5 continues on the next page	
	Turn over	












3 Explain	why the students ι	used water on	one side of the law	n instead of v	veed killer. [2 marks]
Table 3	shows the student	ts' results.			
		т	able 3		
	N	umber of wee	eds per quadrat		
	At sta	art	After 2 w	veeks	-
		art Side B (Water)	After 2 w Side A (Weed killer)	veeks Side B (Water)	
	At sta Side A	Side B	Side A	Side B	
	At sta Side A (Weed killer)	Side B (Water)	Side A (Weed killer)	Side B (Water)	
	At sta Side A (Weed killer) 8	Side B (Water) 14	Side A (Weed killer) 3	Side B (Water) 8	
	At sta Side A (Weed killer) 8 2 12 15	Side B (Water)           14           9           3           16	Side A (Weed killer) 3 4	Side B (Water) 8 15	
	At sta Side A (Weed killer) 8 2 12 15 13	Side B (Water)           14           9           3           16           3	Side A (Weed killer) 3 4 0 2 1	Side B (Water)           8           15           7           12           13	
Mean	At sta Side A (Weed killer) 8 2 12 15	Side B (Water)           14           9           3           16	Side A (Weed killer)3402	Side B (Water)           8           15           7           12	



06.5	Calculate the percentage decrease in the number of weeds on side <b>A</b> after 2 weeks. [2 marks] Use the following equation: percentage decrease = $\frac{(\text{mean at start} - \text{mean after 2 weeks})}{\text{mean at start}} \times 100$	Do not write outside the box
	Percentage decrease =	
06.6	One student thought the results were <b>not</b> valid.	
	Suggest <b>one</b> improvement the students could have made to the method to make the results more valid.	
	Give the reason for your answer. [2 marks]	
	Improvement	
	Reason	
	Turn over for the next question	9







0 7.2	Cold water is pumped through the cooling coil at point <b>X</b> .	Do not write outside the box
	This maintains a constant temperature inside the fermenter.	
	Suggest the temperature at which Fusarium grows fastest.	
	Tick <b>one</b> box.	
	5 °C	
	20 °C	
	30 °C	
	85 °C	
07.3	Glucose and bubbles of air enter the fermenter.	
	The bubbles of air supply oxygen.	
	Explain why <i>Fusarium</i> needs glucose and oxygen. [2 marks]	
07.4	The bubbles of air also move materials around the fermenter.	
	Suggest why it is useful for bubbles of air and materials to move around inside the fermenter.	
	[2 marks]	



0 7.5	100 grams of chicken meat contains 22 grams of protein.
	100 grams of mycoprotein contains 11 grams of protein.
	A man ate 100 grams of chicken in one meal.
	How many grams of mycoprotein would the man need to eat to get the same mass of protein as in 100 grams of chicken?
	[1 mark]
	Tick <b>one</b> box.
	100 grams




Do not write outside the box



110 grams

200 grams

220 grams






**0** 8 Some students investigated phototropism in plant seedlings.

This is the method used.

- 1. Measure the lengths of the shoots of 20 seedlings.
- 2. Set up four groups of seedlings as follows:
  - A bottom of shoot covered in aluminium foil
  - **B** tip covered in aluminium foil
  - **C** tip removed
  - **D** no changes.
- 3. Put the seedlings in a cardboard box.
- 4. Use a lamp to shine a light into the box through a hole in one side.
- 5. After one day, re-measure the lengths of the shoots.
- 6. Make a drawing of the appearance of one seedling from each group.


**Figure 10** shows the appearance of one seedling in each group at the start of the investigation.








Do not write outside the box






	Figu	ure 11			
					Light
	A B	С		D	
		Α	В	С	D
	Mean length of shoot at start in mm	23	24	21	25
		28	30	23	00
	Mean length of shoot after 1 day in mm		50	23	30
. 3	Mean change in length of shoot in mm Mean change in length of shoot in mm Suggest how the students measured the le <b>A</b> and <b>D</b> at the end of the investigation.	5	6	2	5
. 3	Mean change in length of shoot in mm Suggest how the students measured the le	5	6	2	5 s of seedlings
. 3	Mean change in length of shoot in mm Suggest how the students measured the le	5	6	2	5 s of seedlings
]. 3	Mean change in length of shoot in mm Suggest how the students measured the le	5 engths of	6 the curve	2 ed shoots	5 s of seedlings [2 mar













09.3	Structure <b>Q</b> causes the change in size of the pupil.	Do not wri outside th box
	Name structure <b>Q</b> . [1 mark]	
09.4	Describe how structure <b>Q</b> causes the change in the size of the pupil from <b>A</b> to <b>B</b> . [1 mark]	
	Question 9 continues on the next page	
	Turn over ►	

















		1
	Many scientists think that an increase in carbon dioxide concentration in the atmosphere causes an increase in air temperature.	Do not write outside the box
10.2	How would an increase in the concentration of carbon dioxide in the atmosphere cause an increase in air temperature? [1 mark]	
10.3	Evaluate evidence for and against the theory that an increase in the concentration of carbon dioxide in the atmosphere causes an increase in air temperature.	
	Use data from Figure 14 and your own knowledge. [4 marks]	
l		1




	In each year, the concentration of carbon dioxide in the atmosphere is higher in the winter than in the summer.	Do not write outside the box
10.4	Give <b>one</b> human activity that could cause the higher concentration of carbon dioxide in the winter. [1 mark]	
10.5	Give <b>one</b> biological process that could cause the lower concentration of carbon dioxide in the summer. [1 mark]	
10.6	Give <b>two</b> possible effects of an increase in global air temperature on living organisms. [2 marks]	
	2	











40

	When water is balanced, the volume of water taken in by the body is equal to the volume of water lost from the body.	Do not write outside the box
11.1	Calculate the volume of water the person lost in one day in faeces. Use information from Figure 15. [2 marks]	
	Volume lost in faeces = cm <sup>3</sup>	
11.2	Figure 15 shows that one method of gaining water is by metabolism.   Which metabolic process produces water? [1 mark]   Tick one box. [1 mark]   Breakdown of protein to amino acids	



	The next day, the person ran a 10-kilometre race.	Do not write outside the box
	The volume of water lost from the body through the skin and by breathing increased.	
1 1.3	Explain why more water was lost through the skin during the race. [2 marks]	
1 1.4	Explain why more water was lost by breathing during the race. [3 marks]	
	END OF QUESTIONS	8



