

| Please w | rite clearly in block capitals | i. | |
|----------|--------------------------------|--------------|------|
| Centre n | umber | Candidate nu | mber |
| Surname | | | |
| Forenam | e(s) | | |
| Candidat | e signature | | |

GCSE BIOLOGY

H

Higher Tier Paper 1H

Tuesday 15 May 2018

Afternoon

Time allowed: 1 hour 45 minutes

Materials

For this paper you must have:

- a ruler
- a scientific calculator.

Instructions


- Use black ink or black ball-point pen.
- Fill in the boxes at the top of this page.
- Answer all questions in the spaces provided.
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

Information

- There are 100 marks available on this paper.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

| For Examiner's Use | | |
|--------------------|------|--|
| Question | Mark | |
| 1 | | |
| 2 | | |
| 3 | | |
| 4 | | |
| 5 | | |
| 6 | | |
| 7 | | |
| TOTAL | | |

JUN1884611H01 B/M/Jun18/E10 **8461/1H**



| 0 1 | Eating food containing Salmonella bacteria can cause illness. |
|---------|--|
| 0 1.1 | Two symptoms of infection by Salmonella are vomiting and diarrhoea. |
| | What causes these symptoms? [1 mark] |
| 0 1.2 | Give two ways a person with a mild infection of <i>Salmonella</i> can help prevent the spread of the bacteria to other people. [2 marks] |
| 0 1 . 3 | In very serious infections of <i>Salmonella</i> , a doctor can prescribe drugs to kill |
| | the bacteria. What type of drug can the doctor prescribe to kill the bacteria? [1 mark] |
| | |
| 0 1.4 | A person with AIDS may take longer than a healthy person to recover from a Salmonella infection. Explain why. |
| | [2 marks] |
| | |
| | |

0 1 . 5

Salmonella bacteria can be transmitted from chickens to humans. Chickens can be vaccinated to prevent the transmission of *Salmonella* bacteria to humans.

Suggest **one** other way farmers could prevent the transmission of *Salmonella* from chickens to humans.

[1 mark]


A restaurant owner employed a scientist to test the effectiveness of two kitchen cleaning liquids.

The scientist took samples from two work surfaces:

- before the surfaces had been cleaned with the cleaning liquids
- after the surfaces had been cleaned with the cleaning liquids.

The samples were then analysed for the number of bacteria they contained.

The results are shown in Figure 1.




04

| 0 1.6 | Which cleaning liquid is the more effective? | Do not write outside the box | |
|-------|--|------------------------------|--|
| | Give a reason for your answer. [1 mark] | | |
| | Cleaning Liquid | | |
| | Reason | | |
| | | | |
| | | | |
| | | | |
| | Question 1 continues on the next page | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

The scientist investigated the effect of cleaning liquid **A** and cleaning liquid **B** on *Salmonella* bacteria grown in a laboratory.

Figure 2 shows the way the investigation was set up.



The Petri dish was placed in an incubator at 25 °C for 48 hours.

After 48 hours, the scientist calculated the area around each paper disc where no bacteria were growing.

The results are shown in **Table 1**.

Table 1

| Filter paper disc | Area around disc with no bacteria growing in cm ² |
|--------------------------|--|
| Water | 0 |
| Cleaning liquid A | 11 |
| Cleaning liquid B | 13 |

| 0 1.7 | What measurement would the scientist need to take to calculate the area where no bacteria were growing? |
|-------|---|
| | [1 mark] |
| | |
| | |
| | |

06

| 0 1.8 | Give one change to the investigation that would allow the scientist to check if the results are repeatable. [1 mark] | Do not write outside the box |
|-------|---|------------------------------------|
| 0 1.9 | The scientist showed the results to the restaurant owner. Both cleaning liquids cost the same per dm³. Suggest one other factor the restaurant owner should consider when choosing which cleaning liquid to use. [1 mark] | |
| | Turn over for the next question | 11 |
| | | |

| 0 2 | Metabolism i | s the sum of all the chemical re | actions in the cells of the body. | | |
|-------|---|---|-----------------------------------|-----------|--|
| | One metabo | lic reaction is the formation of lip | oids. | | |
| 0 2.1 | Give one other metabolic reaction in cells. [1 mages] | | | | |
| | Table 2 show | ws the mean metabolic rate of h Tabl | - | | |
| | Age in | Mean metabolic r | ate in kJ/m²/hour | | |
| | years | Males | Females | | |
| | 5 | 53 | 53 | | |
| | 15 | 45 | 42 | | |
| | 25 | 39 | 35 | | |
| | 35 | 37 | 35 | | |
| | 45 | 36 | 35 | | |
| 0 2.2 | What two co | enclusions can be made from the | e data in Table 2 ? | [2 marks] | |
| | As age increases, mean metabolic rate of males and females increases. Males have a higher metabolic rate than females after five years of age. | | | | |
| | | | | | |
| | The mean metabolic rate of females decreases faster than males up to 25 years of age. | | | | |
| | | etabolic rate of males and fema the age of 35. | lles decreases more | | |
| | There is no r | relationship between age and m | ean metabolic rate. | | |

| 0 2.3 | Calculate the percentage decrease in the mean metabolic rate of males between 5 years and 45 years of age. | | | |
|-------|---|--|--|--|
| | Use the equation: | | | |
| | percentage decrease = $\frac{\text{decrease in metabolic rate}}{\text{original metabolic rate}} \times 100$ | | | |
| | Give your answer to 3 significant figures. [3 marks] | | | |
| | | | | |
| | Percentage decrease = | | | |
| | reiceillage declease - | | | |
| | Question 2 continues on the next page | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Regular exercise can increase metabolic rate.

Two people did five minutes of gentle exercise from rest.

Table 3 shows the effect of the exercise on their heart rates.

Table 3

| Time in | Heart rate in beats per minute | | |
|-------------|--------------------------------|----------|--|
| minutes | Person R | Person S | |
| 0 (at rest) | 60 | 78 | |
| 1 | 76 | 100 | |
| 2 | 85 | 110 | |
| 3 | 91 | 119 | |
| 4 | 99 | 129 | |
| 5 | 99 | 132 | |


| Use information from Table 3 . | |
|---------------------------------------|----------|
| | [2 marks |
| 1 | |
| | |
| 2 | |
| | |
| | |
| | |
| | |

0 2 . 5 Complete the line graph in **Figure 3** for person **S**.

You should:

- add the scale to the x axis
- label the x axis.

[4 marks]



Turn over ▶


0 2 . 6

| | | Do not outside | | | |
|---------|--|----------------|--|--|--|
| 0 2 . 7 | A student made the following hypothesis about the heart rate of smokers and non-smokers during exercise. | | | | |
| | "During exercise, the heart rate of smokers increases more than the heart rate of non-smokers." | | | | |
| | Design an investigation that would allow you to test this hypothesis. [6 marks] | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | . | | | |

20

| | Do not write outside the box |
|-------|------------------------------------|
| | |
| arks] | |
| | |
| | |
| | |
| arks] | |
| | |
| | |
| | |
| arks] | |
| | |
| | |
| | |
| | |

| 0 3 | The circulatory system is composed of the blood, blood vessels and the heart. |
|---------|---|
| 0 3.1 | Urea is transported in the blood plasma. |
| | Name two other substances transported in the blood plasma. [2 marks] |
| | 1 |
| | 2 |
| 0 3.2 | Some athletes train at high altitude. |
| | Training at high altitude increases the number of red blood cells per cm ³ of blood. |
| | Explain why having more red blood cells per cm ³ of blood is an advantage to an athlete. |
| | [3 marks] |
| | |
| | |
| | |
| | |
| | |
| 0 3 . 3 | Which two blood vessels carry deoxygenated blood? |
| | Tick two boxes. |
| | |
| | Aorta |
| | Coronary artery |
| | Pulmonary artery |
| | Pulmonary vein |
| | Vena cava |




0 3.6 Heart rate is controlled by a group of cells. This group of cells act as a pacemaker.

Figure 5 shows a section through the heart.

Draw an X on Figure 5 to show the position of the pacemaker.

[1 mark]

Figure 5



0 3 . 7 A patient may be fitted with an artificial pacemaker.

What condition may be treated using an artificial pacemaker?

[1 mark]

13

0 4

A student carried out an investigation using chicken eggs.

This is the method used.

- 1. Place 5 eggs in acid for 24 hours to dissolve the egg shell.
- 2. Measure and record the mass of each egg.
- 3. Place each egg into a separate beaker containing 200 cm³ of distilled water.
- 4. After 20 minutes, remove the eggs from the beakers and dry them gently with a paper towel.
- 5. Measure and record the mass of each egg.

Table 4 shows the results.

Table 4

| Egg | Mass of egg without shell in grams | Mass of egg after 20 minutes in grams |
|-----|------------------------------------|---------------------------------------|
| 1 | 73.5 | 77.0 |
| 2 | 70.3 | 73.9 |
| 3 | 72.4 | 75.7 |
| 4 | 71.6 | 73.1 |
| 5 | 70.5 | 73.8 |

| 0 4.1 | Another student suggested that the result for egg 4 was anomalous. | |
|-------|---|----------|
| | Do you agree with the student? | |
| | Give a reason for your answer. | [1 mark] |
| | | |

16

| 0 4.2 | Calculate the percentage change in mass of egg 3. [2 marks] |
|-------|---|
| | |
| | |
| | |
| | Percentage change in mass = |
| 0 4.3 | Explain why the masses of the eggs increased. [3 marks] |
| | |
| | |
| | |
| | |
| 0 4.4 | Explain how the student could modify the investigation to determine the concentration of the solution inside each egg. [3 marks] |
| | |
| | |
| | |
| | |
| | |
| | |

Chicken egg shells contain calcium. Calcium ions are moved from the shell into the cytoplasm of the egg.

Table 5 shows information about the concentration of calcium ions.

Table 5

| Location | Concentration of calcium ions in arbitrary units |
|---------------|--|
| Egg shell | 0.6 |
| Egg cytoplasm | 2.1 |

| 0 4 . 5 | Explain how calcium ions are moved from the shell into the cytoplasm of the egg. [3 marks |
|---------|--|
| | |
| | |
| | |
| | |
| | |

12


0 5

Plants can be infected by fungi, viruses and insects.

Aphids are small insects that carry pathogens.

Figure 6 shows an aphid feeding from a plant stem.

Figure 6



0 5 . 1 An aphid feeds by inserting its sharp mouthpiece into the stem of a plant.

Give the reason why the mouthpiece of an aphid contains a high concentration of dissolved sugars after feeding.

[1 mark]

Question 5 continues on the next page

| 0 5 . 2 | Plants infected with aphids may show symptoms of magnesium deficiency. | |
|---------|--|-----------|
| | Magnesium deficiency symptoms include: • yellow leaves • stunted growth. | |
| | Explain how a deficiency of magnesium could cause these symptoms. | [5 marks] |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

Following updated research information and communications with parents of children with cystic fibrosis, we have decided to withdraw the question on this topic from this paper.

It has been decided not to provide a replacement question as it would not be possible to determine accurately how a replacement question would have performed if it had been part of the original paper taken in 2018.

The following statistics may help you to make effective use of the remainder of the paper: Mean mark (maximum mark)

| 06.1 | 0.47 (1) |
|------------|-----------|
| 06.2 | 0.65 (1) |
| 06.3 | 2.27 (6) |
| 06.4 | 1.27 (2) |
| 06.5 | 0.69 (1) |
| 06.6 | 1.33 (2) |
| 06.7 | 0.56 (4) |
| 06.8 | 0.42 (1) |
| Question 6 | 7.66 (18) |

22 IB/M/Jun18/8461/1H

Do not write outside the box Turn over for the next question DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED

| Table 8 shows information about some food components in cow's i | milk |
|---|------|
|---|------|

Table 8

| | Value per 500 cm ³ | Recommended Daily Allowance (RDA) for a typical adult |
|--------------------|----------------------------------|---|
| Energy in kJ | 1046 | 8700 |
| Fat in g | 8.4 | 70.0 |
| Salt in g | 0.5 | 6.0 |
| Calcium in mg | 605 | 1000 |
| Vitamin B-12 in μg | 4.5 | 2.4 |

| 0 7.1 | How much more milk would a typical adult have to drink to get their RDA for calcium compared with the amount of milk needed to get their RDA for vitamin B-12? |
|-------|---|
| | [3 marks] |
| | |
| | |
| | |
| | |
| | Volume of milk = cm ³ |
| | |
| | |
| | |
| | |
| | |

24

| 0 7.2 | Describe how a student could test cow's milk to show whether it contains protein and different types of carbohydrate. | Do not write outside the box |
|-------|---|------------------------------------|
| | [6 marks] | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | Question 7 continues on the next page | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

A scientist investigated the effect of bile on the breakdown of fat in a sample of milk.

The scientist used an indicator that is colourless in solutions with a pH lower than 10, and pink in solutions with a pH above 10.

This is the method used.

- 1. Add 1 drop of bile to a test tube and one drop of water to a second test tube.
- 2. Add the following to each test tube:
 - 5 cm³ of milk
 - 7 cm³ of sodium carbonate solution (to make the solution above pH 10)
 - 5 drops of the indicator
 - 1 cm³ of lipase.
- 3. Time how long it takes for the indicator in the solutions to become colourless.

The results are shown in Table 9.

Table 9

| | Time taken for the indicator to become colourless in seconds |
|-----------------------|--|
| Solution with bile | 65 |
| Solution without bile | 143 |

| 0 7 . 3 | Explain why the indicator in both tubes became colourless. | [3 marks] |
|---------|--|-----------|
| | | [5 marks] |
| | | |
| | | |
| | _ | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

26

| 0 7.4 | Give the reason why the measurement of the time taken for the indicator to become colourless might be inaccurate. [1 mark] | Do not w outside box |
|-------|---|----------------------------|
| 0 7.5 | Explain the difference in the results for the two test tubes in Table 9 . [3 marks] | |
| | | |
| | END OF QUESTIONS | 16 |
| | | |
| | | |

vrite the

27

There are no questions printed on this page DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED Copyright information For confidentiality purposes, from the November 2015 examination series, acknowledgements of third party copyright material will be published in a separate booklet rather than including them on the examination paper or support materials. This booklet is published after each examination series and is available for free download from www.aqa.org.uk after the live examination series.

Do not write outside the box

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team, AQA, Stag Hill House, Guildford, GU2 7XJ.

Copyright © 2018 AQA and its licensors. All rights reserved.