# 

Please write clearly in	block capitals.	
Centre number	Candidate number	
Surname		
Forename(s)		
Candidate signature	I declare this is my own work.	)

## GCSE BIOLOGY

Higher Tier Paper 2H

### Time allowed: 1 hour 45 minutes

#### Materials

For this paper you must have:

- a ruler
- a scientific calculator.


#### Instructions

- Use black ink or black ball-point pen.
- Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer all questions in the spaces provided.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

#### Information


- The maximum mark for this paper is 100.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.





Н








Answer <b>all</b> questions in the spaces provided.				D
0 1	<ul><li>There are two types of reproduction:</li><li>sexual reproduction</li><li>asexual reproduction.</li></ul>			
01.	Complete <b>Table 1</b> to compare sexual reprodution Write a tick (✓) in the box if the statement is the first row has been completed for you.		I reproduction.	
	····		[2 n	narks]
	Table 1			
		Sexual reproduction	Asexual reproduction	
	Cell division occurs	1	~	
	Fertilisation occurs			
	Genes are passed on from parent to offspring			
	Offspring are genetically identical to each other			
0 1.	<ul> <li>0 1.2 Gametes are formed in sexual reproduction.</li> <li>Name the male gamete formed in flowering plants.</li> <li>[1 mark]</li> </ul>			
	Question 1 continues on the	e next page		







0 1 4	Cells divide twice during meiosis.	Do not write outside the box
	Which <b>two</b> times in <b>Figure 1</b> show one cell dividing into two cells?	
	[2 marks] Tick (✓) <b>two</b> boxes.	
	3 hours	
	4 hours	
	5 hours	
	6 hours	
	8 hours	
0 1.5	What is the mean mass of DNA in arbitrary units in a sperm cell? [1 mark]	
	Tick (✓) <b>one</b> box.	
	2 4 8 16	
0 1.6	What is the mean mass of DNA in arbitrary units in each cell in an embryo? [1 mark]	
	Tick (✓) <b>one</b> box.	[]
	2 4 8 16	8
	Turn over for the next question	
	Turn over ►	




02	Earthworms: • live in soil • feed on dead and decaying plant matter • have soft, moist skin • exchange gases through their skin.
02.1	Give <b>two</b> abiotic factors and <b>two</b> biotic factors that could affect the size of an earthworm population. [4 marks]
	Abiotic factors
	1
	2
	Biotic factors
	1
	2



	1	Do not write
02.2	Students investigated the populations of earthworms in the soil in two different areas:	outside the box
	<ul> <li>Area A: a grass lawn</li> </ul>	
	• Area <b>B</b> : a farmer's field.	
	Chemical <b>X</b> can be mixed with water and poured onto the soil.	
	The mixture brings earthworms to the surface of the soil but does <b>not</b> harm the earthworms.	
	Plan an investigation using chemical <b>X</b> to compare the number of earthworms per $m^2$ in areas <b>A</b> and <b>B</b> .	
	[6 marks]	
		10
	Turn over for the next question	








0 3.2	Explain the effect a high concentration of insulin has on blood glucose concentration.	Do not wr outside th box
	[3 marks]	
	Effect	
	Explanation	
	Question 3 continues on the next page	
	Turn over ►	1

People with diabetes have difficulty controlling the concentration of glucose in their blood.

Type 2 diabetes is linked to obesity.

Figure 3 shows how to find if an adult's body mass is healthy for their height.







Do not write outside the

box

		Do not write outside the		
0 3.3	Person A:	box		
	is 1.75 m in height			
	<ul> <li>has a body mass of 52 kg.</li> </ul>			
	What is person <b>A</b> 's weight category?			
	[1 mark]			
	Tick (✓) <b>one</b> box.			
	Underweight			
	Healthy weight			
	Overweight			
	Obese			
0 3.4	Person <b>B</b> is 1.9 m in height.			
	Give the range of body masses that would put person <b>B</b> in the healthy weight category.			
	[1 mark]			
	Range from kg to kg			
Question 3 continues on the next page				



Do not write outside the box

#### **0 3 . 5** Person C is obese.

A doctor thinks that person **C** has Type 2 diabetes.

The doctor tests a sample of blood from person **C**.

#### Table 2 shows:

- the results of the blood test
- the mean results for people who do **not** have diabetes.

#### Table 2

	Concentration in blood		
	Person C	Mean for people who do not have diabetes	
Cholesterol in mmol/dm <sup>3</sup>	6.21	5.20	
Glucose in mmol/dm <sup>3</sup>	9.56	4.51	
Insulin in arbitrary units	24.32	14.83	

Type 2 diabetes occurs when body cells have a reduced response to insulin.

Give **two** ways the results of the blood test show that person **C** might have Type 2 diabetes.

#### [2 marks]

1\_\_\_\_\_ 2\_\_\_\_\_






04	The rapid growth in human population means that more waste substances are released into the environment. The release of substances into the environment can cause pollution.	Do not write outside the box
04.1	Name <b>one</b> harmful substance that could cause air pollution. [1 mark]	
04.2	Name <b>three</b> harmful substances that could cause water pollution. Do <b>not</b> refer to plastic or to litter in your answer.	
	[3 marks] 1 2 3	
	3	



0 4 3	Describe how substances that pollute air and water could be harmful to humans and	Do not write outside the box
0 4 . 3	other living organisms.	
	[6 marks]	
		10
	Turn over for the next question	







Determine the probability that the child will have MSUD.

You should:

- draw a Punnett square diagram
- · identify the phenotype of each offspring genotype
- use the symbols:
- N = allele for not having MSUD
- **n** = allele for MSUD.

[4 marks]

Do not write outside the


box

Probability =

Question 5 continues on the next page



Turn over ►






		Do not write
	Scientists can analyse blood samples or urine samples to see if a person has MSUD.	outside the box
	The test identifies high concentrations of toxic substance <b>P</b> , shown in <b>Figure 5</b> .	
0 5.4	Explain why the <b>blood</b> of a person with MSUD will have a high concentration of toxic substance <b>P</b> .	
	Use information from Figure 5. [3 marks]	
	Evalois why the using of a parage with MCUD will have a high concentration of	
0 5 . 5	Explain why the <b>urine</b> of a person with MSUD will have a high concentration of toxic substance <b>P</b> . [2 marks]	
	Question 5 continues on the next page	




0 5.6	Explain why a person with MSUD must have a low-protein diet.	[3 marks]	outside the box
			14

2 0

\_









Do not write outside the The cow is more efficient than the grass at converting energy. 0 6 . 4 box The energy conversion efficiency of the cow is 4.098%. Calculate how many times more efficient the cow is at converting energy than the grass. The equation for energy conversion efficiency is: energy conversion efficiency =  $\frac{\text{energy used for growth}}{\text{energy input}} \times 100$ Give your answer to 3 significant figures. [5 marks] Number of times (3 significant figures) = Question 6 continues on the next page



Give two reasons why. [2 marks] 1 2	
0         6         Suggest two possible disadvantages of rearing cows indoors.         [2 marks]           1	13



The blue colour of the algae was caused by a mutation.          The blue colour of the algae was caused by a mutation.         Th		Turn over ►
7.1       What is a mutation?       [1 mark]		
7.1       What is a mutation?       [1 mark]		
7       1       What is a mutation?       [1 mark]		
7.1       What is a mutation?       [1 mark]		
7.1       What is a mutation?       [1 mark]		
7.1       What is a mutation?         [1 mark]		
7.1       What is a mutation?       [1 mark]		
7.1 What is a mutation?		Question 7 continues on the next page
<b>7</b> . <b>1</b> What is a mutation?		
7.1 What is a mutation?		
	<u> </u>	[1 mark]
The blue colour of the algae was caused by a mutation.	0 7 . 1	
7 A scientist found a polluted pond which had a new type of blue algae in the water.		The blue colour of the algae was caused by a mutation.



The scientist measured the number of blue algal cells in a sample of the pond water.

The scientist used a special slide which has a counting grid.

This is the method used.

- 1. Dilute 2.5 cm<sup>3</sup> of pond water to a volume of 10 cm<sup>3</sup> with distilled water.
- 2. Place a drop of the diluted pond water on the special slide, as shown in Figure 8.
- 3. Place a thick coverslip over the diluted pond water to give a depth of 0.1 mm of pond water.
- 4. Use a microscope to count the number of algal cells in a 0.2 mm  $\times$  0.2 mm square on the counting grid.

Figure 8 shows a side view of the special slide.





Figure 9 shows the view of the counting grid through a microscope.








		Do not writ
0 7.2	How many algal cells are in the 0.2 mm × 0.2 mm square in <b>Figure 9</b> ?	outside the box
	Use the following procedure:	
	<ul> <li>Count all cells that are completely within the 0.2 mm × 0.2 mm square in the counting grid.</li> </ul>	
	<ul> <li>Count cells that are touching the left side or the lower side of the square.</li> </ul>	
	<ul> <li>Do not count cells that are touching the right side or the top side of the square.         [1 mark]</li> </ul>	
	Number of algal cells in the 0.2 mm × 0.2 mm square =	
0 7.3	One week later the scientist repeated the test and counted 14 cells on the	
	0.2 mm × 0.2 mm counting grid.	
	Calculate the number of algal cells in 1.0 mm <sup>3</sup> of <b>undiluted</b> pond water.	
	Use the scientist's second count of 14 cells. [6 marks]	
	Number of algal cells in 1.0 mm <sup>3</sup> of undiluted pond water =	
	Question 7 continues on the next page	




Turn over ►


0 7.4	Suggest why the scientist diluted the pond water before placing it on the special slide. [1 mark]	Do not write outside the box
0 7.5	A student repeated the scientist's method.	
	The student used a thin coverslip over the diluted pond water instead of the thick coverslip.	
	The liquid pulled the thin coverslip downwards slightly.	
	Explain how the use of the thin coverslip would affect the results for the cell count. [2 marks]	
		11
I		













			Do not write outside the
08.3	During hibernation the echidna wakes up several times.		box
	Each time the echidna wakes up it becomes active and its body temperature increases to over 30 $^\circ \text{C}.$		
	Explain why the echidna has a higher body temperature when it is active. [2	marks]	
08.4	An echidna can dilate and constrict blood vessels in its skin.		
	Explain how the <b>dilation</b> of blood vessels in the skin can help to decrease body temperature.		
		marks]	



	Do not write
An athlete trained in a hot climate.	outside the box
The athlete lost a large volume of water each day in sweat.	
The athlete's energy intake each day from food was 20 000 kJ.	
Evaporation of 1 cm <sup>3</sup> of sweat requires 2.5 kJ of energy.	
40% of the athlete's daily energy intake was used to evaporate sweat.	
Calculate the volume of sweat the athlete lost each day.	
Give your answer in dm <sup>3</sup>	
$1 \text{ dm}^3 = 1\ 000 \text{ cm}^3$	
[3 marks]	
Volume of sweat lost in one day =dm <sup>3</sup>	
Suggest why the athlete was advised to take salt tablets each day. [1 mark]	
	13
Turn over for the next question	




08.

6

0 8

5

Turn over ►





Do not write outside the box

35

09.1	Suggest <b>two</b> control variables the students should have used in their investigation. [2 marks]
	1
	2
09.2	Describe how experiment <b>B</b> and experiment <b>C</b> acted as controls for the investigation. [2 marks]
	Experiment <b>B</b>
	Experiment C
09.3	Give <b>two</b> conclusions that the students could make from the <b>ink marks</b> on the shoot in experiment <b>A</b> . [2 marks]
	1
	2
09.4	Name the type of response shown by the seedling in experiment <b>A</b> . [1 mark]
	Question 9 continues on the next page



Auxin is a plant hormone. Auxin is made in the shoot tip.

Scientists investigated the role of auxin in the response of shoot tips to light.

This is the method used.

F

- 1. Grow four seedlings in the dark for a few days.
- 2. Cut the tip off the shoot of each seedling.
- 3. Place each shoot tip on a small block of agar jelly.
- 4. Place the shoot tips and agar in different conditions as shown in Figure 14.
- 5. After 24 hours, measure the mass of auxin in the agar blocks.





Figure 14




The numbers under each block show the mass of auxin that diffused into the blocks from the shoot tips.

The mass of auxin is given in arbitrary units.



0 9 5	A scientist made a hypothesis:	Do not write outside the box
	'Light causes auxin to move from the side of the shoot nearest to the light to the side furthest from the light.'	
	Describe the evidence from <b>Figure 14</b> which supports the hypothesis. [3 marks]	
09.6	Another scientist made a different hypothesis:	
	'Light causes the breakdown of auxin.'	
	Give the evidence from <b>Figure 14</b> that shows that auxin is <b>not</b> broken down by light. [1 mark]	
		11
	END OF QUESTIONS	







Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Question number	Additional page, if required. Write the question numbers in the left-hand margin.
	Copyright information
	For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk.
	Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.
	Copyright © 2022 AQA and its licensors. All rights reserved.



