

Please write clearly ir	ո block capitals.
Centre number	Candidate number
Surname	
Forename(s)	
Candidate signature	I declare this is my own work.

GCSE COMBINED SCIENCE: TRILOGY



Higher Tier Chemistry Paper 2H

Time allowed: 1 hour 15 minutes

Materials

For this paper you must have:

- a ruler
- · a scientific calculator
- the periodic table (enclosed).

Instructions

- Use black ink or black ball-point pen.
- · Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer all questions in the spaces provided.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

Information

- The maximum mark for this paper is 70.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

For Examiner's Use			
Question	Mark		
1			
2			
3			
4			
5			
6			
TOTAL			




A student investigated the colours in a brown ink using chromatography. 0 1 Figure 1 shows the apparatus used. 1 Figure 1 Chromatography tank Chromatography paper Solvent Start line drawn in ink Blue Yellow Brown Red Green colour colour colour colour ink Give two errors made by the student. Describe the problem each error would cause. [4 marks] Error 1 Problem 1 Error 2 Problem 2



A different student set up the apparatus correctly.

Figure 2 shows the results.

Figure 2



0	1 .	2	Give two conclusions the student can make from Figure 2 about the four colour	îS
			in the brown ink.	
			To.	

[2 marks]

1	
2	
_	

Question 1 continues on the next page



0 1.3	Why was the green colour still on the start line at the end of the experiment? Tick (✓) one box.	? [1 mark]	outs
	The experiment was left for too long.		
	The green colour was insoluble in the solvent.		
	The green spot contained too many colours.		
	The green spot was too small.		
0 1.4	A student calculated the R _f value of a colour to be 0.24		
	The colour moved 1.8 cm from the start line.		
	Calculate the distance the solvent moved.		
	Use the equation:		
	$R_f = \frac{\text{distance moved by colour}}{\text{distance moved by solvent}}$		
	alotanies mevea by servem	[3 marks]	
	Distance moved by solvent =	cm	1



0 2 . 1	Water that is safe to drink is called potable water.				
	Compare how easily potable water can be obtained from:				
	waste water (sewage)				
	ground water (fresh water). 16	marks]			
	ľ	marksj			
	Question 2 continues on the next page				



Do not write outside the box

	A scientist produced potable water from 150 cm ³ of salty water.	bo
0 2.2	Which process can be used to produce potable water from salty water? [1 mark] Tick (✓) one box.	
	Distillation Electrolysis	
	Filtration	
	Sterilisation	
0 2.3	The salty water contains sodium chloride. The scientist collected 2.40 g of sodium chloride from 150 cm³ of salty water.	
	Calculate the concentration of sodium chloride in grams per dm³ [3 marks]	
	Concentration of sodium chloride = g/dm ³	10



0 3	This question is about the reaction between sodium thiosulfate solution and hydrochloric acid.			
	The equation for the reaction is:			
	$Na_2S_2O_3(aq) \ + \ 2HCl(aq) \ \rightarrow \ 2NaCl(aq) \ + \ H_2O(I) \ + \ SO_2(g) \ + \ S(s)$			
0 3.1	The mass of the conical flask and contents was greater at the start of the reaction than at the end.			
	Explain why. [2 marks]			

Question 3 continues on the next page




A teacher demonstrated the reaction between sodium thiosulfate solution and hydrochloric acid.

Figure 3 shows the experiment.

The experiment was done in a fume cupboard.

Figure 3



This is the method the teacher used.

- 1. Pour 50 cm³ of sodium thiosulfate solution into a conical flask.
- 2. Put the conical flask on a black cross drawn on a piece of paper.
- 3. Pour 10 cm³ of hydrochloric acid into the conical flask and start a timer.
- 4. Stop the timer when the cross can no longer be seen.
- 5. Repeat the experiment at different temperatures.

0 3.2	What type of varia	able is time in this reaction?	[1 mark]
	Control		
	Dependent		
	Independent		



0 3 . 3

Table 1 shows the results.

Table 1

Temperature in °C	Time in seconds
19	82
32	48
45	43
52	15
63	7
73	3


Complete Figure 4.

You should:

- plot the data from Table 1 on Figure 4
- draw a line of best fit.

[3 marks]

Figure 4






0 3 . 4

A student investigated the effect of concentration of sodium thiosulfate on the time taken for the reaction at room temperature.

Figure 5 shows the results with a tangent drawn at 0.4 mol/dm³

Figure 5



Calculate the gradient (slope) of the tangent at 0.4 mol/dm³

Give the unit.

		[4 marks]

Gradient =

Unit = ____




0 3.5	The student determined the rate of the reaction at regular time intervals during an experiment.	Do not write outside the box
	Explain why the rate decreased during the reaction.	
	You should give your answer in terms of particles. [2 marks]	
		12

Turn over for the next question



- This question is about hydrocarbons and the uses of hydrocarbons.
- 0 4 . 1 Figure 6 shows a model of an alkane.

Figure 6



What is the name of the alkane in Figure 6?

[1 mark]


0 4 . 2 What is a hydrocarbon?

[1 mark]



	Large hydrocarbon molecules are cracked.
0 4.3	When $C_{11}H_{24}$ is cracked, three products are formed.
	Complete the equation for the reaction. [2 marks]
	$C_{11}H_{24} \rightarrow C_5H_{10} + 2_{} + _{}$
0 4 . 4	Explain why one of the products of cracking is in high demand. [2 marks]

Question 4 continues on the next page





0 4 . 5

Window frames can be manufactured from wood or from plastic.

Table 2 shows data from a life cycle assessment (LCA) for a wooden window frame and a plastic window frame.

Both window frames are the same size.

Table 2

	Wood	Plastic
Sources of hydrocarbons used for production in kg	5.37	18.23
Greenhouse gases released during production, use and disposal in kg equivalent of CO ₂	457	487
Oxides of nitrogen and sulfur dioxide produced in arbitrary units	29.6	37.7
Waste materials in kg	16.5	28.8
Total energy consumption in production, use and disposal in MJ	9150	9713
Lifetime cost to customer to buy and maintain in £	147	102



Do not write outside the

You should include environmental and economic factors.	
	[6 mar
_	

Turn over for the next question



0 5	This question is about the Earth's atmosphere and the Earth's resources.	
0 5.1	After the formation of the Earth's early atmosphere, the amounts of nitrogen and oxygen in the atmosphere changed.	
	Explain the main changes in the amounts of nitrogen and oxygen in the Earth's atmosphere.	[4 marks]
	Nitrogen	
	Oxygen	
0 5 . 2	Describe how coal was formed from the carbon dioxide present in the Earth's early atmosphere.	[4 marks]
0 5.3	The combustion of 1.0 kg of coal produces more carbon dioxide than the con of 1.0 kg of natural gas.	nbustion
	Suggest why.	[1 mark]



	Metals are extracted from metal ores found in the Earth.		outsid bo
0 5.4	Describe how bioleaching is used to extract copper from low grade ores.	[3 marks]	
0 5.5	Phytomining uses plants to extract nickel from low grade ores.		
	The plants contain 0.792% nickel by mass.		
	The plants are burned to produce ash.		
	The ash from these plants contains 4.80% nickel by mass.		
	Calculate the mass of ash produced from burning 1000 kg of plants.		
	Give your answer in grams in standard form.	[4 marks]	
	Mass of ash (in standard form) =	g	16




0 6	This question is about catalysts and equilibrium.	Do not write outside the box
0 6 . 1	What type of substance is a catalyst in biological systems?	
	[1 mark] Tick (✓) one box.	
	Algae	
	Alkene	
	Enzyme	
	Formulation	
0 6.2	Explain how a catalyst increases the rate of a reaction. [2 marks]	



	The reversible reaction for the production of ammonia is:	
	$N_2(g) + 3H_2(g) \rightleftharpoons 2NH_3(g)$	
0 6 . 3	What can scientists predict using Le Chatelier's Principle?	[1 mark]
0 6 . 4	Describe how a reversible chemical reaction is able to reach equilibrium.	[2 marks]
0 6 . 5	Explain the effect of increasing the pressure on the yield of ammonia.	[2 marks]
6.6	The forward reaction to produce ammonia is exothermic.	
	Explain the effect of increasing the temperature on the yield of ammonia.	[2 marks]
	END OF QUESTIONS	







Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Do not write outside the box

There are no questions printed on this page

DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED

Copyright information

For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2022 AQA and its licensors. All rights reserved.



