Please write clearly in	ı block capitals.	
Centre number	Candidate number	
Surname		
Forename(s)		
Candidate signature		
	I declare this is my own work.	

## GCSE COMBINED SCIENCE: SYNERGY

Foundation Tier

Paper 3 Physical Sciences

### Time allowed: 1 hour 45 minutes

#### Materials

For this paper you must have:

- a ruler
- a protractor
- a scientific calculator
- the periodic table (enclosed)
- the Physics Equations Sheet (enclosed).

#### Instructions

- Use black ink or black ball-point pen. Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer **all** questions in the spaces provided. Do not write outside the box around each page or on blank pages.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

#### Information

- The maximum mark for this paper is 100.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.



For Examiner's Use		
Question	Mark	
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		
TOTAL		







01.2	The mass of the person is 75 kg.	Do not write outside the box
	Calculate the weight of the person.	
	gravitational field strength = 9.8 N/kg	
	Use the equation:	
	weight = mass × gravitational field strength [2 marks]	
0 1.3	The resultant force acting on the person is zero. Which of the following describes the motion of the person? Tick (✓) one box. Velocity decreasing Moving at constant velocity Velocity increasing	
	Question 1 continues on the next page	



0 1 4	The horizontal force on the person is 4300 N.	Do not outside box
	Calculate the work done by this force in moving the person a horizontal distance of 500 m.	
	Use the equation:	
	work done = force × distance	
	Choose the unit from the box. [3 marks]	
	joules metres/second watts	
	,	
	Work done =	
	Unit	



		Do not write outside the
0 1.5	The speed of the boat changes.	DOX
	The height of the person above the water decreases by 18 m.	
	Calculate the decrease in gravitational potential energy of the person.	
	mass of person = 75 kg	
	gravitational field strength = 9.8 N/kg	
	Use the equation:	
	gravitational potential energy = mass × gravitational field strength × height	
	[2 marks]	
	Decrease in gravitational potential energy =J	9
	Turn over for the next question	



Turn over ►

02	This question is about reactions of metals.	Do not write outside the box
	A piece of magnesium reacts with dilute hydrochloric acid. Magnesium chloride solution and a gas are produced.	
02.1	Which gas is produced?   Tick ( ) one box.   Chlorine   Hydrogen   Oxygen	
02.2	Give <b>two</b> observations seen during the reaction. [2 marks] 1 2	



02.3	Magnesium chloride is formed from $Ma^{2+}$ ions and $CI^{-}$ ions	Do not write outside the box
	What is the formula of magnesium chloride?	
	Tick (✓) one box. [1 ma	rk]
	$MgCl \qquad MgCl_2 \qquad Mg_2Cl \qquad Mg_2Cl_2 \qquad \\$	
0 2 4	Calcium is in the same group as magnesium in the periodic table.	
	Tick (✓) one box.	rk]
	Ca <sup>+</sup> Ca <sup>-</sup> Ca <sup>2+</sup> Ca <sup>2-</sup>	
	Question 2 continues on the next page	
	Turn ov	er►



02.5	Figure 2 shows a cube of calcium.	Do not write outside the box
	Figure 2	
	How would you calculate the total surface area of this cube?	
	Tick (✓) <b>one</b> box.	
	Total surface area = 2 × 2 × 2	
	Total surface area = 2 × 2 × 4	
	Total surface area = 2 × 2 × 6	
	Total surface area = 2 × 4 × 6	
02.6	Complete the sentence.	
	Choose the answer from the box. [1 mark]	
	decreases stays the same increases	
	When a cube of calcium is cut into smaller pieces the	
	total surface area	



	A teacher investigated the reaction between calcium and water.			
	The teacher used the same mass of three different forms of calcium.			
	<ul> <li>The different forms of calcium were:</li> <li>powder</li> <li>small lumps</li> <li>large lumps.</li> </ul>			
	The teacher measured the time for each reaction to be complete.			
02.7	What is the independent variable in the investigation?	[1 mork]		
	Tick (✓) <b>one</b> box.	[1 mark]		
	Form of calcium			
	Mass of calcium			
	Time for reaction to be complete			
02.8	Which form of calcium will react the fastest? Tick (✓) <b>one</b> box.	[1 mark]		
	Powder			
	Small lumps			
	Large lumps			

Question 2 continues on the next page



Do not write outside the box

02.9	Which is the best Tick (✓) <b>one</b> box	way to display the results for the three different forms of calcium? [1 mark]	Do not write outside the box
	Bar chart		
	Line graph		
	Pie chart		10



		Do not write outside the box
0 3	An oven is connected to the mains electricity supply using a three-core cable.	
	Figure 3 shows the three-core cable.	
	Figure 3 Wire Live	
	Neutral	
03.1	The insulation covering the earth wire has green and yellow stripes. Give the colours of the insulation covering the live wire and the neutral wire.	
	[2 marks]	
	Live wire	
	Neutral wire	
	Question 3 continues on the next page	
	Turn over ▶	





Temperature in °C



		Do not write outside the box
0 3 . 3	Which statement describes the relationship shown in <b>Figure 4</b> ? [1 mark]	
	Tick $(\checkmark)$ one box.	
	As temperature increases, resistance decreases.	
	As temperature increases, resistance stays the same.	
	As temperature increases, resistance increases.	
03.4	Which temperature range shows the greatest decrease in the resistance of the thermistor?	
	[1 mark] [1 mark]	
	Between 50 and 100 °C	
	Between 100 and 150 °C	
	Between 150 and 200 °C	
	Between 200 and 250 °C	
	Question 3 continues on the next page	
	Turn over N	



03.5	The resistance of the heating element in the oven is 5.0 Ω. The current in the heating element is 12 A. Calculate the power output of the heating element. Use the equation: power = (current) <sup>2</sup> × resistance [2 marks]	Do not write outside the box
	Power = W	
03.6	Calculate the energy transferred by the oven when 8000 C of charge flows through the heating element. The potential difference across the heating element is 230 V. Use the equation: energy transferred = charge flow × potential difference [2 marks]	
	Energy transferred = J	



		Do not write outside the
0 3.7	An LED on the oven is connected to an alternating current supply.	box
	When the supply is switched on, the LED flashes on and off continuously.	
	[2 marks]	
		11
	Turn over for the next question	
	Turn over ►	



04	This question is about hydrocarbons. Methane is a hydrocarbon. The formula of methane is CH <sub>4</sub>		Do not write outside the box
04.1	Name the <b>two</b> elements in methane.	[2 marks]	
04.2	Complete <b>Figure 5</b> to show the structure of a methane (CH <sub>4</sub> ) molecule. <b>Figure 5</b>	[1 mark]	
	H – C		
04.3	What is the type of bonding in methane?   Tick (✓) one box.   Covalent   Ionic   Metallic	[1 mark]	



			Do not w outside
0 4 . 4	Calculate the percentage by mass of element C in a $CH_4$ molecule.		box
	Relative atomic mass $(A_r)$ : C = 12		
	Relative formula mass ( $M_r$ ): CH <sub>4</sub> = 16	[2 marks]	
	Percentage of C =	%	
	Cracking breaks down hydrocarbons into smaller molecules.		
0 4 . 5	Name <b>one</b> method of cracking.		
		[1 mark]	
	$C_{13}H_{28}$ is a hydrocarbon.		
0 4 - 6	$C_{13}H_{28}$ is cracked to produce $C_8H_{18}$ and another product.		
	Complete the equation for the reaction.	[1 mark]	
	$C_{40}H_{00} \longrightarrow C_{0}H_{40} + C H$		
	-13·28 - 8·18		
	Question 4 continues on the next page		
		Turn over ►	



04.7	C <sub>8</sub> H <sub>18</sub> and C <sub>13</sub> H <sub>28</sub> are both alkanes.	Do not write outside the box
	$C_8H_{18}$ is a smaller molecule than $C_{13}H_{28}$	
	Give <b>one</b> use of alkanes that have small molecules. [1 mark]	
04.8	Cracking also produces alkenes. Ethene is an alkene.	
	What is the formula of ethene? [1 mark] Tick ( $\checkmark$ ) one box. $C_2H_4$ $C_2H_6$ $C_3H_6$ $C_3H_8$	
04.9	Complete the sentence. [1 mark] Ethene molecules join together to form a long-chain molecule called	





A student has a cotton shirt.

**Table 1** shows the percentage of the total water used at each stage in the LCA for the cotton shirt.

	Stage	Percentage of total water used (%)	
	Disposal at end of useful life	1	
	Extracting and processing raw materials	22	
	Manufacturing and packaging	X	
	Use and operation during lifetime	71	
0 5.3	Calculate value <b>X</b> in <b>Table 1</b> .		[1 mark]
		X =	%
0 5.4	The use and operation stage of the LCA use	es 71% of the total water used	
	Suggest the main use of water during this st	age.	[1 mark]



Table 1

0 5.5	Give <b>two</b> factors that need to be considered at the manufacturing and packaging stage of the LCA for the cotton shirt.	
	Do <b>not</b> refer to water in your answer.	[2 marks]
	1	
	2	
0 5 6	The student grows taller and the cotton shirt no longer fits the student.	
	Suggest how the student can reduce the impact of the cotton shirt on the environment.	
	Give <b>one</b> reason why this reduces the impact on the environment.	[2 marks]
	Suggestion	
	Reason	
	Turn over for the next question	
	rum over for the next question	



Do not write outside the box









06.3	At one point in the journey the car had an acceleration of 0.12 m/s <sup>2</sup> . The car has a mass of 800 kg. Calculate the resultant force on the car. Use the equation: resultant force = mass × acceleration	Do not write outside the box
	[2 marks	]
		-
	Resultant force = N	-







	This question is about substances found in the Earth's crust.	box			
0 7.1	Aluminium silicate is a compound found in the Earth's crust. The formula of aluminium silicate is Al <sub>2</sub> SiO <sub>5</sub>				
	What is the total number of atoms in the formula $Al_2SiO_5$ ? Tick ( $\checkmark$ ) <b>one</b> box.				
	3 5 7 8				





**0 7 . 2 Table 2** shows the percentage of some elements found in the Earth's crust.

Table 2

Element	Percentage in the Earth's crust (%)
Aluminium	8
Iron	5
Oxygen	47
Silicon	28

Calculate the simplest whole number ratio for the percentage of silicon to the percentage of aluminium in the Earth's crust.

#### [2 marks]

ŝ

Simplest whole number ratio for:

percentage of silicon : percentage of aluminium = \_\_\_\_\_

Question 7 continues on the next page



Turn over ►

	Iron is found as iron oxide in the Earth's crust	Do not write outside the box
	Iron can be extracted by heating iron oxide with carbon.	
0 7 3	Why is iron oxide reacted with carbon to extract iron?	
	Tick (✓) <b>one</b> box.	
	Iron is less reactive than carbon.	
	Iron has the same reactivity as carbon.	
	Iron is more reactive than carbon.	
07.4	The word equation for the reaction to extract iron is:	
	iron oxide + carbon —► iron + carbon dioxide	
	Which reactant is reduced?	
	[1 mark] Tick (✓) one box	
	Carbon	
	Carbon dioxide	
	Iron	
	Iron oxide	





















0 8	This question is about structure and bonding.	Do not write outside the box
0 8 1	Figure 10 represents the electronic structure of an atom of an element.	
	Figure 10	
	Name the element in <b>Figure 10</b> .	
	Give <b>one</b> reason for your answer.	
	Use the periodic table. [2 marks]	
	Element	
	Reason	
	Sodium reacts with fluorine to produce sodium fluoride.	
	Sodium fluoride is an ionic compound.	
08.2	An atom of sodium and an atom of fluorine react to form a sodium ion and a fluoride ion.	
	Complete the dot and cross diagram for the sodium ion and the fluoride ion.	
	Show the charges on the ions. [2 marks]	
	$Na \bullet + \stackrel{\times \times}{F} \stackrel{\times \times}{F} \longrightarrow \left[ Na \right] \left[ F \right]$	



08.3	Figure 11 represents the structure of sodium fluoride.	Do not write outside the box
	Figure 11	
	Describe how sodium ions and fluoride ions are held together in sodium fluoride. [3 marks]	
08.4	What is a property of sodium fluoride? [1 mark] Tick (✓) one box.	
	Conducts electricity when solid	
	High melting point	
	Low boiling point	8

Turn over ►







09.3	Write down the equation which links current ( $I$ ), potential difference ( $V$ ) and		Do not write outside the box
	resistance ( <i>R</i> ).	[1 mark]	
09.4	For one length of wire the potential difference across the wire was 1.68 V.		
	The current in the wire was 0.70 A.		
	Calculate the resistance of this length of wire.	8 marks]	
	Resistance =	Ω	
	Question 9 continues on the next page		







		Do not write outside the
		box
-		
-		
		12
-		12
	Turns over for the next monthing	
	i urn over for the next question	
	iurn over ►	







1 0	This question is about groups in the periodic table. Neon and argon are Group 0 elements.
10.1	What name is given to Group 0? [1 mark]
10.2	Give <b>one</b> similarity of the electronic structure of neon and the electronic structure of argon. [1 mark]
10.3	Give <b>one</b> difference between the electronic structure of neon and the electronic structure of argon. [1 mark]
	Question 10 continues on the next page



Do not write outside the box **1 0 . 4 Table 3** shows information about elements in Group 1.

Table 3

Element	Relative atomic mass	Melting point in °C
Lithium	7	181
Sodium	23	98
Potassium	39	64
Rubidium	85	39
Caesium	133	29

Complete Figure 14.

You should:

- label both axes
- plot the data from Table 3.

#### [3 marks]







10.5	Give <b>one</b> conclusion from the data in <b>Figure 14</b> on page 43. [1 mark]	Do not write outside the box
		7
	END OF QUESTIONS	







Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Question number	Additional page, if required. Write the question numbers in the left-hand margin.
	Copyright information
	For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk.
	Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.
	Copyright © 2021 AQA and its licensors. All rights reserved.



