Time allowed: 1 hour 45 minutes



# **GCSE COMBINED SCIENCE: SYNERGY**



Foundation Tier Paper 3F

# Specimen 2018

# **Materials**

For this paper you must have:

- a ruler
- a calculator
- the periodic table (enclosed)
- the Physics equation sheet (enclosed).

### **Instructions**

- Answer all questions in the spaces provided.
- Do all rough work in this book. Cross through any work you do not want to be marked.

### Information

- There are 100 marks available on this paper.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.
- When answering questions 04.3, 10.2 and 10.5 you need to make sure that your answer:
  - is clear, logical, sensibly structured
  - fully meets the requirements of the question
  - shows that each separate point or step supports the overall answer.

### Advice


In all calculations, show clearly how you work out your answer.

Please write clea	arly, i	n b	lock	cap	oital	ls.													
Centre number						С	an	did	ate	nu	mb	er							
Surname																			]
Forename(s)		_ _												_ _					
																			- - /



0 1	This question is about forces.		
0 1 . 1	Force is a vector quantity.  Which is a correct statement about a vector quantity.  Tick <b>one</b> box.	ector quantity?	[1 mark]
	Has direction only  Has direction and magnitude  Has magnitude only  Has neither magnitude nor direction		
0 1 . 2	A newtonmeter measures the weight of Look at <b>Figure 1</b> .	f an object.	

Figure 1



What is the weight of the object in **Figure 1**?

[1 mark]

Weight = \_\_\_\_\_ N

0 1 . 3	An object has a weight of 6.4 N.
	Calculate the mass of the object.
	Use the equation
	mass = weight $\div$ gravitational field strength ( $g$ )
	gravitational field strength = 9.8 N/kg
	[1 mark]
	Mass = kg
0 1 . 4	The mass of a bag of sugar is 1 kg.
	<ul> <li>On Earth the weight of this bag of sugar is 10 N.</li> </ul>
	On Mars the weight of this bag of sugar is 4 N.
	Suggest why the weight of the bag of sugar is different on Earth and on Mars.  [1 mark]

Turn over for the next question

	7	
0 2	The elements in the periodic table are arranged in groups.	
0 2 . 1	What is similar about the elements in the same group?  Tick <b>one</b> box.	[1 mark]
	Chemical properties  Atomic numbers  Relative atomic masses	
0 2 . 2	Figure 2 shows the arrangement of electrons in an atom.	
	Figure 2	
	XX	

What group of the periodic table is this atom in?

[1 mark]

Group \_\_\_\_\_


0 2 . 3	Why are the elements in Group 0 unreactive?	[1 mark]
	Tick <b>one</b> box.	[1 mark]
	They are all gases at room temperature	
	They all have the same atomic number	
	They are all in the same group of the periodic table	
	They all have a stable arrangement of electrons	

Question 2 continues on the next page

A teacher demonstrates the reaction of some alkali metals with water.

# Look at Figure 3.

Figure 3



The students write what they see.

- 1. The alkali metals float on water.
- 2. The alkali metals fizz when they react with water.
- 3. The universal indicator changes from green to purple.
- 4. The sodium disappears faster than the lithium.

0 2 . 4	Give a reason for each of the four things that the students see.	[4 marks]
	The alkali metals float on water.	
	Reason	
	2. The alkali metals fizz when they react with water.	
	Reason	
	3. The universal indicator changes from green to purple.	
	Reason	
	4. The sodium disappears faster than the lithium.	
	Reason	

Turn over for the next question

0 3	This question is about the reactions of acids.	
0 3 . 1	When dilute hydrochloric acid is reacted with sodium hydroxide solution there is temperature change.	s a
	Explain how the temperature changes.	
	[2 r	narks]
0 3 . 2	Acids produce hydrogen ions in aqueous solutions.	
	What is the ionic equation for neutralisation reactions?	mark]
	Tick <b>one</b> box.	
	$H^+$ (aq) + $H_2O(I)$ $\rightarrow$ $H_3O^+$ (aq)	
	$H^+$ (aq) + $OH^-$ (aq) $\rightarrow$ $H_2O(I)$	
	$2 H_2O(I) \rightarrow H_3O^+(aq) + OH^-(aq)$	
	$H_2O(I) \rightarrow 2 H^+(aq) + O^{2-}(aq)$	

0 3 . 3	Sulfuric acid reacts with copper carbonate to produce a salt, water and
	carbon dioxide.

$$H_2SO_4 + CuCO_3 \longrightarrow CuSO_4 + H_2O + CO_2$$

What is the name of the salt produced?

[1 mark]

A student reacted four metals with water and with a dilute acid to work out the order of reactivity of the metals.

**Table 1** shows some of the observations.

Table 1

Metal	Reaction with water	Reaction with dilute acid
Calcium	Bubbles of gas	X
Copper	Υ	No bubbles of gas
Magnesium	Few bubbles of gas	Bubbles of gas
Zinc	No bubbles of gas	Bubbles of gas

0 3 . 4 Write the observati	ions for <b>X</b> and <b>Y</b> . [2 marks]
Observation at <b>X</b>	
Observation at <b>Y</b>	

0 3 . 5 Write the four metals, calcium, copper, magnesium and zinc, in order of reactivity.

Start with the **most** reactive metal.

[2 marks]

O 3 . 6 Some gases given off in reactions can be identified by chemical tests.

Draw one line from each chemical test to the name of the gas.

[3 marks]

# **Chemical test** Gas Carbon dioxide Put in a lighted splint. The gas burns with a pop sound. Chlorine Put in a glowing splint. The gas relights the Hydrogen splint. Nitrogen Put into limewater. The gas turns limewater cloudy. Oxygen

 $\boxed{\mathbf{0} \ \mathbf{3}}$  .  $\boxed{\mathbf{7}}$  Acids react with bases to produce salts and water (H<sub>2</sub>O).

The electronic structure of a hydrogen atom is 2,1

The electronic structure of an oxygen atom is 2,6


Draw a diagram to show the arrangement of the outer shell electrons in a molecule of water.

[2 marks]

0 4	The area around a magnet is called the magnetic field.	
0 4 . 1	The Earth has a magnetic field.  What causes the Earth's magnetic field?  Tick one box.	[1 mark]
	The movement of liquid iron in the Earth's outer core  The gravitational field of the Earth  The permanent magnet in the Earth's core	
0 4 . 2	Look at <b>Figure 4</b> .  Figure 4	
	On a site well-a horought to sether	
	Opposite poles brought together  N S N S	
	Same poles brought together	
	S N N S	
	What will happen in each case when the poles of two magnets are brought together?	close [2 marks]
	Opposite poles brought together	
	Same poles brought together	

0 4 . 3 Figure 5 shows an electromagnet being used to lift a car in a scrapyard.





An electromagnet is a solenoid.


Explain why it is better to use an electromagnet rather than a permanent magnet in a scrapyard.

You should include a comparison of the properties of electromagnets and permanent magnets in your answer.	[4 marks]

# Turn over for the next question

- There are several different forms of carbon and many different carbon compounds.
- 0 5 . 1 Figure 6 shows a 3D model of a molecule of methane (CH<sub>4</sub>).

Figure 6



Draw the 2D structure of a methane molecule.


[1 mark]


0 5 . 2 Different forms of carbon have different bonding and structure.


Draw **one** line from the form of carbon to the bonding and structure.

[3 marks]

### Form of carbon







# **Bonding and structure**

Each carbon atom is bonded to three other carbon atoms in a single layer

Each carbon atom is bonded to four other carbon atoms

Layers of carbon atoms with no covalent bonds between the layers

Carbon ions held together by strong electrostatic forces

Pairs of carbon atoms with no covalent bonds between the molecules


Question 5 continues on the next page

Crude oil is a mixture of many different carbon compounds.

Crude oil can be separated into useful fractions by fractional distillation.

Figure 7 shows a column used to separate crude oil.

Figure 7



0 5 . 3 Complete the sentences.

Use words from the box.

[2 marks]

condense	evaporate	treeze	
			<u> </u>
Crude oil is heated	so that most of the compounds		·
At different tempera	atures the compounds cool and		

0 5 . 4	Which fraction is the most <b>viscous</b> ?		[1 mark]
	Tick <b>one</b> box.		[1 mark]
	Engine oil		
	Diesel oil		
	Kerosene		
	Petrol		
0 5 . 5	Which fraction is the most <b>flammable</b> ?		[1 mork]
	Tick <b>one</b> box.		[1 mark]
	Diesel oil		
	Kerosene		
	Petrol		
	Refinery gas		
0 5 . 6	Why does kerosene separate out of the	mixture before diesel oil?	
			[1 mark]

Turn over for the next question

10
There are no questions printed on this page

0 6	An electric current i	s a flow of electric	cal charge thro	ough a circuit.	
0 6 . 1	Complete the sent				[1 mark]
	atoms	electrons	ions	molecules	
0 6 . 2	Metals are good of by delocalised  Draw <b>one</b> line from				s transferred [3 marks]
	Standard symbol	ſ	Na	ıme of component	
	-&-			Battery	
				Lamp	
				LED	
	*.	٦		Resistor	
				Switch	

0 6 . 3 Table 2 shows information about some electrical appliances.

Table 2


Electrical appliance	Power in watts
Hairdryer	1500
Kettle	2500
Electric hob	3000
Television	360

A student plugs all four of the appliances into one multi-way socket.	
The mains electricity is 230 V.	
The highest safe current in the socket is 30 A.	
Explain why it is not safe to use all four appliances at the same time.	
In your answer you should:	
<ul><li>calculate the total power needed</li><li>use the equation</li></ul>	
current = power ÷ potential difference	
to calculate the total current needed.	oukol
	arks]
	narks]

Question 6 continues on the next page

**Figure 8** shows how electrical power is transferred from power stations to consumers using the National Grid.

# Figure 8



0 6 . 4	Transformer 1 is a step-up transformer.	
	Explain why step-up transformers are used in the National Grid.	[3 marks]
0 6 . 5	What is the purpose of Transformer 2?	
		[1 mark]

0 6 . 6	In a power station 900 MJ of thermal energy were released by burning natural gas.
	Write down the equation that links efficiency, useful input energy transfer and useful output energy transfer.
	[1 mark]
0 6 . 7	In a power station 900 MJ of thermal energy were released by burning natural gas.
	Only 405 MJ was generated.
	Calculate the efficiency of this energy transfer.
	[2 marks]
	Efficiency =


Turn over for the next question

There are no questions printed on this page				

**0 7** This question is about the electrolysis of two compounds.

Figure 9 shows the electrolysis of molten lead bromide.

Figure 9




 $\boxed{\mathbf{0} \ \mathbf{7}}$  .  $\boxed{\mathbf{1}}$  The electrolyte contains lead ions (Pb<sup>2+</sup>) and bromide ions (Br<sup>-</sup>).

Complete the sentences.

Use words from the box.

[3 marks]



At the positive electrode the gas produced is

At the negative electrode lead \_\_\_\_\_ gain electrons and

turn into lead .

A student measured the volumes of each gas produced during the electrolysis of water.

**Table 3** shows the student's results.

Table 3

Time in minutes	Volume of gas	produced in cm <sup>3</sup>	
Time in minutes	Hydrogen	Oxygen	
0	0	0	
2	11.2	5.4	
4	20.1	11.4	
6	32.5	17.6	
8	40.0	23.7	
10	60.9	30.0	

0 7 . 2 The student plotted a graph of the results for oxygen. Figure 10 shows the graph.


The student did not put a scale on the y axis.

On the graph in Figure 10:

- complete the scale for the y axis
- plot the results for hydrogen
- include a line of best fit.

[3 marks]

Figure 10



0 7 . 3	Use the graph to calculate the mean volume of oxygen produced per second	3 marks]
	Mean volume of oxygen produced =	cm <sup>3</sup> /s


0 8	Formulae and equations are used to describe chemical reactions.	
0 8 . 1	Aluminium reacts with sulfuric acid ( $H_2SO_4$ ) to produce aluminium sulfate, $Al_2(SO_4)_3$ and hydrogen ( $H_2$ ).	
	Complete and balance the equation for this reaction.	arks]
	Al + +	
0 8 . 2	Calcium carbonate reacts with nitric acid to produce calcium nitrate.	
	Calculate the relative formula mass $(M_r)$ of calcium nitrate, $Ca(NO_3)_2$	
	Relative atomic masses ( $A_r$ ): N = 14; O = 16; Ca = 40 [2 m	narks]
	Relative formula mass $(M_r) =$	

Zinc carbonate decomposes when heated.

A student heated 25 g zinc carbonate (ZnCO<sub>3</sub>).

Figure 11 shows how he set up the apparatus.

Figure 11



The balanced chemical equation for the decomposition reaction is:

$$ZnCO_3$$
 (s)  $\longrightarrow$   $ZnO$  (s) +  $CO_2$  (g)

The student measured the mass of solid product after heating until there was no further change in mass.

The student did the experiment four times. **Table 4** shows the results.

Table 4

Experiment	1	2	3	4
Mass of solid product in g	17.4	19.7	17.6	16.9

0 8 . 3	Calculate the mean mass of the solid product.	
	Do <b>not</b> use any anomalous results in your calculation.	[2 marks]

Mean mass =

g

- **0 9** The rate of chemical reactions can be changed by changing the conditions.
- 0 9 . 1 Methane burns in oxygen to produce carbon dioxide and water.

The activation energy for the reaction is 2648 kJ/mol.

The reaction gives out 818 kJ/mol of energy.

**Figure 12** shows the reaction profile for this reaction.


Complete the reaction profile.

Draw arrows to represent:

- the activation energy
- the energy given out.

[4 marks]

Figure 12



0 9 . 2	What percentage of the activation energy is the energy given out?  [1 mark]
0 9 . 3	Calcium carbonate decomposes when it is heated:
	The decomposition of calcium carbonate is an endothermic reaction.
	How would the reaction profile for decomposition of calcium carbonate be different from the reaction profile of methane burning in oxygen?  [1 mark]
0 9 . 4	Catalysts are used in chemical reactions in industry.
	Give <b>two</b> properties of catalysts.
	For each property, explain why it makes the catalyst useful in industry.  [4 marks]


0 9 . 5	Enzymes are biological catalysts.		
	What type of molecule is an enzy	me?	F4 11
	Tick <b>one</b> box.		[1 mark]
	Carbohydrate		
	Hydrocarbon		
	Lipid		
	Protein		
0 9 . 6	If enzymes are denatured they sto	op working.	
	Give <b>two</b> ways an enzyme can be	e denatured.	[2 marks]
	1		[Z marks]
	2		
	_		
0 9 . 7	An enzyme called lactase catalyse smaller molecules.	es the reaction that breaks down lactose	to
	One model used to explain how er and key model.	nzymes affect reactions is called the lock	<
	Use the lock and key model to exp chemical reactions.	olain why lactase cannot be used to spec	ed up <b>all</b>
	chemical reactions.		[3 marks]

1 0	This question is about	speed.	
10.1	What is a typical valu	ue for the speed of sound?	[1 mark]
	3.3  m/s $3.3 \times 10^2 \text{ m/s}$ $3.3 \times 10^3 \text{ m/s}$		
	$3.3 \times 10^6 \text{ m/s}$		

Question 10 continues on the next page

1 0 . 2 Figure 13 shows a distance—time graph of a car.

Figure 13



Explain what Figure 13 shows about the motion of the car between point  ${\bf A}$  and point  ${\bf E}$ .

You should use values from <b>Figure 13</b> in your answer.	[4 marks]

		35	
1 0 . 3	The kinetic energy of a movin	ng car depends on the car	's mass and speed.
	Write down the equation that links kinetic energy, mass and spee		
1 0 . 4	A car has a mass of 1 650 kg <b>Table 5</b> shows the kinetic en		11 m/s.
		Table 5	
	Mass of car in kg	Speed in m/s	Kinetic energy in J
	1 650	11	99 825
	1 650	30	
Calculate the missing value in <b>Table 5</b> .  Give your answer in kilojoules (kJ).			[2 marks]
		Kinetic energy =	kJ

Question 10 continues on the next page

Turn over ▶ SPECIMEN MATERIAL

1 0 . 5 A man is driving his car at a constant speed on a wet road.

He sees a fallen tree on the wet road and tries to stop quickly to prevent an accident.

Figure 14



Explain why the man may not be able to stop in time.	[6 marks]

**END OF QUESTIONS** 

# There are no questions printed on this page

### Copyright information

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements in future papers if notified. If you have any queries please contact the Copyright Team, AQA, Stag Hill House, Guildford, GU2 7XJ.

Figure 14: © Dan Moore/Thinkstock

Copyright © 2016 AQA and its licensors. All rights reserved.