Time allowed: 1 hour 15 minutes



# GCSE COMBINED SCIENCE: TRILOGY



Foundation Tier Paper 3: Chemistry 1F

# Specimen 2018

# Materials

For this paper you must have:

- a ruler
- a calculator
- the periodic table (enclosed)

### Instructions

- Answer all questions in the spaces provided.
- Do all rough work in this book. Cross through any work you do not want to be marked.

## Information

- There are 70 marks available on this paper.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.
- When answering questions 02.4, 03.4 and 05 you need to make sure that your answer:
  - is clear, logical, sensibly structured
  - fully meets the requirements of the question
  - shows that each separate point or step supports the overall answer.

### **Advice**

In all calculations, show clearly how you work out your answer.

Please write clearly	y, in b	lock	ca ca	pita	als.													
Centre number					(	Car	ndid	date	e nı	umk	oer							
Surname																		
Forename(s)																		
Candidate signatur	re																	- )

There	are	no	questions	on	this	page
	<b>u</b> . <b>u</b>	•••	9400010	•••		Pago

0 1	The pH scale is a measure of the a	acidity or alkalinity of a solution.	
0 1 . 1	Draw one line from each solution	to the pH value of the solution.	[2 marks]
	Solution	pH value of the solution	
		5	
	Acid	7	
		9	
	Neutral	11	
		13	
0 1 . 2	Which ion in aqueous solution ca	nuses acidity?	[1 mark]
	Tick <b>one</b> box.		[1 mark]
	H+		
	Na <sup>+</sup>		
	O <sup>2-</sup>		
	OH <sup>-</sup>		

Question 1 continues on the next page

	When sulfuric acid is added to sodium hydroxide a reaction occurs to products.	ce two
	The equation is:	
	$H_2SO_4$ + 2NaOH $\rightarrow$ Na <sub>2</sub> SO <sub>4</sub> + 2H <sub>2</sub> O	
0 1 . 3	How many elements are in the formula $H_2SO_4$ ? Tick <b>one</b> box.	[1 mark]
	3 <u> </u>	
	6	
0 1 . 4	What is this type of reaction?  Tick <b>one</b> box.	[1 mark]
	Decomposition  Displacement  Neutralisation  Reduction	
0 1 . 5	Name the salt produced.	[1 mark]

0 1 . 6	Describe how an indicator can be used to show when all the sodium hydroxide has reacted with sulfuric acid.
	[3 marks]

Turn over for the next question

**0 2** John Newlands arranged the known elements into a table in order of atomic weight.

Figure 1 shows part of Newlands' table.

Figure 1

Group	1	2	3	4	5	6	7
	Н	Li	Ве	В	С	N	0
	F	Na	Mg	Al	Si	Р	S
	CI	К	Ca				

0 2 . 1 Wha	s in Group 5 of Newlands' table?	[1 mark]	
Ti	ck <b>one</b> box.		
C	alcium and sulfur		
C	arbon and silicon		
C	nlorine and silver		
C	nromium and tin		

0 2 . 2	In what order is the modern periodic table arranged?	mark]
	Tick <b>one</b> box.	
	Atomic mass	
	Atomic number	
	Atomic size	
	Atomic weight	
0 2 . 3	Give <b>two</b> differences between Group 1 of Newlands' table and Group 1 of the periodic table.  [2 n	narks]

Question 2 continues on the next page


0 2 . 4

In 1864, atoms were thought to be particles that could not be divided up into smaller particles.

By 1898, the electron had been discovered and the plum pudding model of an atom was proposed.

Figure 2 shows the plum pudding model of an atom of carbon and the nuclear model of an atom of carbon.

Figure 2



Compare the position of the subatomic particles in the plum pudding model with the nuclear model.

[4 marks]

[1 mark]

0 2 . 5 Models are used to show the differences between elements, compounds and

Tick <b>one</b> box.		
	Ar Ar Ar	
	$ \begin{pmatrix} Ar \\ N_2 & O_2 \\ CO_2 \end{pmatrix} $	
	$\begin{pmatrix} N_2 & N_2 \\ N_2 & N_2 \end{pmatrix}$	
	(00)	

Which circle shows a model of a mixture?

mixtures.

Question 2 continues on the next page

Figure 3 shows a model of carbon dioxide.

	Figure :	3	
	o = c =	= O	
0 2 . 6	What does each line between the ator Tick <b>one</b> box.		[1 mark]
	Covalent bond Intermolecular force Ionic bond Metallic bond		

0 3

Some students investigated the reactivity of four unknown metals, W, X, Y and Z.

The letters are not the symbols of these elements.

The students used metal salt solutions of copper nitrate, magnesium sulfate and zinc chloride.


This is the method used.

- 1. Pour a solution of a metal salt into a glass beaker.
- 2. Measure the temperature of the solution.
- 3. Add 1 g of metal to the solution.
- 4. Measure the temperature of the solution.
- 5. Calculate the temperature increase.

The students did the experiment using each salt solution with each metal.

**Figure 4** shows the apparatus the students used.

Figure 4



Question 3 continues on the next page

Table 1 shows the students' results.

Table 1

	Temperature increase in °C					
Solution	Metal W	Metal X	Metal Y	Metal Z		
Copper nitrate	46	10	29	No change		
Magnesium sulfate	No change	No change	No change	No change		
Zinc chloride	15	No change	No change	No change		


0 3 . 1	Which metal is <b>least</b> reactive?		[1 mark]
	Tick <b>one</b> box.		[ i iliai kj
	Metal W		
	Metal X		
	Metal Y		
	Metal Z		
0 3 . 2	How do the results show that m <b>W</b> , <b>X</b> , <b>Y</b> and <b>Z</b> ?	agnesium is <b>more</b> reactive than the metals	
			[1 mark]

0 3 . 3	How do the results show that the reaction between metal <b>Y</b> and copper nitrate solution is exothermic?
	[1 mark]
0 3 . 4	One student said that the investigation was not valid (a fair test).
	Write a plan for the investigation that includes improvements to the method and apparatus.
	[4 marks]

Question 3 continues on the next page

Figure 5 shows the reaction profile of an exothermic reaction.

# Figure 5



0 3 . 5	What does the energy value of 1370 kJ r	epresent?	[1 mould
	Tick <b>one</b> box.		[1 mark]
	Activation energy		
	Products energy		
	Reactants energy		
	Released energy		
0 3 . 6	The overall energy change is 386 kJ.		
	What percentage of 1370 kJ is this?		
	Give your answer to two significant figure	es.	
			[2 marks]
	Percent	age =	%

# Turn over for the next question


- **0 4** The three states of matter are solid, liquid and gas.
- 0 4 . 1 Lithium reacts with water to produce lithium hydroxide solution and hydrogen.

Use the correct state symbols from the box to complete the chemical equation.

[2 marks]

**Figure 6** shows the melting points and the boiling points of four substances, **A**, **B**, **C** and **D**.






0 4 . 2	Which substance is liquid over the greatest temperature range?  Tick <b>one</b> box.	[1 mark]
0 4 . 3	A	[1 mark]
0 4 . 4	A different substance, <b>E</b> , has:  • a melting point of -50 °C  • a boiling point of +120 °C  Plot these two values on <b>Figure 6</b> .	[2 marks]
	Question 4 continues on the next page	[E maiks]

**Figure 7** shows the apparatus a student used to determine the melting point and the boiling point of substance **B** in **Figure 6**.

Figure 7



0 4 . 5	Explain why the student could not use this apparatus to determine the boiling point of substance <b>B</b> .
	[2 marks]
0 4 . 6	Suggest <b>one</b> reason why the student could not use this apparatus to determine the exact melting point of substance <b>B</b> .
	[1 mark]


# Turn over for the next question

0 5

This question is about making copper salts.

Figure 8 shows the apparatus given to a student.

Figure 8




Outline a safe plan the student could use to make pure, dry, crystals of salt copper sulfate from the insoluble metal oxide and dilute acid.	the soluble
	[6 marks]

Turn over for the next question

**6 Figure 9** shows an apparatus to produce elements from a solution of an ionic compound.

Figure 9



0 6 . 1	What is the name of the process i	in <b>Figure 9</b> ?	
			[1 mark]
	Tick <b>one</b> box.		
	Combustion		
	Crystallisation		
	Distillation		
	Electrolysis		

**Table 2** shows the products formed from three experiments using different compounds and the apparatus shown in **Figure 9**.

Table 2


Compound	State	Product at cathode	Product at anode
Copper chloride	Molten	Copper	Chlorine
Copper chloride	Aqueous solution	Copper	Chlorine
Potassium bromide	Molten	Potassium	Bromine

0 6 . 2	Use <b>Table 2</b> to name the products formed at each electrode if using an aqueous solution of potassium bromide.	
	At cathode At anode	[2 marks]
0 6 . 3	Explain why copper is formed at the cathode during the electrolysis of	its salts. [ <b>2 marks]</b>

0 7	This question is about calcium.	
0 7 . 1	What type of compound is calcium oxide?  Tick <b>one</b> box.	[1 mark]
	An acid  A base  A carbonate  A salt	
0 7 . 2	lonic compounds, such as calcium oxide, have high melting points.  Complete the sentences. Use words from the box.  bonds forces ions layers	[1 mark]
	Calcium oxide has a giant ionic lattice in which there are strong electrostatic of attraction in all directions.	

0 7 . 3 Figure 10 shows the electronic structure of an oxygen atom and a calcium atom.

Figure 10



Describe how the calcium atom and the oxygen atom forms calcium oxide.

You should give the charge on each ion formed.

[4 marks]


Turn over for the next question

There are no questions printed on this page			

0 8

Figure 12 shows a reactor used to produce titanium from titanium(IV) chloride.

Figure 12



The chemical equation for the reaction of titanium(IV) chloride with sodium is:

# 0 8 . 1 For one reaction:

- 1615 kg titanium(IV) chloride reacted completely with 782 kg sodium
- 1989 kg sodium chloride was produced.

Calculate the mass of titanium produced from this reaction.

[1 mark]

Mass of titanium = kg

**0 8** . **2 Table 3** shows the solubility of sodium chloride in 100 cm<sup>3</sup> of aqueous solution at different temperatures.

Table 3


Solubility of sodium chloride in g per 100cm <sup>3</sup>	Temperature in °C
35.72	10
35.89	20
36.09	30
37.37	40
36.69	50
37.04	60

# On Figure 13:

- plot this data on the grid
- draw a line of best fit.

[3 marks]

Figure 13



Question 8 continues on the next page

08.3	The product sodium chloride is dissolved in water to separate it from titanium.	
	At 30 °C the solubility of sodium chloride is 36 kg per 100 dm <sup>3</sup> .	
	Calculate the minimum volume of water in $\rm dm^3$ , at 30 °C, needed to dissolve 1989 kg sodium chloride.	
	[2 marks]	
		-
	Volume of water = dm <sup>3</sup>	_
08.4	Calculate the percentage by mass of titanium in titanium(IV) chloride (TiCl <sub>4</sub> ).	
	Give your answer to 3 significant figures.	
	Relative atomic masses $(A_r)$ : CI = 35.5; Ti = 48 [3 mark	ks]
		_
	Percentage of titanium by mass =	- %

0 8 . 5	Suggest why the reaction is done in an atmosphere of dry argon instead of air		
	containing water vapour.	[3 marks]	
0 8 . 6	Explain why titanium conducts electricity.	[3 marks]	

# **END OF QUESTIONS**

# There are no questions printed on this page

### Copyright information

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements in future papers if notified. If you have any queries please contact the Copyright Team, AQA, Stag Hill House, Guildford, GU2 7XJ.

Copyright © 2016 AQA and its licensors. All rights reserved.