

Higher

GCSE

Biology A Gateway

J247/04: Paper 4 (Higher Tier)

General Certificate of Secondary Education

Mark Scheme for June 2022

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

© OCR 2022

MARKING INSTRUCTIONS

PREPARATION FOR MARKING

RM ASSESSOR

- 1. Make sure that you have accessed and completed the relevant training packages for on-screen marking: RM Assessor Online Training; OCR Essential Guide to Marking.
- 2. Make sure that you have read and understood the mark scheme and the question paper for this unit. These are available in RM Assessor.
- 3. Log-in to RM Assessor and mark the **required number** of practice responses ("scripts") and the **required number** of standardisation responses.

MARKING

- 1. Mark strictly to the mark scheme.
- 2. Marks awarded must relate directly to the marking criteria.
- 3. The schedule of dates is very important. It is essential that you meet the RM Assessor 50% and 100% (traditional 50% Batch 1 and 100% Batch 2) deadlines. If you experience problems, you must contact your Team Leader (Supervisor) without delay.
- 4. If you are in any doubt about applying the mark scheme, consult your Team Leader by telephone, email or via the RM Assessor messaging system.

- 5. Work crossed out:
 - a. where a candidate crosses out an answer and provides an alternative response, the crossed out response is not marked and gains no marks
 - b. if a candidate crosses out an answer to a whole question and makes no second attempt, and if the inclusion of the answer does not cause a rubric infringement, the assessor should attempt to mark the crossed out answer and award marks appropriately.
- 6. Always check the pages (and additional objects if present) at the end of the response in case any answers have been continued there. If the candidate has continued an answer there then add a tick to confirm that the work has been seen.
- 7. There is a NR (No Response) option. Award NR (No Response)
 - if there is nothing written at all in the answer space
 - OR if there is a comment which does not in any way relate to the question (e.g. 'can't do', 'don't know')
 - OR if there is a mark (e.g. a dash, a question mark) which isn't an attempt at the question.

Note: Award 0 marks – for an attempt that earns no credit (including copying out the question).

- 8. The RM Assessor **comments box** is used by your Team Leader to explain the marking of the practice responses. Please refer to these comments when checking your practice responses. **Do not use the comments box for any other reason.**
 - If you have any questions or comments for your Team Leader, use the phone, the RM Assessor messaging system, or email.
- 9. Assistant Examiners will send a brief report on the performance of candidates to their Team Leader (Supervisor) via email by the end of the marking period. The report should contain notes on particular strengths displayed as well as common errors or weaknesses. Constructive criticism of the question paper/mark scheme is also appreciated.

10. For answers marked by levels of response:

Read through the whole answer from start to finish, using the Level descriptors to help you decide whether it is a strong or weak answer. The indicative scientific content in the Guidance column indicates the expected parameters for candidates' answers, but be prepared to recognise and credit unexpected approaches where they show relevance. Using a 'best-fit' approach based on the skills and science content evidenced within the answer, first decide which set of level descriptors, Level 1, Level 2 or Level 3, best describes the overall quality of the answer.

Once the level is located, award the higher or lower mark:

The higher mark should be awarded where the level descriptor has been evidenced and all aspects of the communication statement (in italics) have been met.

The lower mark should be awarded where the level descriptor has been evidenced but aspects of the communication statement (in italics) are missing.

In summary:

The skills and science content determines the level.

The communication statement determines the mark within a level.

Level of response question on this paper is 18(c)(ii).

11. Annotations available in RM Assessor

| Annotation | Meaning |
|------------|--|
| ✓ | Correct response |
| × | Incorrect response |
| ^ | Omission mark |
| BOD | Benefit of doubt given |
| CON | Contradiction |
| RE | Rounding error |
| SF | Error in number of significant figures |
| ECF | Error carried forward |
| LI | Level 1 |
| L2 | Level 2 |
| L3 | Level 3 |
| NBOD | Benefit of doubt not given |
| SEEN | Noted but no credit given |
| I | Ignore |

12. Abbreviations, annotations and conventions used in the detailed Mark Scheme (to include abbreviations and subject-specific conventions).

| Annotation | Meaning |
|--------------|---|
| 1 | alternative and acceptable answers for the same marking point |
| ✓ | Separates marking points |
| DO NOT ALLOW | Answers which are not worthy of credit |
| IGNORE | Statements which are irrelevant |
| ALLOW | Answers that can be accepted |
| () | Words which are not essential to gain credit |
| | Underlined words must be present in answer to score a mark |
| ECF | Error carried forward |
| AW | Alternative wording |
| ORA | Or reverse argument |

13. Subject-specific Marking Instructions

INTRODUCTION

Your first task as an Examiner is to become thoroughly familiar with the material on which the examination depends. This material includes:

- the specification, especially the assessment objectives
- the question paper
- the mark scheme.

You should ensure that you have copies of these materials.

You should ensure also that you are familiar with the administrative procedures related to the marking process. These are set out in the OCR booklet **Instructions for Examiners**. If you are examining for the first time, please read carefully **Appendix 5 Introduction to Script Marking: Notes for New Examiners**.

Please ask for help or guidance whenever you need it. Your first point of contact is your Team Leader.

The breakdown of Assessment Objectives for GCSE (9-1) in Biology:

| | Assessment Objective |
|--------|--|
| AO1 | Demonstrate knowledge and understanding of scientific ideas and scientific techniques and procedures. |
| AO1.1 | Demonstrate knowledge and understanding of scientific ideas. |
| AO1.2 | Demonstrate knowledge and understanding of scientific techniques and procedures. |
| AO2 | Apply knowledge and understanding of scientific ideas and scientific enquiry, techniques and procedures. |
| AO2.1 | Apply knowledge and understanding of scientific ideas. |
| AO2.2 | Apply knowledge and understanding of scientific enquiry, techniques and procedures. |
| AO3 | Analyse information and ideas to interpret and evaluate, make judgements and draw conclusions and develop and improve experimental procedures. |
| AO3.1 | Analyse information and ideas to interpret and evaluate. |
| AO3.1a | Analyse information and ideas to interpret. |
| AO3.1b | Analyse information and ideas to evaluate. |
| AO3.2 | Analyse information and ideas to make judgements and draw conclusions. |
| AO3.2a | Analyse information and ideas to make judgements. |
| AO3.2b | Analyse information and ideas to draw conclusions. |
| AO3.3 | Analyse information and ideas to develop and improve experimental procedures. |
| AO3.3a | Analyse information and ideas to develop experimental procedures. |
| AO3.3b | Analyse information and ideas to improve experimental procedures. |

For answers to Section A if an answer box is blank ALLOW correct indication of answer e.g. circled or underlined.

| Question | Answer | Marks | AO element | Guidance |
|----------|--------|-------|------------|----------|
| 1 | D✓ | 1 | 2.2 | |
| 2 | C✓ | 1 | 1.1 | |
| 3 | B✓ | 1 | 1.1 | |
| 4 | A✓ | 1 | 1.1 | |
| 5 | C✓ | 1 | 1.1 | |
| 6 | A✓ | 1 | 2.2 | |
| 7 | A✓ | 1 | 1.2 | |
| 8 | A✓ | 1 | 1.1 | |
| 9 | D✓ | 1 | 1.1 | |
| 10 | C✓ | 1 | 1.1 | |
| 11 | C✓ | 1 | 1.1 | |
| 12 | C✓ | 1 | 2.2 | |
| 13 | C✓ | 1 | 2.2 | |
| 14 | B✓ | 1 | 1.1 | |
| 15 | D✓ | 1 | 1.2 | |

| Q | Question | | Answer | Marks | AO element | Guidance |
|----|----------|--|---|-------|------------|---|
| 16 | (a) | | Any two from: | 3 | 3 x 1.2 | |
| | | | Use a quadrat ✓ | | | DO NOT ALLOW transect line. Maximum 1 mark from this section. |
| | | | Positioned at random / use of several (quadrats) ✓ | | | IGNORE quadrant ALLOW random number generator/use co- ordinates to generate positions |
| | | | Count the number (of thistle in a quadrat) ✓ | | | IGNORE count the organisms/percentage cover |
| | | | AND Any one from: | | | |
| | | | Idea of scaling up a smaller area of quadrat to the number in $1\text{m}^2\checkmark$ | | | |
| | | | Work out the mean (of the 1m² quadrat) ✓ | | | ALLOW work out the average/divide number of thistle plants by number of quadrats |
| | (b) | | FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 1.8 award 2 marks | 2 | 2 x 2.2 | ALLOW rounding to 2 for 2 marks |
| | | | 36/20 ✓ | | | |
| | | | OR | | | |
| | | | $\frac{36}{(1/2 \times 10 \times 4)}$ | | | |
| | | | 1.8 ✓ | | | |
| | | | | | | |
| | (c) | | | 3 | | Assume answer refers to thistles after mowing |

J247/04 Mark Scheme June 2022

| Question | Answer | Marks | AO element | Guidance |
|----------|---|-------|------------|---|
| | Will receive more light ✓ | | 2.1 | ALLOW ORA for before mowing ALLOW less competition for light IGNORE less competition for space/water/minerals |
| | Will be able to photosynthesise more/faster ✓ | | 1.1 | IGNORE sun ALLOW more sunlight for photosynthesis = 2 marks IGNORE respire faster |
| | Produce more sugars/glucose/raw material (for growth) ✓ | | 2.1 | |
| | | | | IGNORE produce more food |
| | | | | At least one marking point must be comparative to score any marks |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

| Q | Question Question | | Answer | Marks | AO element | Guidance | |
|----|----------------------|-------|---|-------|------------|---|--|
| Q | | | Answer | Marks | AO element | | |
| 17 | (a) | | To allow oxygen gas into the bottle ✓ | 1 | 1.2 | | |
| | (b) | (i) | FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 16.3 award 3 marks | 3 | | | |
| | | | 300-235 / 4 ✓ or 65/4 ✓ | | 2 x 2.2 | | |
| | | | 16.25 ✓ | | | ALLOW 16.2 without working for 1 mark | |
| | | | = 16.3 √ | | 1.2 | ALLOW Clear evidence of correct conversion of incorrect answer to 3 significant figures | |
| | | (ii) | Greater the number of (air) holes, the faster the rate (of decomposition) ✓ | 2 | 2 x 2.2 | ALLOW ORA for less number of (air) holes IGNORE air flow IGNORE more air holes more mass lost | |
| | | | Idea that the relationship is not linear E.g. The rate of decomposition is not increasing at the same rate that the number of air holes are ✓ | | | ALLOW the relationship is not directly proportional | |
| | | (iii) | (Easier) to compare (the amount of mass that had been lost) ✓ | 1 | 2.2 | ALLOW no need to calculate the percentage change IGNORE to make it a fair test/is more accurate/is more reliable/is a control variable/fewer calculations | |
| | (iv) | | Number of (air) holes ✓ | 1 | 2.2 | IGNORE air holes unqualified | |
| | | (v) | Idea that it/water would not have been weighed / the mass would have been lower ✓ | 2 | 2.2 | ALLOW not all mass lost would have been due to decomposition IGNORE references to loss of plant waste reducing the mass IGNORE mass affected by loss of water | |
| | | | | | 3.3b | DO NOT ALLOW block up the drain holes | |

| Q | Question | | | Answer | | | Marks | AO element | Guidance |
|----|----------|-----|---|----------------|------------------|------------|-------|------------|---|
| | | | (Collect the water) and into the bottle ✓ | measure its r | mass / pour it | back | | | ALLOW at the end of the experiment measure the plant wastes dry mass |
| Q | uestic | on | | Answer | | | Marks | AO element | Guidance |
| 18 | (a) | | Any two from: | | | | 2 | 2 x 1.2 | |
| | | | All the offspring will be | identical/clon | es ✓ | | | | |
| | | | Bulbs will grow/flower faster (than seeds) ✓ | | | | | | DO NOT ALLOW grow faster if linked to reproduce/finding a mate/having one parent |
| | | | Idea that they know exa | actly what the | e flowers will I | ook like | | | IGNORE there will be more tulips made |
| | | | will be able to replicate desirable plants ✓ | | | | | | IGNORE ideas about cost/profit/efficiency |
| | (b) | | | Theory 1 | Theory 2 | | 2 | 2 x 2.1 | 1 mark for each correct row |
| | | | Changes the phenotype of the tulip plant | ✓ | ✓ | √ | | | |
| | | | Changes the genotype of the tulip plant. | √ | * | · · | | | |
| | | | | | | - , | | | |
| | (c) | (i) | FIRST CHECK THE AI If answer = 2112.68 av | | | NE | 2 | | |
| | | | $\begin{array}{c c} 2 \times 10^9 & \times 1.5 \checkmark \\ 14200 & 100 \end{array}$ | | | | | 1.2 | |
| | | | 2112.68 ✓ | | | | | 2.2 | ALLOW any correct rounding of 2112.676056 ALLOW 2112/2113 for total number of infected tulips for 2 marks ALLOW correct answer in standard form |

| Question | Answer | Marks | AO element | Guidance | |
|----------|---|-------|--------------------------------|--|--|
| (ii)* | Please refer to the marking instructions on page 4 of this mark scheme for guidance on how to mark this question. Level 3 (5–6 marks) Discusses the advantage of early detection and appreciates its consequences AND Discusses the usefulness of the machine including judgements based on the data There is a well-developed line of reasoning which is clear and logically structured. The information presented is relevant and substantiated. Level 2 (3–4 marks) States an advantage of early detection AND Discusses the usefulness of the machine There is a line of reasoning presented with some structure. The information presented is relevant and supported by some evidence. Level 1 (1–2 marks) State an advantage of early detection OR Discusses the usefulness of the machine | 6 | 2 x 2.1 2 x 1.1 2 x 3.2a | AO1.1 Demonstrates knowledge and understanding to state the advantages of early detection • less insecticide/spray is needed • less chance that the virus is spread to other tulips (by the insects) AO2.1 Apply knowledge and understanding to appreciate the consequences of early detection. • less insecticide sprayed means less chance of pollution/less damage to the environment • less insecticide sprayed means less cost to grower • less insecticide sprayed means less risk to other insects AO3.2a Analyse information to make judgements on the usefulness of the machine. • machine can reduce the time needed to inspect tulips/the machine is faster • fairly accurate diagnosis/all/15 infected tulips are identified | |

| Q | uesti | ion | Answer | | | | | | AO element | Guidance |
|----|----------|------|--|-----------|-------------------------|-----------------------|--------------------------------------|-------|---------------|--|
| | | | | The info | ormation is | in the m | re with a line of ost part relevant. | | | 14 diagnosed incorrectly can lead to more area being sprayed/loss of biodiversity idea that although some non-infected are diagnosed, no infected tulips are missed |
| Q | uesti | ion | | <u> </u> | Answ | _ | | Marks | AO element | Guidance |
| 19 | 19 (a) (| | Number in the family 6 People who are homozygous recessive for the gene People who are homozygous dominant for the gene | | | | | 2 | 2 x 2.1 | |
| | | (ii) | Person 2 | A a | Persor a Aa aa | n 1 a Aa | Gametes √ Correct cross √ | 3 | 2 x 2.1 | ALLOW ECF correct cross for incorrect gametes for 1 mark |
| | | | Probability = | = 0.5 / 5 | 50% ✓ | | | | 3.2b | ALLOW ½, 1:1, 1 in 2 |
| | (b) | | Sugar/glucose (level)✓ Insulin <u>and</u> glucagon ✓ Metabolic ✓ | | | | | | 4 x 1.1 | ALLOW either order DO NOT ALLOW glycagon/glycogen |

J247/04 Mark Scheme June 2022

| Question | Answer | Marks | AO element | Guidance | | |
|----------|--|-------|------------|---|--|--|
| | Thyroxine ✓ | | | IGNORE TSH | | |
| (c) | Killing the plasma cells stops production of amyloid/ Protein/killing the plasma cells stops blood vessels being blocked (from the pancreas and thyroid gland) | 2 | 2 x 2.1 | IGNORE stops amyloidosis | | |
| | Stem cells can differentiate into new plasma cells/stem cells can be used to replace the plasma cells ✓ | | | IGNORE the new plasma cells cannot make the amyloid/protein | | |
| (d) | The (amyloid) protein is not made ✓ The allele/gene is not having an effect/ the allele/gene is | 2 | 2 x 2.1 | ALLOW the gene/allele/mRNA is not translated DO NOT ALLOW the DNA/mRNA is not transcribed | | |
| | not expressed√ | | | DO NOT ALLOW the allele/gene is destroyed DO NOT ALLOW prevents the gene coding for the amyloid protein | | |

| Q | uesti | on | Answer | Marks | AO element | Guidance |
|----|-------|------|--|-------|------------|---|
| 20 | (a) | | cuckoos & fungi caterpillars pine trees Three trophic levels correctly drawn ✓ Correctly labelled ✓ | 2 | 2 x 2.1 | ALLOW birds for cuckoos ALLOW triangle |
| | (b) | | A mutation occurs (so some cuckoos have a sticky membrane) (These cuckoos) can eat caterpillars (These cuckoos) will pass on the allele (for sticky membranes) Over many years/eventually all the cuckoos have sticky membranes/the allele (These cuckoos) will pass on the allele (for sticky membranes) | 4 | 4 x 2.1 | IGNORE cuckoos get more food IGNORE gene IGNORE pass on the characteristic ALLOW over time, all cuckoos without sticky membranes die out ALLOW over time, allele frequency increases so all cuckoos have it |
| | (c) | (i) | Biological ✓ | 1 | 1.1 | |
| | | (ii) | 2 ✓ | 1 | 1.2 | |

| Ques | stion | Answer | Marks | AO element | Guidance |
|------|-------|---|-------|---------------|---|
| (d |) (i) | FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 69.23 award 2 marks | 2 | | |
| | | 9/13 × 100 ✓ | | 1.2 | |
| | | 69.23 (%) ✓ | | 2.2 | ALLOW 69.2307692308 or any correct rounding e.g. 69/69.2 |
| | (ii) | Any one from: | 1 | 2.1 | |
| | | Predators ✓ Parasites/other pathogens/diseases ✓ Weather conditions/change in temperature ✓ Lack of food ✓ More competition ✓ | | | IGNORE the oil from the pine trees |
| | (iii) | Any two from: Ginger is more effective than rosemary (at killing larvae) / ORA Ginger/rosemary is more effective on the pine trees than | 3 | 3 x 3.1b | ALLOW AW throughout for more effective e.g. better |
| | | in the lab / ORA ✓ Both are more effective than the control treatment ✓ | | | |
| | | AND | | | |
| | | Data used to back up argument ✓ | | | Data mark can only be given if at least one correct evaluation mark awarded Data must involve some manipulation e.g. ginger kills 1586 and rosemary kills 1061 in total/ginger kills 525 more overall than rosemary |

| G | Question | | Answer | Marks | AO element | Guidance |
|---|----------|--|--------|-------|------------|---|
| | | | | | | e.g. ginger kills 412/41.2% more in the lab than rosemary e.g. ginger kills 113/11.3% more on the pine trees than rosemary e.g. ginger kills 16.2% more on the pine trees than in the lab |

| Q | Question | | Answer | Marks | AO element | Guidance |
|----|----------|------|---|-------|--------------|---|
| 21 | (a) | | Vaccine contains weakened/dead/inactive pathogen ✓ | 3 | 3 x 1.1 | ALLOW any type of pathogen ALLOW vaccine contains a pathogen's antigens ALLOW vaccine contains mRNA/genetic material IGNORE dead version of the disease/measles |
| | | | (formation of) memory cells ✓ | | | DO NOT ALLOW antibodies become memory cells/antibodies make memory cells |
| | | | Idea of infected with the real pathogen then antibodies are produced faster/in larger numbers ✓ | | | IGNORE kills the pathogen quicker |
| | (b) | (i) | 1985 ✓ Because the number of cases has a steeper/the steepest decline/more people had the (MMR) vaccine ✓ | 2 | 2 x 3.1a | ALLOW 1984/1986 If year is incorrect 0 marks |
| | | (ii) | 2001 ✓ Idea of the number of cases increased as people were concerned about the risk (of autism)/the report/did not trust the vaccine AND | 2 | 3.1a 3.2a | ALLOW 2000/2002 If year is incorrect 0 marks |

| Q | uestio | on Answer | Marks | AO element | Guidance |
|---|--------|--|-------|------------|---|
| | | Less people were vaccinated ✓ | | | |
| | (c) | People who have had measles have fewer different antibodies ✓ | 2 | 2 x 3.2b | IGNORE they have lots of antibodies for measles |
| | | Idea that they are more likely to develop other diseases/more prone to other pathogens making them ill | | | ALLOW less protection against other diseases |

| Q | Question | | Answer | Marks | AO element | Guidance |
|----|----------|------|---|-------|------------|---|
| 22 | (a) | (i) | Haploid is half the number of chromosomes/one chromosome from each pair/one set of chromosomes ✓ | 2 | 2 x 1.1 | ALLOW haploid cells have 23 chromosomes and diploid cells have 46 chromosomes IGNORE incorrect chromosome numbers ALLOW haploid cells have half the genetic information |
| | | | Diploid is the full number of chromosomes/the chromosomes are all in pairs/two sets of chromosomes ✓ | | | |
| | | (ii) | (Meiosis makes gametes/cells) that are haploid/have half the number of chromosomes ✓ or (meiosis makes gametes/cells) with 23 chromosomes/that do not have an extra chromosome/that do not have 24 chromosomes✓ | 2 | 2 x 1.1 | |
| | | | Idea that after fertilisation, the diploid/full number of chromosomes is restored/the zygote has 46 chromosomes ✓ | | | |

J247/04 Mark Scheme June 2022

| Que | Question | | Answer | Marks | AO element | Guidance | |
|-----|----------|------|--|-------|------------|--|--|
| (| (b) | | Has Down's syndrome/does not have Edward's syndrome ✓ | 2 | 2 x 3.2b | DO NOT ALLOW more likely to/may have Down's syndrome/less likely to have Edward's syndrome IGNORE they have an extra chromosome/47 chromosomes | |
| | | | Female/a girl ✓ | | | | |
| (| (c) | (i) | Any two from: | 2 | 2 x 3.2b | ORA for all marking points | |
| | | | Down's syndrome increases as the age of the mother | | | 3 1 3 | |
| | | | increases ✓ | | | | |
| | | | Edward's syndrome increases as the age of the mother | | | | |
| | | | increases ✓ | | | | |
| | | | Down's syndrome is more common than Edward's | | | | |
| | | | syndrome (at any age) ✓ | | | | |
| | | | Down's syndrome increases more rapidly after the age of 25-29/30-34/35-39/40/40 or older ✓ | | | | |
| | | | Edward's syndrome increases more rapidly after the age | | | | |
| | | | of 30-34/35-39/40 or older ✓ | | | | |
| | | (ii) | In older women meiosis takes longer which increases the | 1 | 3.2b | IGNORE eggs have been in a woman longer with | |
| | | | chance of an egg being made with an extra chromosome/ a mutation occurring ✓ | | | no reference to duration of meiosis | |

Need to get in touch?

If you ever have any questions about OCR qualifications or services (including administration, logistics and teaching) please feel free to get in touch with our customer support centre.

Call us on

01223 553998

Alternatively, you can email us on

support@ocr.org.uk

For more information visit

ocr.org.uk/qualifications/resource-finder

ocr.org.uk

Twitter/ocrexams

/ocrexams

/company/ocr

/ocrexams



OCR is part of Cambridge University Press & Assessment, a department of the University of Cambridge.

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored. © OCR 2022 Oxford Cambridge and RSA Examinations is a Company Limited by Guarantee. Registered in England. Registered office The Triangle Building, Shaftesbury Road, Cambridge, CB2 8EA.

Registered company number 3484466. OCR is an exempt charity.

OCR operates academic and vocational qualifications regulated by Ofqual, Qualifications Wales and CCEA as listed in their qualifications registers including A Levels, GCSEs, Cambridge Technicals and Cambridge Nationals.

OCR provides resources to help you deliver our qualifications. These resources do not represent any particular teaching method we expect you to use. We update our resources regularly and aim to make sure content is accurate but please check the OCR website so that you have the most up-to-date version. OCR cannot be held responsible for any errors or omissions in these resources.

Though we make every effort to check our resources, there may be contradictions between published support and the specification, so it is important that you always use information in the latest specification. We indicate any specification changes within the document itself, change the version number and provide a summary of the changes. If you do notice a discrepancy between the specification and a resource, please <u>contact us</u>.

Whether you already offer OCR qualifications, are new to OCR or are thinking about switching, you can request more information using our <u>Expression of Interest form</u>.

Please get in touch if you want to discuss the accessibility of resources we offer to support you in delivering our qualifications.